

IFB 1-080409 - ADDENDUM #002
April 7, 2008

To: Plans and Specifications For:

Missouri Department of Transportation – District 1 – District Office Re-Roof/Tuck Pointing

Bid Opening Date Has Changed

Bid opening date has been changed to April 11, 2008 at 1:00 p.m.

Bidders are hereby informed that the construction plans and/or specifications are modified as follows:

GENERAL:

Addendum #1 – Ignore all components of this addendum except the attached drawings.
The existing field roof will be allowed to remain in place.
Contractor to provide and install recovery board per manufacturer's instructions and recommendations.
Any wall cap required to be replaced to match existing.
Contractor to provide core cuts as required to determine roof conditions.
All exposed exterior surfaces of penthouses to be painted per Specification Section 09900.
Minor tuck-pointing on west side of penthouses will require high elevation work.
North wall of 1958 edition penthouse requires extensive tuck-pointing.

SPECIFICATIONS:

Section 00100 – Instructions to Bidder

- 10. Construction Time and Liquidated Damages
 - A. Time of Completion – time of completion has been changed from 20 to 25 working days.

Section 00301 – Bid Form

- 2. Contractor to provide a square foot cost for replacement of any damaged roof insulation.

Should read

- 2. Contractor to provide a board foot cost for replacement of any damaged roof insulation.

Section 07540 – PVC Thermoplastic Membrane Roofing

- 1.7 Regulatory Requirements
 - B. Fire Exposure: Per local code.
 - C. Wind Uplift:
 - 1. FMG:
 - a. Class 1A-60 (Use this Class)
 - b. Class 1A-75 (This section to be eliminated)
 - c. Class 1A-90 (This section to be eliminated)
 - D. Thermal Resistance: (This section to be eliminated)
- 1.10 Warranty
 - C. Manufacturer Warranty:
 - 1. Warranty Period: 15 years from date of issue.
Should read:
 - 1. Warranty Period: 10 years from date of issue.
 - D. Manufacturer Warranty: (This section to be eliminated)
 - E. Manufacturer Warranty: (This section to be eliminated)
- 2.2 Roofing System Components
 - C. Fan-Fold Board: (This section to be eliminated)
 - D. Coated Glass Fiber Slip Sheet: (This section to be eliminated)
 - E. Slip Sheet: (This section to be eliminated)

DRAWINGS:

Use drawings from Addendum # 001