



Kevin Keith, Director

June 9, 2011

Addendum No. 001
IFB 9-110617A

MISSOURI DEPARTMENT OF TRANSPORTATION:
DISTRICT – 1, SERVICE STATION RENOVATION, ST. JOSEPH, MISSOURI

BID OPENING DATE AND TIME: June 17, 2011 AT 3:00 P.M. LOCAL TIME.

1. The contractor shall include sandblasting and painting of the cmu walls inside the Service Bay in accordance with general note 16 and construction note 12 on sheet S2. This shall include the two side walls located along column grids 3 & 4 as well as the back wall adjacent to the Mechanical Room.
2. In accordance with construction note 1 on sheet S2, the contractor shall retain a qualified professional structural licensed in the State of Missouri to design the shoring. Submit sealed shoring plans, details, and structural calculations for record only.
3. In accordance with the Special Inspection Notes shown on sheet S1, the contractor shall retain the special inspector to provide independent 3rd party structural tests and inspections in accordance with Chapter 17 of the 2006 International Building Code. Those requirements are also outlined in the special inspection notes. There is no other requirement to hire a structural engineer to evaluate or inspect welds, procedures, etc. Welders certified in the types of welds indicated on the drawings must be used. Welder certification forms are a required submittal for review and should be current within the last six months. MoDOT will also perform periodic inspections, but MoDOT's inspection does not relieve the contractor of the special inspection requirements. Contractors shall indicate in their bid which independent 3rd party testing and inspection agency will be providing special inspections on the project. Qualified testing and inspection agencies include:

Geotechnology

5055 Antioch Road

Overland Park, KS 66203

913-438-1900

Kleinfelder

7802 Barton

Lenexa, KS 66214

913-962-0909

Terracon

Attn: Craig Denny

13910 W. 96th Terrace

Lenexa, KS 66215

913-492-7777

Professional Services Industries, Inc.

1211 W. Cambridge Circle Drive

Kansas City, KS 66103

913-310-1600

Kaw Valley Engineering

14700 W. 114th Terrace

Lenexa, KS 66215

913-894-5150

Page 3 Section 00020, Invitation to Bid, 1st paragraph“, replace D8 Boiler” with D1 Service Station Renovation

AND

Page 13 Section 00301, Bid Form, 1st paragraph“, replace D8 Boiler” with D1 Service Station Renovation