

BID FORM

MISSOURI DEPARTMENT OF TRANSPORTATION
GENERAL SERVICES
P.O. BOX 270
JEFFERSON CITY, MO 65102

REQUEST NO.	2-121204RW
DATE	November 16, 2012

SEALED BIDS, SUBJECT TO THE ATTACHED CONDITIONS WILL BE RECEIVED AT THIS OFFICE UNTIL

December 4, 2012 at 2:00 PM CST

AND THEN PUBLICLY OPENED AND READ FOR FURNISHING THE FOLLOWING SUPPLIES OR SERVICES.

BIDS TO BE BASED F.O.B. MISSOURI DEPARTMENT OF TRANSPORTATION

Submit net bid as cash discount stipulations will not be considered

F.O.B. Destinations

Locations as referenced in bid

SIGN AND RETURN BEFORE TIME SET FOR OPENING.

BUYER:	Robin Warren Sr. General Services Specialist	BUYER TELEPHONE:	573.526.7929
		BUYER EMAIL:	Robin.Warren@modot.mo.gov

SUPPLIES OR SERVICES

MoDOT is seeking bids from qualified bidders whom can provide **Plant Mix Oil Material**. Sealed bids will be accepted to supply, mix, haul and dump plant mix oil material on roadways or stockpile sites as described in this bid.

*****NOTE:** It is the responsibility of the Bidder to access MoDOT's website in order to obtain any and all addenda(s) issued during the course of this RFB Process.

All questions regarding this RFB shall be submitted to the RFB Coordinator/Contact.

(SEE ATTACHED FOR CONDITIONS AND INSTRUCTIONS)

In compliance with the above Request For Bid, and subject to all conditions thereof, the undersigned bidder agrees to furnish and deliver any or all the items on which prices were bid within the timeframe specified herein, after receipt of formal purchase order.

Date: _____

Firm Name: _____

Telephone No.: _____

Address: _____

Fax No.: _____

Email Address: _____

By (Signature): _____

Type/Print Name _____

Is your firm MBE certified? Yes No

Title: _____

Is your firm WBE certified? Yes No

ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX Bidders have the option to accept the provision for Asphalt Cement Price Index as stated in Section 10. The bidder must mark the box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

Asphalt Cement

ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel as stated in Section 11. The bidder must mark the box below for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision.

Asphalt Production Asphalt Hauling

Signature: _____

Title: _____

1. Introduction

- 1.1 This solicitation seeks qualified vendors who can provide Plant Mix Oil Material for maintenance purposes. Seal bids will be accepted to supply, mix, haul and dump plant mix oil material on roadways or stockpile sites as stated in this bid. This work shall consist of mixing aggregate and liquid bituminous material in a stationary plant, hauling and dumping the mixture on the surface of the road or to stockpile sites in accordance with these specifications or as directed by the engineer.
- 1.2 Traffic control for roadway delivery will be provided by the Missouri Department of Transportation (MoDOT).
- 1.3 The contract period shall be from Notice to Proceed through the completion dates specified by each district. The completion dates are stated on Page 14.

2. Quantities

- 2.1 The quantities identified in the Pricing Pages are estimates only. The quantities may or may not represent the actual quantities encountered on the job. The contractor may be requested to furnish more or less than the estimated quantities.
- 2.2 MoDOT may increase or decrease quantities by 40 percent. MoDOT will issue purchase orders after the Missouri Highways and Transportation Commission approves the contract.
- 2.3 The engineer or their representative will make any changes in the proportions of cutback asphalt or emulsified asphalt and aggregates as he considers necessary to obtain satisfactory field performance within the limits specified in this request for composition of the mixture.
- 2.4 The engineer or their representative can make changes, including cancellation, at any time to any Group, listed on the Pricing Page.
- 2.5 MoDOT does not guarantee any specific quantities that may be required to be provided by the contractor.

3. Material

All material shall conform to **Missouri Standard Specifications for highway Construction, 2011 Edition**, and any revisions thereto, except as revised herein:

- 3.1 **AGGREGATE.** The type and grade of aggregate shall be as specified on each District's Pricing Page.
 - a. **Mining By-Product Aggregates** - Aggregates produced as a by-product from lead or zinc-mining operations may be furnished under the following requirements. No blending or dilution of these aggregates with other material will be allowed in order to comply with these specifications
 - b. The supplier shall separate out all aggregate to be furnished into individual stockpiles not exceeding 5,000 cubic yards each. No material will be accepted that has not been moved at least once to a stockpile area specifically for this purpose. The supplier shall randomly sample each stockpile by combining several small samples from the pile into one sample. The sample shall be tested by an approved laboratory for the total lead content. A minimum of one test shall be performed for each individual stockpile. The total lead content shall be less than 4,500 ppm as determined by EPA Method 3050A, Acid Digestion of Sediments, Sludges, and Soils (particle size reduced to 1 mm or less). For aggregate meeting Sec. 1004 which is encapsulated in asphalt and delivered to MoDOT construction projects or property, there will be no limit on the leachable lead.
 - c. Prior to any approval, shipment or use of this material, the supplier shall furnish the engineer a report of the laboratory test results. The report shall specifically identify the stockpile, estimated quantity, location, date of the sample, date of test and the specific test results for each lead test. Attached to the report shall be a certification from the supplier that the material being furnished does not exceed the lead amounts specified. The supplier shall test as necessary beyond the requirements of this specification to ensure that this specification is met. All costs for setting the material aside for testing and the testing shall be borne by the supplier.

3.2 **LIQUID BITUMINOUS MATERIAL.** The liquid bituminous material shall meet the specifications contained in **Section 1015 of Missouri Standard Specifications for Highway Construction, 2011 Edition**, for one of the following alternates:

***ALTERNATE A** - MC 800 Cutback Asphalt

****ALTERNATE B** - EA 300 Emulsified Asphalt

ALTERNATE C - CMS-2M Emulsified Asphalt

***NOTE:** Alternate A, MC-800 Cutback Asphalt, shall not be used to produce plant mix oil material delivered to Clay, Jackson, Platte, St. Charles, Franklin, St. Louis, Jefferson, Adair, Carroll, Chariton, Grundy, Howard, Linn, Livingston, Macon, Mercer, Putnam, Randolph, Saline, Schuyler and Sullivan Counties.

**The SW district will be using EA300 emulsified.

Emulsified asphalt shall be used for all oil material that is to be delivered to stockpile sites unless the use of cutback asphalt is approved by the engineer.

The liquid bituminous material used shall coat the aggregate at the point of use in a manner and to a degree satisfactory to the engineer. Material that does not fully comply with these specifications will be rejected. The supplier shall be responsible for the cost and disposal of all rejected material.

3.2.1 **Approval of Source.** The contractor shall obtain approval of the source of liquid bituminous materials from the engineer before any shipments to the work are made.

3.2.2 **Sampling, Testing and Acceptance Procedures.** It shall be the responsibility of the supplier to guarantee by certification that the material fully complies with the specification requirements, after being loaded, and delivered to the point of acceptance.

3.3 **TRUCK SHIPMENTS.** Truck shipments shall be loaded from approved storage tanks, which have been sampled, tested, and certified by the Supplier to the Department. If automatic blending equipment is used, blender materials will be approved for use providing the finished product fully complies with specifications. At least one complete test shall be conducted every **two weeks** on each grade of material furnished for Missouri Department of Transportation work from the blender. A certified copy of the tests results shall be furnished to the engineer. After loading, the supplier shall sample and make identifying tests on a sufficient number of truck shipments of material supplied to insure that proper quality control is being maintained and that all such shipments fully comply with the specification requirements. Identifying tests are viscosity for cutback asphalt; viscosity, sieve and particle charge for CMS-2M emulsified asphalt; and sieve, distillation, penetration and float test for EA-300 emulsified asphalt. It shall be the Supplier's responsibility to insure that any material failing to comply with specification requirements will not be used in the work.

3.3.1 The supplier shall furnish the truck driver a copy of the bill of lading, manifest, or truck ticket that is to be available to the Missouri Department of Transportation personnel at destination. The engineer or his representative at the source is also to be furnished a copy. The bill of lading, manifest, or truck ticket shall show the following information regarding the shipment: **Type and grade of material, purchase and confirmation order numbers, consignee, truck number, weights of truck before and after loading, specific gravity @ 60F/60F, net gallons, destination, date loaded, name and location of the source and a certification statement.** The certification statement shall be substantially as follows:

"This certifies that the asphaltic material in this shipment complies with Missouri Department of Transportation specifications for the grade specified and the weights shown hereon were obtained on Department approved scales and are correct within the specified scale requirements."

An authorized representative of the supplier shall sign the certification statement.

3.3.2 The engineer or his representative will at random observe the loading and weighing of trucks and the sampling, and testing at the source of truck shipments and tanks, and will select representative samples of the material being supplied. These samples will be tested in the field or in the Central Laboratory. When test results of materials or weights certified by the supplier are not representative of the material or quantity being shipped, the source approval will be withdrawn. A source may be reinstated when proof is furnished that the deficiency has been corrected and adequate controls are in effect to guarantee delivery of correct quantities and of materials meeting specifications.

3.3.3 Verification of certified weights may be required by the weighing of a hauling unit, both loaded and empty, on scales other than those used by the supplier and have also been approved by the engineer.

- 3.3.4 The supplier shall furnish the required sampling equipment and shall sample the truck under the direction of the engineer or his representative. The supplier shall be responsible for keeping all sampling equipment clean and in good condition. Sampling devices on truck transports will be approved provided an adequately insulated valve is used with a pipe or nipple inserted a suitable distance into the tank.
- 3.3.5 Each truck transport shall carry a log showing the types of materials and dates hauled, with respect to recent shipments, or the supplier shall furnish the engineer or his representative such information with respect to the previous load.
- 3.3.6 Intermediate storage tanks for storage and transfer of material between the source and the point of acceptance shall be equipped for sealing and shall be reserved exclusively for State work. Use of any material in unsealed tanks will be subject to delay until it can be sampled, tested and approved. **If excessive sampling is necessary the Missouri Department of Transportation may charge an additional amount to cover our expenses.**
- 3.3.7 Measurement of Liquid Bituminous Materials. Measurement of the Cutback Asphalt and Emulsified Asphalt materials shall be based on the volume at **60F**. The volume shall be determined from the net weight that shall be converted to gallons by using the unit weight in pounds per gallon at **60F** designated by the engineer or his representative.
- 3.3.8 Proportioning and Blending Liquid Bituminous Material Constituents. All materials shall be properly proportioned and thoroughly blended in suitable tanks prior to delivery to transportation equipment, or may be proportioned and blended by use of automatic proportioning equipment. All automatic proportioning blenders shall meet the approval of the engineer and shall be equipped with precision instruments, including electrically interlocked motors, and automatic meters. Materials blended in quantities of less than 8,000 gallons in either tanks or trucks without the use of automatic proportioning blenders will not be approved.
- 3.3.9 Platform Scales for Weighting Liquid Bituminous Material. Equipment for weighing of liquid bituminous material shall consist of accurate and reliable platform scales approved by the Department. Scales shall be accurate to **within an accuracy of 0.4 percent** of the net load applied, when tested for accuracy, regardless of the location of the load on the platform. The value of the smallest unit of graduation on a scale **shall not be greater than 20 pounds**. Sensitivity requirements of scales not equipped with balance indicators shall be twice the value of the minimum graduated interval on the weigh beam, or 0.2 percent of the nominal capacity of the scale, whichever is less. For scales equipped with balance indicators, the sensitivity requirement shall be the value of the minimum graduated interval on the weigh beam.

When equipment to be weighed is of such length that all axles cannot be weighed simultaneously, a level area of concrete or bituminous pavement shall be provided permitting those axles not on the scale platform to be on the pavement during the determinations. The weighing shall be performed with all brakes released. When equipment to be weighed is equipped with an air bag suspension unit on any axle, the equipment including semi-trailers or pup trailers shall be weighed on platform scales of sufficient size to weigh all axles of the combination simultaneously.

Scales shall have been calibrated within the six-month period immediately prior to any material being delivered or anytime the engineer or his representative has cause to question the accuracy of the scale. Scale acceptance shall be based on one of the following:

- (a) A valid certification or seal of approval by the Division of weights and Measures of the Missouri Department of Agriculture.
- (b) A valid certification or seal of approval by a State of Missouri duly appointed "sealer of weights and measures" in cities or counties of seventy-five thousand population or more.
- (c) Certification of calibration from a commercial scale service company showing that the scale meets the requirements of these specifications. The supplier shall furnish the certification of calibration to the engineer or his representative.

Regardless of the form of acceptance, the calibration shall be within the accuracy requirements specified herein and the scales shall meet all requirements of these specifications.

The weighing of a hauling unit on another recently calibrated and certified scale may require verification of a platform scale.

All costs incurred in obtaining a certification of calibration or verification shall be borne by the supplier.

4. Composition of Mixture

- 4.1 **GRADATION OF AGGREGATE.** The total aggregate, as determined from samples taken immediately prior to mixing with the liquid bituminous material, shall meet the particular type and grade described on page 13 within this document.
- 4.2 The composition of the mixture shall conform to the following limits by weight:
- | | |
|---------------------------------------|-----------|
| Total Mineral Aggregate | 91%-96.5% |
| Cutback Asphalt or Emulsified Asphalt | 3.5%-9.0% |
- 4.3 The percent liquid asphalt to be used for each item is described on **Pages 11, 12 and 13** within this document. **This is an estimate** and may be adjusted by the engineer to obtain satisfactory field performance of the mixture.

5. Mixing Plant

Mixing of liquid bituminous material and aggregate shall be by means of an approved mixer capable of producing a uniform, thoroughly mixed material free from segregation.

- 5.1 Equipment for heating liquid bituminous material shall meet the approval of the engineer or his representative, and shall be capable of heating the material to the required temperature without the introduction of moisture, localized overheating or otherwise changing the characteristics of the material. Plant equipment shall include a thermometer that will indicate the temperature of the liquid bituminous material at the time of mixing (refer to Section 6.3 below for actual temperatures).

6. Preparation of Mix

- 6.1 **Mixing Time.** The mixing time shall be of sufficient length to produce a homogenous mixture, uniform in color. The mixing time will be determined by the engineer or his representative and shall uniformly coat the aggregate.
- 6.2 **Drying of Aggregates.** Drying of the aggregate by mechanical means or by a rotating fuel oil or gas fired dryer will not be required. When using emulsified asphalt, mixing will be permitted when the total moisture in the aggregate does not exceed the limits set out in the following table:

<u>ABSORPTION</u>	<u>ALLOWABLE TOTAL MOISTURE CONTENT (MIXING WITH EMULSIFIED ASPHALTS)</u>
0 - 2.1% -----	Absorption + 1%
2.2% - 2.6% -----	3.1%
2.7% - 3.6% -----	Absorption + 0.5%
3.7% - 4.0% -----	4.1%
4.1% + -----	Absorption + 0%

When using MC-800 cutback asphalt, mixing will be permitted when the aggregate is surface dry. Absorption will be based on a representative sample of the crushed material that has been tested in the central laboratory.

- 6.3 **Mixing Temperature.** If the Contractor elects to dry the aggregate by means of a rotating fuel oil or gas fired dryer, the temperature of the aggregate at the time of mixing **shall not exceed 200F.**

The temperature of cutback asphalt at the time of mixing shall be **190F, plus or minus 20F.** The temperature of emulsified asphalt at the time of mixing shall be between **100F and 190F.**

- 6.4 **Control of Material.** Aggregate may be proportioned by weight or volume.

- 6.4.1 If by Volume: Volumetric control of the aggregate feed to the mixer shall be positively controlled by means of a constant speed conveyor and an orifice having an adjustable gate opening capable of being calibrated. The conveyor shall deliver the aggregate to the mixer at a uniform rate and **shall not vary more than 2% by weight** from the required quantity.

The liquid bituminous material shall be proportioned by volume through an approved **continuously registering cumulative indicating meter by a pump specifically designed for liquid bituminous material.** The pump shall deliver the liquid bituminous material to the mixer at a uniform rate that shall not vary more than 2.0% by

weight from the required quantity. The liquid bituminous material shall be sprayed on the aggregate as it is charged into the mixer. The aggregate feeder and the asphalt pump shall be interlocked or synchronized to deliver the proportions as required within the tolerances specified.

- 6.4.2 If by Weight: Scales for weighing aggregate may be either the beam or spring-less dial-type and shall be of standard make and design having tolerance not exceeding 0.4% of the indicated weight when tested for accuracy. The total weight of the batch shall be within 2.0% of the desired batch weight. When manual batching methods are used, beam-type scales shall be equipped with a device to indicate that the required load is being approached. Quantity indicators necessary for batching operations shall be in full view of the operator.

Satisfactory means, either by metering or weighting, shall be provided to obtain proper quantity of liquid bituminous material. Metering pumps for liquid bituminous material shall deliver to within plus or minus 2.0% of the required quantity when tested for accuracy. Where the quantity of liquid bituminous material is controlled by metering, provisions shall be made whereby the quantity through the meter may be checked by actual weight.

Scales for weighing liquid bituminous material shall conform to the requirements for aggregate scales, except that a device to indicate at least **20 pounds** of the approaching total load shall be provided. Liquid bituminous material shall be **measured within one-tenth percent** of the total batch weight of the mixture.

If emulsified asphalt is used, water may be added at the mixer only as directed by the engineer or his representative.

- 6.5 **Plant Calibration Personnel,** scales and equipment necessary for calibrating the plant and for verifying the accuracy of proportions shall be furnished by the Contractor and shall be available at all times. All equipment shall be calibrated by the Contractor in the presence of and subject to the approval of the engineer.

7. Delivery

- 7.1 All plant mix material stockpiled for MoDOT use shall be protected from rain until it is delivered to MoDOT.
- 7.2 The plant mix material shall be delivered within 96 hours of mixing, unless notified by the engineer or their representative, or the roadway or weather conditions prevent delivery.
- 7.3 The engineer or their representative must be present when the plant mix material is delivered. **No material will be accepted that has been dumped in the absence of the engineer or their representative.**
- 7.4 Once delivery is started on a day, it shall be continued on a consistent schedule throughout the day. If this schedule cannot be maintained due to plant breakdown, rain, etc., the contractor shall inform the engineer or their representative, so that MoDOT forces can be reassigned.
- 7.5 **Roadway Delivery**
- 7.5.1 The engineer or their representative shall place roadway delivery orders a minimum of 24 hours in advance. MoDOT reserves the right to cancel delivery at any time. Acceptance of delivery will be at the discretion of the engineer or their representative.
- 7.5.2 No deliveries will be permitted on the roadway unless the surface of the road is dry. Mud or other debris shall not be tracked onto the roadway surface.
- 7.5.3 Plant mix material shall be distributed on the roadway at a rate directed by the engineer or their representative. The engineer or their representative will provide the delivery starting time and rate of tons to be delivered per hour 24 hours in advance of the first delivery. The last delivery must be received no later than 2:00 p.m., unless otherwise directed by the engineer or their representative. **EXAMPLE,** first delivery will be made at 6:30 a.m. and deliveries will continue at a minimum rate of 100 to 150 tons per hour with the last delivery received no later than 2:00 p.m.
- 7.5.4 Plant mix material must be evenly distributed within the work area as directed by the engineer or their representative.
- 7.6 **Stockpile Site Delivery**
- 7.6.1 All deliveries are to be made during maintenance facilities normal work hours unless prior arrangements have been made with the appropriate MoDOT district office or other designated contact person(s). Deliveries will not be accepted on Holidays, Saturdays or Sundays unless a mutual agreement has been reached between the vendor

or hauler and the appropriate MoDOT district office.

7.6.2 The contractor shall furnish the appropriate engineer, or their representative, with a planned delivery schedule within a minimum of 48 hours before delivery is to begin, unless other suitable arrangements are made by MoDOT.

7.6.3 Stockpile deliveries made after the completion dates outlined in this bid will be accepted at the discretion of the engineer or their representative.

8. Liquidated Damages

8.1 In the event the successful Contractor fails to deliver the material within the time specified, the Department and the public will sustain damages because of such delay in delivery, the exact extent of which would be difficult to ascertain, and in order to liquidate such damage in advance it is agreed that the **sum of \$250.00 per day, per item**, for each assessable calendar day on which the delivery has not been completed, is reasonable and the best estimate which the parties can arrive at as liquidated damages, and it is therefore agreed that said amount will be withheld from payments due the Contractor or otherwise collected from the Contractor as liquidated damages.

8.2 Saturdays, Sundays, holidays and days whereas the Department has suspended work shall not be assessable days.

9. Measurement

9.1 The weight of the mixture will be determined from batch weights when a batch-type plant is used, and will be determined by weighting each truck load in accordance with the requirements of SEC. 310 of Missouri Standard Specifications for Highway Construction, 2011 edition, and its supplements, when other types of plants are used except that the 2% moisture deduction will not apply.

9.2 Measurements of liquid bituminous material to the nearest 0.1 ton for the total tonnage used in the accepted work will be determined from the bill of lading, manifest, or truck ticket.

9.3 Measurement of the weight of mineral aggregate, to the nearest ton, will be determined by subtracting the weight of the liquid bituminous material from the weight of the mixture of aggregate and liquid bituminous material.

10. Payment

10.1 The accepted quantities of plant mix oil material will be paid for at the unit price for each of the pay items included in the contract.

10.2 All charges/costs associated with a price adjustment, as permitted in Section 11 and 12, must be included on the original invoice for the material. No separate invoice(s) for a price adjustment shall be accepted or processed for payment.

10.3 In the event of a late delivery, price adjustments for asphalt or fuel will not be accepted.

11. Asphalt Cement Price Index Adjustment

11.1 **Asphalt Cement Price Index.** Adjustments will be made to the payments due the Contractor for any plant mix bituminous material when it has been determined that the monthly average price for the midpoint of the published prices of PG64-22 for St. Louis, Missouri area and Kansas City area has fluctuated from the monthly average price of the month the material was bid. The St. Louis, Missouri area and Kansas City area prices will be obtained from the Asphalt Weekly Monitor® published by Poten & Partners Inc. The monthly base price will be the price from the last published Asphalt Weekly Monitor® prior to MoDOT's bid opening. The monthly base price, established prior to the monthly bid opening, shall apply to payments for the following month.

The adjusted contract unit price will be applied to the actual amount of asphalt binder used by the Contractor for all asphalt items. The base price index for PG64-22 will be applied to all asphalt mixes delivered.

11.2 **Basis of Payment.** To determine the adjustment for any material specified in this provision the following formula will be used.

$$A = (B \times C) \times (D-E)$$

Where: A = Adjustment for mix delivered during monthly average index period
 B = Tons of Mix delivered during the monthly average index period

- C = % of virgin asphalt binder as listed in the job mix formula in use
- D = monthly average price at time mix placement
- E = monthly average price at time of bid

The engineer will make adjustment payments, as defined above, for the applicable work completed during each month, except for projects on which the contractor is being charged liquidated damages, due to working beyond the project completion date. In this case, the "D" value used for the price adjustment will be either the last "D" value prior to the date that liquidated damage assessment began or the current monthly "D" value, whichever is lower. If the contractor is being charged liquidated damages due to the contract being beyond the project completion date and the current months "D" value results in a deduction, then the current monthly "D" value will be used.

11.3 **Optional.** This provision is optional. If the bidder wishes to be bound by this provision, the bidder shall execute the acceptance form in the Bid. Failure by the bidder to execute the acceptance form will be interpreted to mean election to not participate in the Asphalt Cement Price Index.

12. Price Adjustment for Fuel

12.1 **Price Adjustment for Fuel.** The method of price adjustment for the fuel used on various items of work that may be involved in the construction of this project will be based on "Fuel Usage Factors" for the various items as noted below: The On-Road Factor is based upon a 30-mile round trip haul:

Item of Work	Unit	Fuel Usage Factor	Fuel Usage Factor On-Road Hauling (30 mile avg.)
Bituminous Construction (Includes all Ton of Plant Mix Asphalt Mixes)	Total Mix	2.65	0.67

The first day of each month (excluding Saturdays, Sundays, and holidays) in which the project is bid will be used to establish the "Starting Fuel Index" for the duration of the project. The "Starting Fuel Index" will be the average of the values given for No. 2 fuel as reported by Platt's Oilgram - PAD 2 - St. Louis Area.

The pay items and unit prices in the contract will not change. The Commission will, on the first day of each month (excluding Saturdays, Sundays and holidays), determine the "Monthly Fuel Index" of No. 2 fuel from the price index as reported by Platt's Oilgram - PAD 2 - St. Louis Area, which will apply to all payment estimates during that month regardless of the type fuel used.

The quantities of completed work for the payment period will be determined by the engineer and included in the payment estimate. These same quantities will be used to determine the fuel usage for any price adjustment.

The difference (±) between the "Monthly Fuel Index" and the "Starting Fuel Index" will be the "Monthly Fuel Index Adjustment Factor". Adjustments will be made for any change in the ratio of the "Monthly Fuel Index" to the "Starting Fuel Index". This "Monthly Fuel Index Adjustment Factor", along with the "Fuel Usage Factor" and quantities of completed work for which payment is made will determine the fuel adjustment payment or deduction.

If adjustments are made in the contract quantities, the contractor shall accept the fuel adjustment as full compensation for increases or decreases in the price of fuel regardless of the amounts of overrun or underrun.

The fuel adjustment will be computed each pay period work is performed, for the usage of fuel by the following procedure:

$$\text{Fuel Adjustment} = (\text{Fuel Usage Factor}) \times (\text{Monthly Fuel Index Adjustment Factor}) \times (\text{Units of Work included in the payment estimate})$$

Payments or deductions for the fuel adjustments on the various items of work will be made on the estimate as one "Fuel Adjustment". No change order will be required.

If the bidder wishes to be bound by these specifications, the bidder shall execute the acceptance form in the proposal. Failure by the bidder to execute the acceptance form will be interpreted to mean election to not participate in the price adjustment for fuel.

PRICING REQUIREMENTS
NORTHWEST & NORTHEAST DISTRICTS

The amount of liquid bituminous material (Pay Item #2) as shown on all groups is an estimate only. The actual amount required may vary for each group depending on the type of asphalt used in the mix and the gradation and condition of the aggregate. The liquid bituminous material used shall coat the aggregate at the point of use in a manner and to a degree satisfactory to the engineer or his representative.

It is strongly encouraged that bidders submit individual pricing for both the aggregate and asphalt material. As the quality of aggregate materials and absorption rates vary, this will ensure accurate invoicing based upon the true quantities and costs of aggregate and liquid asphalt used.

All materials shall conform to Missouri Standard Specifications for Highway Construction, 2011 Edition, and any revisions thereto:

SPEC. 1004 – Graded aggregate for bituminous surfaces with a maximum limit of 4.5% absorption on stone ledges and gravel sources. Meeting the following gradation limits:

Grade	Sieve	1"	3/4"	1/2"	3/8"	No. 4	No. 8	No. 30	No. 200
	PERCENT PASSING								
	Crushed								
1	Stone		100	95-100	65-95	20-55	2-20		0-5
2	Gravel		100	95-100		40-80	15-50	0-30	0-5
3	Chat		100	95-100		45-85	30-60	0-30	0-5
	Crushed								
4	Stone	100	85-100	45-80	15-45	3-20	0-15		0-5

Districts may specify on pricing pages which grade they will accept. **The following districts or groups will NOT accept Grade 4: Northeast District and Northwest District**

Estimated Percent Asphalt is: 6.0% for all Groups in Northwest District
5.0% for all Groups in Northeast District

PRICING REQUIREMENTS
KANSAS CITY DISTRICT

The amount of liquid bituminous material (Pay Item #2) as shown on all groups is an estimate only. The actual amount required may vary for each group depending on the type of asphalt used in the mix and the gradation and condition of the aggregate. The liquid bituminous material used shall coat the aggregate at the point of use in a manner and to a degree satisfactory to the engineer or his representative.

It is strongly encouraged that bidders submit individual pricing for both the aggregate and asphalt material. As the quality of aggregate materials and absorption rates vary, this will ensure accurate invoicing based upon the true quantities and costs of aggregate and liquid asphalt used.

All materials shall conform to Missouri Standard Specifications for Highway Construction, 2011 Edition, and any revisions thereto:

Specification is the **highlighted column in the table below** from the **Asphalt Emulsion Manufacturers Association (AEMA)**

Follow the Gradation for 1” (One Inch) Aggregate **Highlighted** below (**Johnson County ONLY**).

THIS TABLE WILL ONLY BE USED FOR (Johnson County)

Aggregates for Dense-Graded Emulsion Mixtures						
Seive Size	Semi-Processed Crusher, Pit or Bank Run	Processed Dense-Graded Asphalt Mixtures, Percent Passing by Weight				
2 in		100				
1 1/2 in	100	90-100	100			
1 in	80-90		90-100	100		
3/4 in		60-80		90-100	100	
1/2 in			60-80		90-100	100
3/8 in				60-80		90-100
No 4	25-85	10-55	25-60	35-65	45-70	60-80
No 8		5-40	15-45	20-50	25-55	35-65
No 16						
No 30						
No 50		2-16	3-18	3-20	5-20	6-25
No 100						
No 200	3-15	0-5	0-5	2-8	2-9	2-10
Sand Equivalent, %	30 min	35 min	35 min	35 min	35 min	35 min
LA Abrasion		40 max	40 max	40 max	40 max	40 max
% Crushed Faces		65 min	65 min	65 min	65 min	65 min

Estimated Percent Asphalt: 5.4% (Johnson County ONLY)

PRICING REQUIREMENTS
KANSAS CITY DISTRICT

The amount of liquid bituminous material (Pay Item #2) as shown on all groups is an estimate only. The actual amount required may vary for each group depending on the type of asphalt used in the mix and the gradation and condition of the aggregate. The liquid bituminous material used shall coat the aggregate at the point of use in a manner and to a degree satisfactory to the engineer or his representative.

It is strongly encouraged that bidders submit individual pricing for both the aggregate and asphalt material. As the quality of aggregate materials and absorption rates vary, this will ensure accurate invoicing based upon the true quantities and costs of aggregate and liquid asphalt used.

All materials shall conform to Missouri Standard Specifications for Highway Construction, 2011 Edition, and any revisions thereto:

SPEC. 1004.3 – Graded aggregate for bituminous surfaces with a maximum limit of 4.5% absorption on stone ledges and gravel sources. Meeting the following gradation limits:

Follow the gradation for ½” (half inch) aggregate **highlighted below in BLUE** for all Kansas City Counties **EXCEPT** Johnson.

THIS TABLE WILL BE USED FOR ALL KANSAS CITY COUNTIES EXCEPT JOHNSON

		Sieve Size						
		Percent Passing						
Grade	Material Type	3/4”	1/2”	3/8”	No. 4	No. 8	No. 30	No. 200
1	Crushed Stone	100	95-100	65-95	20-55	2-20	----	0-5

Estimated Percent Asphalt: 5.8% (All Kansas City Counties **EXCEPT** Johnson)

STARTING DATES: To be determined by districts' Notice to Proceed or Purchase Orders

COMPLETION DATES: Please note the different dates below for each group(s).

DISTRICT COMPLETION DATES		
DISTRICT	GROUPS	COMPLETION DATES
Northwest	1 - 20	May 1, 2013
Northeast	21 - 31	May 1, 2013
	32 - 38	May 31, 2013
	39	July 31, 2013
Kansas City	40 - 47	May 1, 2013

LIMITS ON ORDERS

Bidders may specify the maximum monetary value of awards that he will accept under this proposal by so specifying herein. The Commission reserves the right to award contracts in such a manner as is most advantageous to the Commission. **IF THE BIDDER DESIRES TO LIMIT THE AMOUNT OF ORDERS WHICH HE/SHE WILL ACCEPT UNDER THIS BID, THE FOLLOWING MUST BE COMPLETED:**

The maximum monetary value of orders, which I will accept award of under this bid is: \$_____.

By _____
Signature

Title _____

Date _____

Company
Name _____

Address _____

Phone No. _____

Fax No. _____

PRICING PAGES

The bidder shall provide firm, fixed prices on the PRICING PAGES in accordance with the terms of this request. All costs associated with providing the required deliverables shall be included in the prices stated below.

NORTHWEST DISTRICT

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
1	Atchison	Tarkio	1	AGGREGATE	1812		
			2	LIQUID BITUMINOUS MATERIALS	116		
			Total Tons of Mix:		1928		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
2	Caldwell	Hamilton	1	AGGREGATE	470		
			2	LIQUID BITUMINOUS MATERIALS	30		
			Total Tons of Mix:		500		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
3	Carroll	Carrollton	1	AGGREGATE	470		
			2	LIQUID BITUMINOUS MATERIALS	30		
			Total Tons of Mix:		500		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
4	Chariton	Keytesville	1	AGGREGATE	470		
			2	LIQUID BITUMINOUS MATERIALS	30		
			Total Tons of Mix:		500		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
5	Clinton	Lathrop	1	AGGREGATE	470		
			2	LIQUID BITUMINOUS MATERIALS	30		
			Total Tons of Mix:		500		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
6	Daviss	Gallatin	1	AGGREGATE	470		
			2	LIQUID BITUMINOUS MATERIALS	30		
			Total Tons of Mix:		500		

PRICING PAGES

The bidder shall provide firm, fixed prices on the PRICING PAGES in accordance with the terms of this request. All costs associated with providing the required deliverables shall be included in the prices stated below.

NORTHWEST DISTRICT

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
7	DeKalb	Cameron	1	AGGREGATE	235		
			2	LIQUID BITUMINOUS MATERIALS	15		
			Total Tons of Mix:		250		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
8	DeKalb	King City	1	AGGREGATE	524		
			2	LIQUID BITUMINOUS MATERIALS	34		
			Total Tons of Mix:		558		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
9	Gentry	Albany	1	AGGREGATE	1523		
			2	LIQUID BITUMINOUS MATERIALS	97		
			Total Tons of Mix:		1620		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
10	Grundy	Trenton	1	AGGREGATE	470		
			2	LIQUID BITUMINOUS MATERIALS	30		
			Total Tons of Mix:		500		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
11	Harrison	Bethany	1	AGGREGATE	1812		
			2	LIQUID BITUMINOUS MATERIALS	116		
			Total Tons of Mix:		1928		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
12	Holt	Mound City	1	AGGREGATE	470		
			2	LIQUID BITUMINOUS MATERIALS	30		
			Total Tons of Mix:		500		

PRICING PAGES

The bidder shall provide firm, fixed prices on the PRICING PAGES in accordance with the terms of this request. All costs associated with providing the required deliverables shall be included in the prices stated below.

NORTHWEST DISTRICT

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
13	Linn	Brookfield	1	AGGREGATE	470		
			2	LIQUID BITUMINOUS MATERIALS	30		
			Total Tons of Mix:		500		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
14	Livingston	Chillicothe	1	AGGREGATE	470		
			2	LIQUID BITUMINOUS MATERIALS	30		
			Total Tons of Mix:		500		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
15	Mercer	Princeton	1	AGGREGATE	470		
			2	LIQUID BITUMINOUS MATERIALS	30		
			Total Tons of Mix:		500		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
16	Nodaway	Maryville	1	AGGREGATE	1060		
			2	LIQUID BITUMINOUS MATERIALS	68		
			Total Tons of Mix:		1128		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
17	Nodaway	Clearmont	1	AGGREGATE	752		
			2	LIQUID BITUMINOUS MATERIALS	48		
			Total Tons of Mix:		800		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
18	Putnam	Unionville	1	AGGREGATE	1805		
			2	LIQUID BITUMINOUS MATERIALS	115		
			Total Tons of Mix:		1920		

PRICING PAGES

The bidder shall provide firm, fixed prices on the PRICING PAGES in accordance with the terms of this request. All costs associated with providing the required deliverables shall be included in the prices stated below.

NORTHWEST DISTRICT

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
19	Sullivan	Milan	1	AGGREGATE	1805		
			2	LIQUID BITUMINOUS MATERIALS	115		
			Total Tons of Mix:		1920		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
20	Worth	Grant City	1	AGGREGATE	1812		
			2	LIQUID BITUMINOUS MATERIALS	116		
			Total Tons of Mix:		1928		

PRICING PAGES

The bidder shall provide firm, fixed prices on the PRICING PAGES in accordance with the terms of this request. All costs associated with providing the required deliverables shall be included in the prices stated below.

NORTHEAST DISTRICT

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
21	Lewis	Canton	1	AGGREGATE	3325		
			2	LIQUID BITUMINOUS MATERIALS	175		
			Total Tons of Mix:		3500		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
22	Knox	Edina	1	AGGREGATE	2850		
			2	LIQUID BITUMINOUS MATERIALS	150		
			Total Tons of Mix:		3000		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
23	Clark	Wayland	1	AGGREGATE	3325		
			2	LIQUID BITUMINOUS MATERIALS	175		
			Total Tons of Mix:		3500		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
24	Adair	Kirksville	1	AGGREGATE	3800		
			2	LIQUID BITUMINOUS MATERIALS	200		
			Total Tons of Mix:		4000		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
25	Macon	Macon	1	AGGREGATE	2850		
			2	LIQUID BITUMINOUS MATERIALS	150		
			Total Tons of Mix:		3000		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
26	Marion	Palmyra	1	AGGREGATE	1050		
			2	LIQUID BITUMINOUS MATERIALS	50		
			Total Tons of Mix:		1100		

PRICING PAGES

The bidder shall provide firm, fixed prices on the PRICING PAGES in accordance with the terms of this request. All costs associated with providing the required deliverables shall be included in the prices stated below.

NORTHEAST DISTRICT

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
27	Pike	Bowling Green	1	AGGREGATE	1425		
			2	LIQUID BITUMINOUS MATERIALS	75		
			Total Tons of Mix:		1500		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
28	Shelby	Shelbina	1	AGGREGATE	3050		
			2	LIQUID BITUMINOUS MATERIALS	150		
			Total Tons of Mix:		3200		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
29	Monroe	Paris	1	AGGREGATE	3050		
			2	LIQUID BITUMINOUS MATERIALS	150		
			Total Tons of Mix:		3200		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
30	Audrain	Mexico	1	AGGREGATE	3050		
			2	LIQUID BITUMINOUS MATERIALS	150		
			Total Tons of Mix:		3200		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
31	Montgomery	Route A Lot	1	AGGREGATE	1975		
			2	LIQUID BITUMINOUS MATERIALS	105		
			Total Tons of Mix:		2080		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
32	Schuyler	Lancaster	1	AGGREGATE	2850		
			2	LIQUID BITUMINOUS MATERIALS	150		
			Total Tons of Mix:		3000		

PRICING PAGES

The bidder shall provide firm, fixed prices on the PRICING PAGES in accordance with the terms of this request. All costs associated with providing the required deliverables shall be included in the prices stated below.

NORTHEAST DISTRICT

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
33	Scotland	Memphis	1	AGGREGATE	2850		
			2	LIQUID BITUMINOUS MATERIALS	150		
			Total Tons of Mix:		3000		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
34	Macon	New Cambria	1	AGGREGATE	2850		
			2	LIQUID BITUMINOUS MATERIALS	150		
			Total Tons of Mix:		3000		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
35	Randolph	Moberly	1	AGGREGATE	3800		
			2	LIQUID BITUMINOUS MATERIALS	200		
			Total Tons of Mix:		4000		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
36	Ralls	Center	1	AGGREGATE	950		
			2	LIQUID BITUMINOUS MATERIALS	50		
			Total Tons of Mix:		1000		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
37	Montgomery	Bellflower Lot	1	AGGREGATE	1025		
			2	LIQUID BITUMINOUS MATERIALS	45		
			Total Tons of Mix:		1070		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
38	Montgomery	New Florence	1	AGGREGATE	1150		
			2	LIQUID BITUMINOUS MATERIALS	50		
			Total Tons of Mix:		1200		

PRICING PAGES

The bidder shall provide firm, fixed prices on the PRICING PAGES in accordance with the terms of this request. All costs associated with providing the required deliverables shall be included in the prices stated below.

NORTHEAST DISTRICT

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
39	Montgomery	Route P	1	AGGREGATE	1625		
			2	LIQUID BITUMINOUS MATERIALS	85		
			Total Tons of Mix:		1710	Roadway Delivery *	

* Roadway delivery to be accomplished in the months of June and July 2013. The earliest starting date is June 17, 2013. No roadway deliveries will be made during the week of the 4th of July. The latest completion date is July 31, 2013. Specific dates to start and complete work on this project in June & July 2013 will be arranged between the MoDOT Northeast District and the awarded vendor.

PRICING PAGES

The bidder shall provide firm, fixed prices on the PRICING PAGES in accordance with the terms of this request. All costs associated with providing the required deliverables shall be included in the prices stated below.

KANSAS CITY DISTRICT

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
40	Johnson	Warrensburg	1	AGGREGATE	2665		
			2	LIQUID BITUMINOUS MATERIALS	152		
			Total Tons of Mix:		2817		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
41	Johnson	Knob Noster	1	AGGREGATE	1334		
			2	LIQUID BITUMINOUS MATERIALS	76		
			Total Tons of Mix:		1410		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
42	Lafayette	Odessa	1	AGGREGATE	12300		
			2	LIQUID BITUMINOUS MATERIALS	757		
			Total Tons of Mix:		13057		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
43	Lafayette	Concordia	1	AGGREGATE	1393		
			2	LIQUID BITUMINOUS MATERIALS	86		
			Total Tons of Mix:		1479		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
44	Pettis	Sedalia	1	AGGREGATE	2904		
			2	LIQUID BITUMINOUS MATERIALS	179		
			Total Tons of Mix:		3083		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
45	Saline	Marshall	1	AGGREGATE	2355		
			2	LIQUID BITUMINOUS MATERIALS	145		
			Total Tons of Mix:		2500		

PRICING PAGES

The bidder shall provide firm, fixed prices on the PRICING PAGES in accordance with the terms of this request. All costs associated with providing the required deliverables shall be included in the prices stated below.

KANSAS CITY DISTRICT

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
46	Saline	Marshall Jct.	1	AGGREGATE	659		
			2	LIQUID BITUMINOUS MATERIALS	41		
			Total Tons of Mix:		700		

GROUP	COUNTY	LOCATION	PAY ITEM	DESCRIPTION	EST. TONS	DELIVERY PRICE PER TON	PICK UP PRICE PER TON
47	Ray	Richmond	1	AGGREGATE	3535		
			2	LIQUID BITUMINOUS MATERIALS	218		
			Total Tons of Mix:		3753		

VENDOR INFORMATION & PREFERENCE CERTIFICATION FORM

Vendor Information

All bidders must furnish ALL applicable information requested below

Vendor Name/Mailing Address: Email Address:	Vendor Contact Information (including area codes): Phone #: Cellular #: Fax #:
Printed Name of Responsible Officer or Employee:	Signature:
For Corporations - State in which incorporated:	For Others - State of domicile:

If the address listed in the Vendor Name/Mailing Address block above is not located in the State of Missouri, list the address of Missouri offices or places of business:

*If additional space is required, please attach an additional sheet and identify it as **Addresses of Missouri Offices or Places of Business.***

M/WBE INFORMATION: List all certified Minority or Women Business Enterprises (**M/WBE**) utilized in the fulfillment of this bid. Include percentages for subcontractors and identify the M/WBE certifying agency:

<u>M/WBE Name</u>	<u>Percentage of Contract</u>	<u>M/WBE Certifying Agency</u>

*If additional space is required, please attach an additional sheet and identify it as **M/WBE Information***

Preference Certification

All bidders must furnish ALL applicable information requested below

GOODS/PRODUCTS MANUFACTURED OR PRODUCED IN USA: If any or all of the goods or products offered in the attached bid which the bidder proposes to supply to the MHTC are **not** manufactured or produced in the "United States", or imported in accordance with a qualifying treaty, law, agreement, or regulation, list below, by item or item number, the country other than the United States where each good or product is manufactured or produced.

Item (or item number)	Location Where Item is Manufactured or Produced

*If additional space is required, please attach an additional sheet and identify it as **Location Products are Manufactured or Produced.***

MISSOURI SERVICE-DISABLED VETERAN BUSINESS: Please complete the following if applicable. Additional information may be requested if preference is applicable. See below definitions for qualification criteria:

Service-Disabled Veteran is defined as any individual who is disabled as certified by the appropriate federal agency responsible for the administration of veterans' affairs.

Service-Disabled Veteran Business is defined as a business concern:

- a. Not less than fifty-one (51) percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than fifty-one (51) percent of the stock of which is owned by one or more service-disabled veterans; and
- b. The management and daily business operations of which are controlled by one or more service-disabled veterans.

Veteran Information

Business Information

Service-Disabled Veteran's Name (Please Print)

Service-Disabled Veteran Business Name

Service-Disabled Veteran's Signature

Missouri Address of Service Disabled Veteran Business

COOPERATIVE PROCUREMENT

The Department is interested in assisting Missouri counties, cities, special road districts, etc. in purchasing equipment, various materials and supplies that meet the Missouri Department of Transportation specifications.

Each bidder is asked to indicate below whether they would be willing to offer **Plant Mix Oil Material** listed in the attached "Request for Bid RFB 2-121204RW" for sale to these local political entities at the same bid price offered to this Department.

It is understood the Department will not issue purchase orders, accept delivery nor make payment for these items ordered by any of these agencies. It is further understood the price is based on the **Plant Mix Oil Material** meeting the Department specifications. Any added options, deletions, or extra freight costs would be negotiated between the local agency and the successful vendor.

Indicate below whether your company is willing to offer such cooperative purchasing for Missouri counties, cities or other political entities.

YES _____

NO _____

If the price varies throughout the state on Department bids because of different delivery destinations, please indicate the price f.o.b. your location that would be offered as described.

F.O.B. Location _____

Indicate the deadline date that orders will be accepted. _____

COMPANY NAME _____

ADDRESS _____

PHONE NUMBER _____

SIGNATURE _____

TITLE _____

DATE _____

(Each vendor must complete the appropriate sections of this form and submit with their bid.)

ANTI-COLLUSION STATEMENT

STATE OF _____)
) SS
COUNTY OF _____)

_____ being first duly sworn,

deposes and says that he is _____

Title of Person Signing

of _____

Name of Bidder

that all statements made and facts set out in the bid for the above project are true and correct; and that the bidder (The person, firm, association, or corporation making said bid) has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with such bid or any contract which may result from its acceptance.

Affiant further certifies that bidder is not financially interested in, or financially affiliated with, any other bidder for the above project.

By _____

By _____

By _____

Sworn to before me this _____ day of _____ 20____.

Notary Public

My Commission Expires _____

Plant Mix Oil Material
RFB 2-121204RW

BID BOND

KNOW ALL MEN BY THESE PRESENTS, that we _____

_____ ,
as Principal and _____, as Surety are held and firmly bound
unto the **STATE OF MISSOURI** (acting by and through the **Missouri Highways and Transportation
Commission**) in the penal sum of:

_____ **Dollars**
(\$ _____) to be paid to the **State of Missouri or to the Missouri Highways and
Transportation Commission**, to be credited to the State Road Fund, the Principal and Surety binding
themselves, their heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these
presents.

Sealed with our seals and dated this _____

THE CONDITION OF THIS OBLIGATION is such that:

WHEREAS, the Principal is submitting herewith a bid to the Missouri Highways and Transportation
Commission for furnishing **Plant Mix Oil Material** as set out in the bid to which this bond is attached.

NOW THEREFORE, if the Missouri Highways and Transportation Commission shall accept the bid of the
Principal and if said Principal shall properly execute and deliver to the Missouri Highways and Transportation
Commission the contract and contract bond in compliance with the requirements of the proposal, the
specifications and the provisions of law, to the satisfaction of the Highways and Transportation Commission,
then this obligation shall be void and of no effect, otherwise to remain in full force and effect.

In the event the said Principal shall, in the judgment of the Missouri Highways and Transportation Commission,
fail to comply with any requirement as set forth in the preceding paragraph, then the State of Missouri acting
through the Missouri Highways and Transportation Commission shall immediately and forthwith be entitled to
recover the full penal sum above set out, together with court costs, attorney's fees and any other expense of
recovery.

(SEAL)

Principal

By

Signature

(SEAL)

Surety

By

Attorney-in-Fact

NOTE: This bond must be executed by the PRINCIPAL and by a CORPORATE SURETY
authorized to conduct surety business in the State of Missouri.

Missouri Highways and Transportation Commission
Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions

STANDARD SOLICITATION PROVISIONS

- a. The solicitation for the procurement of the supplies referenced therein, to which these "Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions" are attached, is being issued under, and governed by, the provisions of Title 7 – Missouri Department of Transportation, Division 10 – Missouri Highways and Transportation Commission, Chapter 11 – Procurement of Supplies, of the Code of State Regulations. The Missouri Highways and Transportation Commission (**MHTC**), acting by and through its operating arm, the Missouri Department of Transportation (**MoDOT**), draws the Bidder's attention to said 7 CSR 10-11 for all the provisions governing solicitation and receipt of bids/quotes and the award of the contract pursuant to this solicitation.
- b. All bids/quotes must be signed with the firm name and by a responsible officer or employee. Obligations assumed by such signature must be fulfilled.

GENERAL TERMS AND CONDITIONS

Definitions

Capitalized terms as well as other terms used but not defined herein shall have the meaning assigned to them in section 7 CSR 10-11.010 Definition of Terms.

Nondiscrimination

- a. The Contractor shall comply with all state and federal statutes applicable to the Contractor relating to nondiscrimination, including, but not limited to, Chapter 213, RSMo; Title VI and Title VII of Civil Rights Act of 1964 as amended (42 U.S.C. Sections 2000d and 2000e, *et seq.*); and with any provision of the "Americans with Disabilities Act" (42 U.S.C. Section 12101, *et seq.*)
- b. **Sanctions for Noncompliance:** In the event of the Contractor's noncompliance with the nondiscrimination provisions of this contract, MHTC shall impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
 - i. withholding of payments to the Contractor under the contract until the Contractor complies, and/or,
 - ii. cancellation, termination or suspension of the contract, in whole or in part.

Contract/Purchase Order

- a. By submitting a bid/quote, the Bidder agrees to furnish any and all equipment, supplies and/or services specified in the solicitation documents, at the prices quoted, pursuant to all requirements and specifications contained therein.
- b. A binding contract shall consist of: (1) the solicitation documents, amendments thereto, and/or Best and Final Offer (BAFO) request(s) with any changes/additions, (2) the Contractor's bid response, and (3) the MHTC's acceptance of the bid by post-award contract or purchase order.
- c. A notice of award does not constitute an authorization for shipment of equipment or supplies or a directive to proceed with services. Before providing equipment, supplies and/or services, the Contractor must receive a properly authorized notice to proceed and/or purchase order.

Applicable Laws and Regulations

- a. The contract shall be construed according to the laws of the State of Missouri. The Contractor shall comply with all local, state, and federal laws and regulations related to the performance of the contract. The exclusive venue for any legal proceeding relating to or arising, out of the contract shall be in the Circuit Court of Cole County, Missouri.
- b. The Contractor must be registered and maintain good standing with the Secretary of State of the State of Missouri, Missouri Department of Revenue, and other regulatory agencies, as may be required by law or regulations. Prior to the issuance of a purchase order and/or notice to proceed, the Contractor may be required to submit to MHTC a copy of their current Authority Certificate from the Secretary of State of the State of Missouri and/or a copy of their Certificate of No Tax Due from the Missouri Department of Revenue.
- c. Prior to the issuance of a purchase order and/or notice to proceed, all **out-of-state** Contractors **providing services** within the state of Missouri must submit to MHTC a copy of their current Transient Employer Certificate from the Missouri Department of Revenue, in addition to a copy of their current Authority Certificate from the Secretary of State of the State of Missouri.

Executive Order

The Contractor shall comply with all the provisions of Executive Order 07-13, issued by the Honorable Matt Blunt, Governor of Missouri, on the sixth (6th) day of March, 2007. This Executive Order, which promulgates the State of Missouri's position to not tolerate persons who contract with the state engaging in or supporting illegal activities of employing individuals who are not eligible to work in the United States, is incorporated herein by reference and made a part of this Agreement.

- 1) "By signing this Agreement, the Contractor hereby certifies that any employee of the Contractor assigned to perform services under the contract is eligible and authorized to work in the United States in compliance with federal law."
- 2) In the event the Contractor fails to comply with the provisions of the Executive Order 07-13, or in the event the Commission has reasonable cause to believe that the contractor has knowingly employed individuals who are not eligible to work in the United States in violation of federal law, the Commission reserves the right to impose such contract sanctions as it may determine to be appropriate, including but not limited to contract cancellation, termination or suspension in whole or in part or both.
- 3) The Contractor shall include the provisions of this paragraph in every subcontract. The Contractor shall take such action with respect to any subcontract as the Commission may direct as a means of enforcing such provisions, including sanctions for noncompliance.

Preferences

- a. In the evaluation of bids/quotes, preferences shall be applied in accordance with 7 CSR 10-11.020(7). Contractors should apply the same preferences in selecting subcontractors. The attached document entitled "**VENDOR INFORMATION AND PREFERENCE CERTIFICATION FORM**" must be completed and returned with the solicitation documents.
- b. Bidders are encouraged to obtain minority business enterprise (MBE) and women business enterprise (WBE) participation in this work through the use of subcontractors, suppliers, joint ventures, or other arrangements that afford meaningful participation for M/WBEs. Bidders are encouraged to obtain 10% MBE and 5% WBE participation.

Missouri Highways and Transportation Commission
Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions

Cancellation of Contract

The MHTC may cancel the Contract at any time for a material breach of contractual obligations or for convenience by providing Contractor with written notice of cancellation. Should the MHTC exercise its right to cancel the contract for such reasons, cancellation will become effective upon the date specified in the notice of cancellation sent to the Contractor.

Bankruptcy or Insolvency

Upon filing for any bankruptcy or insolvency proceeding by or against the Contractor, whether voluntarily, or upon the appointment of a receiver, trustee, or assignee, for the benefit of creditors, the Commission reserves the right and sole discretion to either cancel the Agreement or affirm the Agreement and hold the Contractor responsible for damages.

Warranty

The Contractor expressly warrants that all equipment, supplies, and/or services provided shall: (1) conform to each and every specification, drawing, sample or other description which was furnished to or adopted by the MHTC, (2) be fit and sufficient for the purpose expressed in the solicitation documents, (3) be merchantable, (4) be of good materials and workmanship, and (5) be free from defect.

Status of Independent Contractor

The Contractor represents itself to be an independent Contractor offering such services to the general public and shall not represent itself or its employees to be an employee of the MHTC. Therefore, the Contractor shall assume all legal and financial responsibility for taxes, FICA, employee fringe benefits, workers' compensation, employee insurance, minimum wage requirements, overtime, etc., and agrees to indemnify, save and hold the MHTC, its officers, agents and employees harmless from and against any and all losses (including attorney fees) and damage of any kind related to such matters.

Non-Waiver

If one of the parties agrees to waive its right to enforce any term of this Contract, that party does not waive its right to enforce such term at any other time or to enforce any or all other terms of this Contract.

Indemnification

The Contractor shall defend, indemnify and hold harmless MHTC, including its members and department employees, from any claim or liability whether based on a claim for damages to real or personal property or to a person for any matter relating to or arising out of the Contractor's performance of its obligations under the contract awarded pursuant to this solicitation.


SPECIAL TERMS AND CONDITIONS

Prohibition Of Employment Of Unauthorized Aliens:

- a. **Non-employment of Unauthorized Aliens:** Pursuant to Section 285.530, RSMo., no business entity or employer shall knowingly employ, hire for employment, or continue to employ an unauthorized alien to perform work within the State of Missouri. As a condition for the award of any contract or grant in excess of five thousand dollars by the State or by any political subdivision of the State to a business entity, or for any business entity receiving a state-administered or subsidized tax credit, tax abatement, or loan from the state, the business entity shall:
 - 1) By sworn affidavit and provision of documentation, affirm its enrollment and participation in a federal work authorization program with respect to the employees working in connection with the contracted services. E-Verify is an example of a federal work authorization program. The business entity must affirm its enrollment and participation in the E-Verify federal work authorization program with respect to the employees proposed to work in connection with the services requested herein by providing acceptable enrollment and participation documentation consisting of **completed** copy of the E-Verify Memorandum of Understanding (MOU). For business entities that are not already enrolled and participating in a federal work authorization program, E-Verify is available at http://www.dhs.gov/files/programs/gc_1185221678150.shtm
 - 2) By sworn affidavit, affirm that it does not knowingly employ any person who is an unauthorized alien in connection with the contracted services. A copy of the affidavit referenced herein is provided within this document, attached as Exhibit A.
- b. **Proof of Lawful Presence For Sole Proprietorships and Partnerships:** If the business entity is a sole proprietorship or partnership, pursuant to Section 208.009, RSMo., each sole proprietor and each general partner shall provide affirmative proof of lawful presence in the United States. Such sole proprietorship or partnership is eligible for temporary public benefits upon submission by each sole proprietor and general partner of a sworn affidavit of his/her lawful presence on the United States until such lawful presence is affirmatively determined, or as otherwise provided by Section 208.009, RSMo. A copy of the affidavit reference herein is provided within this document, attached as Exhibit B.

[documentation of enrollment/participation in a federal work authorization program attached]

Missouri Department of Transportation District Map



County	No. Dist.	County	No. Dist.	County	No. Dist.	County	No. Dist.	County	No. Dist.	County	No. Dist.						
Adair	1	NE	Chariton	21	NW	Harrison	41	NW	Macon	61	NE	Phelps	81	C	Shannon	101	SE
Andrew	2	NW	Christian	22	SW	Henry	42	SW	Madison	62	SE	Pike	82	NE	Shelby	102	NE
Atchison	3	NW	Clark	23	NE	Hickory	43	SW	Maries	63	C	Platte	83	KC	Stoddard	103	SE
Audrian	4	NE	Clay	24	KC	Holt	44	NW	Marion	64	NE	Polk	84	SW	Stone	104	SW
Barry	5	SW	Clinton	25	NW	Howard	45	C	Mercer	65	NW	Pulaski	85	C	Sullivan	105	NW
Barton	6	SW	Cole	26	C	Howell	46	SE	Miller	66	C	Putnam	86	NW	Taney	106	SW
Bates	7	SW	Cooper	27	C	Iron	47	SE	Mississippi	67	SE	Ralls	87	NE	Texas	107	SE
Benton	8	SW	Crawford	28	C	Jackson	48	KC	Moniteau	68	C	Randolph	88	NE	Vernon	108	SW
Bollinger	9	SE	Dade	29	SW	Jasper	49	SW	Monroe	69	NE	Ray	89	KC	Warren	109	NE
Boone	10	C	Dallas	30	SW	Jefferson	50	SL	Montgomery	70	NE	Reynolds	90	SE	Washington	110	C
Buchanan	11	NW	Daviess	31	NW	Johnson	51	KC	Morgan	71	C	Ripley	91	SE	Wayne	111	SE
Butler	12	SE	DeKalb	32	NW	Knox	52	NE	New Madrid	72	SE	St. Charles	92	SL	Webster	112	SW
Caldwell	13	NW	Dent	33	C	Laclede	53	C	Newton	73	SW	St. Clair	93	SW	Worth	113	NW
Callaway	14	C	Douglas	34	SE	Lafayette	54	KC	Nodaway	74	NW	St. Francois	94	SE	Wright	114	SE
Camden	15	C	Dunklin	35	SE	Lawrence	55	SW	Oregon	75	SE	Ste. Genevieve	95	SE	St. Louis City	115	SL
Cape Girardeau	16	SE	Franklin	36	SL	Lewis	56	NE	Ozark	76	C	St. Louis	96	SL			
Carroll	17	NW	Gasconade	37	C	Lincoln	57	NE	Pemiscot	77	SE	Saline	97	KC			
Carter	18	SE	Gentry	38	NW	Linn	58	NW	Perry	78	SE	Schuyler	98	NE			
Cass	19	KC	Greene	39	SW	Livingston	59	NW	Stoddard	100	SE	Scotland	99	NE			
Cedar	20	SW	Grundy	40	NW	McDonald	60	SW	Pettis	80	KC	Scott	100	SE			

