

Attachment A
General Floor Plan
E. B. Weigh Scales
St. Clair, Missouri

Sheet 1 of 5

REV.

C Users engemc1 Desktop Weigh Scales west bound weight scales.dgn 2 34 43 PM 4/1/2011

North Side Elevation



3 X 5 Platform With Steps

250 Watt MoDOT Furnished and Installed Wall Packs (Typ)

West Side Elevation





Steps and Ramps for the Rear of the Trailer Furnished and Installed by MoDOT.

South Side Elevation



East Side Elevation

Attachment B
Elevation Plan
E. B. Weigh Scales
St. Clair, Missouri

Sheet 2 of 5

REV.

C Users engemc1 Desktop Weigh Scales west bound weight scales.dgn 2 39 01 PM 4/1/2011



Interior Elevation
E-3



Interior Elevation
E-4



Interior Elevation
E-1
Rough opening for
MoDOT3068 KND Door



Interior Elevation
E-2

Attachment C
Building Sections
E. B. Weigh Scales
St. Clair, Missouri

Sheet 3 of 5

REV.

C Users engemc1 Desktop Weigh Scales west bound weight scales.dgn 3 01 33 PM 4/1/2011



MoDOT Minimum Data Conduit Locations (See Specifications)

Note1
2" PVC Sleeve / Conduit Thru Floor For Data Runs

3/4 " EMT Conduit

(Mounting Locations)
16" AFF Data16
10 Locations
84" AFF Data84
1 Location

Attachment D
Data Plan
E. B. Weigh Scales
St. Clair, Missouri

Sheet 4 of 5

REV.

C Users engemc1 Desktop Weigh Scales west bound weight scales.dgn 2 35 14 PM 4/1/2011

W2 W2 W2 W1

H2 H3 D3 H8

W3 H1

Office
Rm 100

D7

Office
Rm 103

H8 W1

D6

H1 (2)
1 16" AFF
1 84" AFF

D8 H4

Data
Room
104

H6

H5

H9 H9

HVAC

H4 H5

H7

Drivers Room
Room 102

Office
Rm 101

ADA
Bathroom
Rm 105

D5

H4

D4

D1 H4 H5 D2 S1

Trailer Panel

JB W1 Main Panel JB

MoDOT Minimum Electrical
Requirements
(See Specifications)

Switched J-Box
For 2-250 Watt
MoDOT Installed
Wall Packs

Mian Panel MoDOT
Funished and Installed

Mian Panel Shall Feed Trailer Pannel
and Other MoDOT Installed Equipment.
Interconected from Under the Trailer.

Attachment E
Electrical Plan
E. B. Weight Scales
St. Clair, Missouri

Sheet 5 of 5

REV.

C Users engemc1 Desktop Weigh Scales west bound weight scales.dgn 3 02 00 PM 4/1/2011