

Trail-EZE TRAILERS

1909 South Rowley - Mitchell, SD 57301

JOB#

Date: 11/16/2012

1-800-232-5682 - FAX 1-605-996-5572

Sales Person: Jeff Hruby

www.traileze.com

QUOTE: JH1753A

PO#:

MO DOT	Name:	CSH Trailers		S H I P T O	Name:	MO DOT BID3-121129 ITEM # 1			
	Addr:	26 County 511			Addr:				
	City:	Westphalia			City:				
	State	MO	Zip:		65085	State		Zip:	
	Attn:	Stan			Attn:				
	Phone:	573-455-2998			Phone:				
	Fax:	573-455-2787			Fax:				

Model:	TE401 (See Bid Specs)		
Vin Number:			
Overall Length:	35'		
Width:	102"		

Winch:	12,000# HYD WORM GEAR BRADEN		
Location:	Front of Main Deck		
Cable Length:	1/2 X 60' STEELCORE	Air Shift:	NO
Tire Size:	215/75R 17.5 HTR 16 PLY GENERAL		
Wheel Size/Style:	(8) 6.75 X 17.5 HP 8-HOLE STEEL		
Spare Tire:	Yes	Spare Wheel Type:	Steel
Deck Material:	1 1/2" OAK		
Loading Ramp:	Full Width Knife Edge		
Unloaded Fifth-Wheel Height:	Pintle Eye is Adjustable 6" (24" - 30")		
KP Setting:		Swing Clearance:	
Landing Gear:	2 SPEED, 16,000# LIFT, 35,000# STATIC		
Suspension:	SPRING SUSPENSION		
Brakes:	AIR BR - 12 1/4 X 7 1/2	ABS:	2S/1M
Axles:	2 - 20,000#		
Anchor Points:	Stakepockets on 2' Centers w/ Rub Rail		
Traction Aids:			
Light Package:	Sealed LED Light System w/ Reflector Kit		
Special Features:			
	40,000# Payload Capacity at Highway Speeds		
	30' Main Bed		
	Hi-Tensile Steel I-Beam Main Frame and Crossmembers		
	Safety Chains - 1/2" w/ Hooks		
	I-Beam Crossmembers on 12" Centers		
	Hydraulics to run off of TRUCK PTO		
	One Parts Book		
	No Large Logo's		
	All Hydraulic Control Vavles and Hoses to Attach to tow vehicle provided		
Paint Color and Stripe:	Sand Blasted, Primed, Painted, Black or White		

LIMITED WARRANTY **A copy is available upon request from the factory.		
	TOTAL RETAIL PRICE	
Will Ship:	Approximate 90 - 120 Days	
Signature:		TRAILER NET
		\$38,270.00
		Freight
		Federal Excise Tax
Date:		STATE
		Total Cost of Trailer
		Less Down-Payment
		PO#
Non-Refundable Down-Payment		Less Trade
Customer is responsible for off loading.		Balance
		Net 30

Standard Features:

Outboard Hub & Drum

Stemco Oil Seal Hub Caps/Seals/Bearings

Hub Piloted Wheels

Auto Slack Adjusters

Electrostatic Paint System/2 Part Polyurethane/1000HR+ Salt Spray Primer

TE401 TE401A

SLIDING AXLE TRAILER



Photos shown with many options

GENERAL SPECIFICATIONS:

TE401 – 40,000 Lb. Payload Capacity
TE401A – 40,000 Lb. Payload Capacity

DIMENSIONS:	TE401	TE401A
Overall Length -	35'-4"	39'-7"
Tilt Bed Length -	30'-4"	30'-4"
Width -	8'-6"	8'-6"
Upper Deck -		9'-2"
Height -	37"	37"
Load Angle Degrees -	9	9

FRAME: Hi-tensile steel I-beam main frame and crossmembers.

PLATFORM: 1 1/2" Oak decking.


CYLINDERS: (2) Tilting cylinders – (1) sliding cylinder.

BRAKES: 12 1/4" x 7 1/2" with S-Cam air auto slack adjusters, ABS, spring brakes and outboard drums.

AXLES: (2) 20,000 lb. Capacity


TIRES: (8) 215/75R x 17.5 Radials

WHEELS: (8) 6.75 x 17.5 Disc pilot mounted



SUSPENSION: H-9700 Spring
NARROW NECK w/KING PIN: 9'-2" (TE401A)
PINTLE HITCH: 3" ID adjustable (TE401)
D-RINGS: 5 per side
SAFETY CHAINS: 1/2" with hooks (TE401)
TONGUE JACK: 18,000 lb. Crank type (TE401)
PARK STANDS: Pin drop (TE401A)
ELECTRICAL: ICC D.O.T. Standard light and reflector kit
PAINT: Trailer sandblasted, primed and painted
OPTIONS: Many Available!!

WARRANTY: 5 Year
Pro-Rated Major
Structural Warranty



Over 45 Years Building Trailers To Work Like You Do!!

Due to the constant improvements in our products, the designs and materials specifications are subject to change without notice.

TRAIL-EZE TRAILERS

1909 South Rowley ♦ Mitchell, SD 57301 ♦ (605) 996-5571 ♦ FAX (605) 996-5572 ♦ 1-800-232-5682
web site: www.trailenze.com ♦ email: sales@trailenze.com

OPTION PRICES For MO DOT BID 3-12119-TV

Item #1 - 20 Ton Tilt Equipment Trailer

- 13 HP Honda Self-Contained Engine Mounted on Tongue = **\$4,248 NET**
- Air Ride Suspension = **\$3,325 NET**
- Extra Tie Downs (Per Tie Down) = **\$45 Net**
- Apitong Decking = **\$1,199 NET**
- Lengthen Deck (per foot) = **\$650 NET**
- Spare Tire and Wheel (Shipped Loose) = **\$550 NET**

Trail-EZE TRAILERS

1909 South Rowley - Mitchell, SD 57301

JOB#

Date: 11/20/2012

1-800-232-5682 - FAX 1-605-996-5572

Sales Person: Jeff Hruby

www.traileze.com

QUOTE: JH1755A

PO#:

MO DOT	Name:	CSH Trailers		SHIP TO	Name:	MO DOT BID3-121129TV Item #2			
	Addr:	26 County 511			Addr:				
	City:	Westphalia			City:				
	State:	MO	Zip:		65085	State:		Zip:	
	Attn:	Stan			Attn:				
	Phone:	573-455-2998			Phone:				
Fax:	573-455-27870		Fax:						

Model:	TE70DGWS (2 Axle) w/ Steel Pull-Outs to 13' 6" wide & 3rd Axle Flip	
Vin Number:		
Overall Length:	51' (30' Main Well)	
Width:	102" w/ 3" x 5" Steel Pullouts to 13' 6" Wide on 14" Centers	

Winch:	None	
Location:	N/A	
Cable Length:	N/A	Air Shift: NO
Tire Size:	(12) 255/70R 22.5 ST250 16 PLY GENERAL	
Wheel Size/Style:	(12) 8.25 X 22.5 HP 10-HOLE STEEL	
Spare Tire:	None	Spare Wheel Type: No
Deck Material:	1 1/2" OAK	
Loading Ramp:	Front is Tapered No Ramps Required	
Unloaded Fifth-Wheel Height:	50" w/ 5 Position Cam Style Neck (Set in Center)	
KP Setting:	16"	Swing Clearance: 84"
Landing Gear:	Non-Ground Bearing	
Suspension:	AIR RIDE W/ DUMP VALVE	
Brakes:	AIR BR - 16 1/2 X 7	ABS: 4S/2M
Axles:	2 - 25,000#	
Anchor Points:	4" Stakepockets on 28" Centers, D-Rings in Bolsters	
	D-Rings Per Spec (No Side Mounted D-Rings)	
Light Package:	Sealed LED Light System w/ Mid-Ship Blinker	
Special Features:	LED Amber Strobes at Rear w/ Battery and Trickle Charger	
	Hydraulics are Set up for Truck PTO	
	Flag Holders on Front and Rear Pull-Outs and Rear of Trailer	
	70,000# Concentrated Capacity in 16' - 70,000# Distributed	
	30' Main Bed w/ 21" Loaded Deck Height & (Slope to Rear)	
	I-Beam Crossmembers on 14" Centers	
	3rd Axle Flip Axle (Complete) w/ Amber Strobes at Rear of Flip	
	1/4" Steel Over Rear Deck w/ Removable Covers	
	11' Long Gooseneck	
	13" Main Beams w/ 8" Loaded Ground Clearance (21" Loaded Deck Height)	
	Chain and Binder Rack in Gooseneck Base (lockable)	
Paint Color and Stripe:	Sand Blasted, Primed, Painted 2-Part Poly. Black	

LIMITED WARRANTY **A copy is available upon request from the factory.		
	TOTAL RETAIL PRICE	
Will Ship:	Approximate 90 - 120 Days from PO	
Signature:	TRAILER NET	\$81,116.00
	Freight	
Date:	Federal Excise Tax	STATE
	Total Cost of Trailer	
Non-Refundable Down-Payment	Less Down-Payment	PO#
	Less Trade	
Customer is responsible for off loading.	Balance	NET 30

OPTION PRICES For MO DOT BID 3-12119-TV

Item #2 - 35 Ton 51' Long Lowboy Equipment Trailer

- 13 HP Honda Self-Contained Engine Mounted in Gooseneck = **\$4,248 NET**
- Extra Tie Downs (Per Tie Down) = **\$45 Net**
- Apitong Decking = **\$1,199 NET**
- Spare Tire and Wheel (Shipped Loose) = **\$675 NET**

Trail-EZE TRAILERS

11/26/2012

1909 South Rowley - Mitchell, SD 57301

JOB#

Date: 11/19/2012

1-800-232-5682 - FAX 1-605-996-5572

Sales Person: Jeff Hruby

www.tralleze.com

QUOTE: JH1754A

PO#:

MO DOT	Name: CSH Trailer	SHIP TO	Name: MO DOT BID3-121129 Item #3
	Addr: 26 County 511		Addr:
	City: Westphalia		City:
	State: MO Zip: 65085		State: Zip:
	Attn: Stan		Attn:
	Phone: 573-455-2998		Phone:
	Fax: 573-455-2787		Fax:

Model: TE100DG (See Bid Specs)	
Vin Number:	
Overall Length: 53'	
Width: 102"	

Tire Size: (12) 255/70R 22.5 ST250 16 PLY GENERAL
Wheel Size/Style: (12) 8.25 X 22.5 HP 10-HOLE STEEL
Spare Tire: None Spare Wheel Type: None
Deck Material: 2" OAK Full Width of Main Deck (ship outrigger boards loose)
Loading Ramp: Steel Front Fold Over Ramps
Unloaded Fifth-Wheel Height: 50" w/ 5 Position Neck, Set in Center
KP Setting: 15" Swing Clearance: 96"
Landing Gear: Non-Ground Bearing Hydraulic Detachable Gooseneck
Suspension: AIR RIDE W/ RAISE & LOWER VALVE
Brakes: AIR - 16 1/2 X 7 ABS: 4S/2M
Axles: (3) 25,000 LB CAPACITY w/ 54" Axle Spacing
Anchor Points: 6 D-Rings on each side of Main Deck and D-Rings in Bolsters
Traction Aids: Traction bars on front slope, front ramps & Rear Slope
Light Package: Sealed LED Light System w/ Mid-Ship Blinker
Special Features: 100,000# Concentrated Payload Capacity in 16'
Gooseneck Fenders on 11' Long Neck
24" Loaded Deck Height
Swing-Out Outriggers on 2' Centers Double First Set of Outriggers
Flag Holders at Rear of Trailer and on Bolsters
Crossmembers on 24" Centers / Stubbed x-members in outside bays on 12" Centers
Air Lift on Rear Axle
Hub Odometer on one Axle
1/4" Steel Wheel Covers (Removable) / 11ga. Steel Between Running gear beams
Bucket Well in rear section of main platform w/ inlay plate
Paint Before Decking
Lockable Tool Box in Neck and Lockable Chain Rack and Trays in Neck Base
LED Amber Strobe Lights At Rear of Trailer Set Off Separate Switch
Anti-Sail Mud Flaps
Paint Color and Stripe: 21-061 BLACK IG9230 (STD)

LIMITED WARRANTY **A copy is available upon request from the factory.

	TOTAL RETAIL PRICE	
Will Ship: Approximate 90 - 120 Days from PO		
	TRAILER NET	\$73,085.00
Signature:	Freight	
	Federal Excise Tax	STATE
Date:	Total Cost of Trailer	
	Less Down-Payment	PO#
Non-Refundable Down-Payment	Less Trade	
Customer is responsible for off loading.	Balance	NET 30

OPTION PRICES For MO DOT BID 3-12119-TV

Item #3 - 50 Ton Hydraulic Detachable Gooseneck Equipment Trailer



- 13 HP Honda Self-Contained Engine Mounted in Gooseneck = **\$4,248 NET**
- Extra Tie Downs (Per Tie Down) = **\$45 Net**
- Apitong Decking = **\$1,199 NET**
- Spare Tire and Wheel (Shipped Loose) = **\$675 NET**

3


TRAIL-EZE TRAILERS
1909 SOUTH ROWLEY
MITCHELL, S.D. 57301
1-(605)996-5571 FAX# 1-(605)996-5572

THIS ORDER WILL NOT BE PUT INTO
PRODUCTION UNTIL I RECEIVE THIS CONFIRMATION.
PLEASE CHECK ORDER.
IF CORRECT, PLEASE SIGN, DATE, AND RETURN.
THANK YOU FOR YOUR BUSINESS

X _____ DATE: _____



TRAIL-EZE TRAILERS®




GENERAL SPECIFICATIONS:

TE100DG –
100,000 Lb. Capacity concentrated in 16'

Overall Length: (50" axle spacing)	48'
	(60" axle spacing) 50'
Main Deck Length:	24'
Gooseneck:	11'
Width:	8'-6"
King Pin Settings:	16"
Swing Clearance 16" Setting:	84"
5 th Wheel Height (unloaded):	50"
Deck Height:	26"
Ground Clearance:	10"

FRAME: All high tensile steel. Custom manufactured beams designed for stress loads at a minimum of a 2:1 safety factor. 4 Full size main beams with SMI 130 and MF80 hi-tensile steel flanges. 12" Crossmembers on 24" centers.


PLATFORM: 2" Oak decking. Excavator cut out, open floor. Wheel bolsters (NO wheel covers). Front loading ramps.



GOOSENECK: Air activated lock. PTO operated hydraulics. Hydraulic neck support arm. NOTE: All hydraulics are set to operate at 3,000 PSI.
AXLES: 25,000 Lb. with oil seal hubs
BRAKES: 16 1/2" x 7" Air activated S-Cam, automatic slack adjusters with ABS.
WHEELS: 8.25 x 22.5 Disc - pilot mounted
TIRES: 255/70R x 22.5 Radials
SUSPENSION: Air ride with air dump valve
D-RINGS: 16
OUTRIGGERS: on 2' centers.
ELECTRICAL: Sealed beam light system with mid-ship turn signal.
PAINT: The trailer will be sandblasted, primed and painted with polyurethane paint.

AVAILABLE OPTIONS:

- Air Lift Axle / 12'-8" Neck
- Beavertail / 2" Apitong Decking
- Enclosed Excavator Cut Out
- Self-Contained Hydraulic System
- 1/4" MF80 Steel Wheel Covers w/Traction Aids



Due to the constant improvements in our products, the designs and materials specifications are subject to change without notice.

Over 45 Years Building Trailers To Work Like You Do!!

WARRANTY – 5 Year Pro-Rated Major Structural Warranty

1909 South Rowley ♦ Mitchell, SD 57301 ♦ (605) 996-5571 ♦ FAX (605) 996-5572
 1-800-232-5682 ♦ web site: www.trailenze.com ♦ email: sales@trailenze.com



TRAIL-EZE TRAILERS are intended for INDUSTRIAL AND COMMERCIAL use. This product is not warranted for applications covered by the MAGNUSON-MOSS WARRANTY ACT for personal, family or household purposes.

TRAIL-EZE Trailer Limited Warranty

DAKOTA MANUFACTURING CO., INC., as Manufacturer, warrants each new trailer to be free from defects in material and workmanship under normal use and service, with loads not exceeding Manufacturer's rated capacity and speed, for a period of six (6) months. (The LIMITED WARRANTY applies to defective parts and does not include labor to remove and install parts. This LIMITED WARRANTY applies only to the original user.)

The buyer expressly understands and agrees that, in the event of a defect in manufacture or material, the remedies are limited to repair or replacement, at the Manufacturer's option, such part or parts which examination shall disclose to Manufacturer's satisfaction to have been thus defective. Such part or parts shall be returned, transportation charges prepaid by the purchaser or authorized dealer, to the Manufacturer within (15) days from date of alleged failure, or discovery of alleged defect. All parts returned shall be accompanied by Model and Serial number of the trailer and a detailed description of the alleged defect or conditions of which alleged failure occurred.

ADDITIONAL FIVE YEARS LIMITED WARRANTY ON MAJOR STRUCTURAL FAILURE— Dakota Manufacturing further warrants the main frame of Trail-Eze trailers to be free from defects in material and workmanship under normal use and service with loads not exceeding manufacturer's rated capacity for a period of five years. This extended warranty does not include trailers subject to unusual conditions, i.e... constant tracked vehicle loads, frequent off the road use, and circumstances determined by the manufacturer to be excessive. All repairs will be made at plant of origin, freight to be paid by the customer. After 2 years use, the cost of repair will be pro-rated based on a 10 year life. (Example: Repaired at factory after 3 years, cost is borne 30 percent by customer and 70 percent by Dakota Manufacturing Co., Inc.)

The provisions of this LIMITED WARRANTY shall not apply to any trailer which has been subjected to misuse, negligence or accident, or which shall have been repaired or altered in any way so as, in the judgement of Manufacturer, to affect adversely its strength or stability

THIS LIMITED WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, INCLUDING EXPRESSED OR IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND OF ALL OTHER OBLIGATIONS OR LIABILITY ON THE PART OF THE MANUFACTURER AND IT NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OF SUCH TRAILER.

This Limited Warranty does not include tires and tubes, as they are warranted separately by their manufacturers.

Date Sold _____ Serial No. _____ Model _____ Capacity _____ Lbs. equally distributed.

DAKOTA MANUFACTURING CO., INC.

1909 South Rowley Street

Mitchell, SD 57301

Dakota Manufacturing Co. Inc., reserves the right to change specifications, substitute equal or better quality without notice or obligation to prior models.

This portion to be filled out and returned to Dakota Manufacturing Co., Inc./Trail-Eze Trailers within 10 days after purchase or above warranty void. Cut along perforations.

PLEASE PRINT

Delivery Date: _____ Serial No.: _____ Model: _____

Purchaser's Name: _____

Street Address: _____

City: _____ State: _____ Zip: _____

Trailer Sold By: _____




Street Address: _____

City: _____ State: _____ Zip: _____

TRAIL-EZE TRAILERS
 1909 SOUTH ROWLEY
 MITCHELL, S.D. 57301
 1-(605)986-5571 FAX# 1-(605)986-5572

THIS ORDER WILL NOT BE PUT INTO
 PRODUCTION UNTIL WE RECEIVE THIS COMPANION
 P.O. CHECK OR CASH PAYMENT.
 IF CORRECT, PLEASE SIGN DATE AND RETURN.
 THANK YOU FOR YOUR BUSINESS

X _____ DATE: _____



Trailers built to work like you do!
1-800-232-5682



[Home](#) | [Parts & Service](#) | [Part Specials](#) | [Request Info](#) | [Links](#) | [About Trail-EZE](#) | [Contact Us](#)

Oil Field Trailers

- [TE100-OF50D](#)
- [TE120-OF5B \(3 Axle\)](#)
- [TE120-OF59 \(4 Axle\)](#)
- [TE120-OF59 \(5 Axle\)](#)

Hydraulic Tail Trailers

- [TE70HT](#)
- [TE80HT](#)
- [TE90HT](#)
- [TE100HT](#)
- [TE70XT - NEW](#)
- [TE70XT - NEW](#)

[Videos](#)

Slide Axle Trailers

- [TE401PSA](#)
- [TE401ASA](#)
- [TE601](#)
- [TE701 - TE801](#)
- [TE1001](#)

[Videos](#)

Container Frame Trailers

- [TE12TCF](#)
- [TE12TCF42-A](#)

Implement Trailers

- [TE70HTWS](#)
- [TE70RG-WS](#)
- [TE80DGWS](#)
- [TE100DG-WS](#)

Lowboy Trailers

- [TE70RG](#)
- [TE100RG](#)
- [TE100DG](#)
- [TE70FG-2](#)
- [TE100FG-3](#)

Specialty Trailers

- [TE70RG-EX](#)
- [TE80DG-BUS](#)
- [TE100FGRR - NEW](#)



Tag Trailers


- [TE20LR24](#)
- [TE18R](#)
- [TE20R](#)
- [TE30R](#)
- [TE40R](#)
- [TE50R](#)
- [TE18T](#)
- [TE20T](#)
- [TE30T](#)
- [TE40T](#)
- [TE50T](#)
- [TE60T](#)

[Home](#) >> [Implement Trailers](#) >> [TE80DGWS Wideside Machinery Trailer](#)

TE80DGWS

(Click any image below to enlarge)



**General Specifications:**

TE80DGWS - 80,000 Lb. Capacity concentrated in 16'

Dimensions:

Overall Length:	(50" axle spacing) 53'
Main Deck Length:	27'
Gooseneck:	12'
Width:	8'-6"
King Pin Settings:	14" & 28"
Swing Clearance 16" Setting:	98" & 84"
5th Wheel Height (unloaded):	50"
Deck Height:	22"
Ground Clearance:	10"

Frame: All high tensile steel. Custom manufactured beams designed for stress loads at a minimum of a 2:1 safety factor. 4 Full size main beams with SMI 130 and MF80 hi-tensile steel flanges. 6" Crossmembers on 14" centers. Approximately 22,600 lbs.

Platform: 1-1/2" Oak decking standard.

Gooseneck: Air activated lock. PTO operated hydraulics. Hydraulic neck support arm.

NOTE: All hydraulics are set to operate at 3,000 PSI.

Axles: 25,000 lb. with oil seal hubs.

Brakes: 16-1/2" x 7" Air activated S-Cam, automatic slack adjusters with ABS.

Wheels: 8.25 x 22.5 Disc - pilot mounted.

Tires: 255/70R x 22.5 Radials.

Suspension: Air ride with air dump valve.

Tie Downs: Choice of tie-downs on 4' centers.

Pull-Outs: To 13'-6".

Electrical: Sealed beam light system with mid-ship turn signal.

Paint: Trailer will be sandblasted, primed and painted with polyurethane paint.

Warranty: 5 Year Pro-Rated Major Structural Warranty (USA and Canada ONLY).

Options: Many options available.

Please call 1-800-232-5682 or e-mail sales@traileze.com for more information on options.

Due to the constant improvements in our products, the designs, materials and specifications are subject to change without notice.