PRICING PAGES / SPECIFICATIONS

Item # 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of **40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature, NET**

DELIVERED PRICE to the MoDOT districts that you select.
If bidding more than one make or model make copies of this pricing sheet and submit it with your bid.

I am bidding (MAKE) Kubota **(MODEL)** KX040-4

Price $ 42,800.00

Vendor must complete for each unit bid

Net Horse Power:	40.9
Engine Make:	Kubota
Engine Model:	D1803-CR-TE4
Operating Weight lbs:	9855
Operating Weight (metric ton)	4.470
Max Dig Depth:(ft/in)	11'2.7"
Tail overhang over side (in)	4'3.2"
Length of track on ground (ft/in)	5'9"
Reach @ground level (ft/in)	17'9"
Dump Height (ft/in)	12'9.5"
Track shoe or rubber shoe width (in)	13.5"

OPTIONS	DESCRIPTION	Price
Option 1	30"Heavy Duty Toothed Bucket (with pin(s) if applicable)	Attached
Option 2	36"Heavy Duty Toothed Bucket (with pin(s) if applicable)	
Option 3	48" Smooth Ditching Bucket (with pin(s) if applicable)	
Option 4	Hydraulic Thumb Attachment	
Option 5	LED or strobe type amber beacon light	

Please include a complete list of options with detailed pricing information for each (make/model) your company would be willing to provide. Please indicate below the percent of (%) discount off Manufacturers Suggested Retail Prices (MSRP) for those excavator options available in your data book or pricing guides for which prices were not provided with your bid.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 12%

Item # 1 Manufacturer's Standard Compact Excavator continued:

Please indicate with an 'X' the districts for which you are bidding to provide this unit:

Northwest District (NW) X **Northeast District (NE)** X **Kansas City (KC) District** X

Central District (CD) X **St. Louis District (STL)** ____ **Southwest District (SW)** X

Southeast District (SE) ____ **All Districts** ____

Delivery will be made 0- 60 Days days after receipt of order.

Warranty Information -

Standard Warranty: 1 year Full & 2 years on Engine

Extended Warranty: 2 full years available

Begin Date: Delivery Date

K Series KX040-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 1	**MODEL KX040-4 BASIC UNITS (Cont.)**			
KX040-4S3	**Excavator Basic Unit**	K48K282A00	9,635	$61,900.00
With:	Steel Tracks, Air Conditioned ROPS/FOPS Cab, Dozer Blade, Dipper Arm, Counterweight			
KX040-4S3A	**Excavator Basic Unit**	K50K232A00	10,010	$64,400.00
With:	Steel Tracks, Air Conditioned ROPS/FOPS Cab, Angle Dozer Blade, Dipper Arm, Counterweight			
KX040-4S3P	**Excavator Basic Unit**	K49K530A00	9,655	$63,500.00
With:	Steel Tracks, Air Conditioned ROPS/FOPS Cab, Dozer Blade, Dipper Arm, Counterweight, SP2			
KX040-4S3AP	**Excavator Basic Unit**	K51X480A00	10,010	$66,000.00
With:	Steel Tracks, Air Conditioned ROPS/FOPS Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2			
PART 2	**BUCKETS**			
	PIN-ON BUCKETS (Order attaching pins from Parts)			
K7792A	12 inch 2.6 cu. ft. 3-Hole Bucket	K780K00	200	$1,000.00
K7793	16 inch 2.80 cu. ft. 3-Hole Bucket	K838K50	214	$1,075.00
K7794	18 inch 3.20 cu. ft. 3-Hole Bucket	K875K94	223	$1,123.00
K7796	24 inch 4.50 cu. ft. 3-Hole Bucket	X965A64	260	$1,238.00
K7797	30 inch 5.80 cu. ft. 3-Hole Bucket	K1K058K46	283	$1,357.00
K9836A	36 inch 4.17 cu. ft. Drainage Bucket	K770A64	194	$988.00
	QUICK ATTACH BUCKETS			
K7870	QUICK COUPLER Curl hole and power hole built into quick coupler. Includes two mounting pins, 1 locking pin and hardware.	K705K12	72	$904.00
K9807	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K254A28	88	$326.00
K7872	12 inch 2.13 cu. ft. Trenching Bucket	K751K92	160	$964.00
K7873	16 inch 2.83 cu. ft. Trenching Bucket	K783K90	185	$1,005.00
K7874	18 inch 3.19 cu. ft. Trenching Bucket The K7874 bucket has three teeth. The K7902 Thumb tines contact the end of the teeth and do not mesh between the teeth.	K834K60	190	$1,070.00
K7875	24 inch 4.25 cu. ft. Trenching Bucket	K989A82	240	$1,269.00

Cab w/ A/C & Heat $5803.00

Angle Blade $2350.00

K Series KX040-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	QUICK ATTACH BUCKETS (Cont.)			
K7876	30 inch 5.31 cu. ft. Trenching Bucket	K1K144K26	265	$1,467.00
K7877A	36 inch 6.64 cu. ft. Drainage Bucket Pre-drilled for bolt on cutting edge K7877A not authorized for thumb applications	K880K62	230	$1,129.00
K7473	36 inch 3.0 cu. ft. TILT GRADING BUCKET Includes hoses and fittings. Tilts 45° each direction.	K3K382A08	305	$4,336.00
K7474	Bolt On Cutting Edge For K7877A 36 inch Drainage Bucket	K117K00	41	$150.00
K7458	36" Grading Blade	K1K060K80	270	$1,360.00
K7454	39 inch 4.72 cu. ft. Tilt Grading Bucket Includes hoses and fittings. Tilts 45° each direction	K3K837K60	485	$4,920.00
K7455	Bolt On Cutting Edge For K7454 39" Tilt Grading Bucket	K117K00	44	$150.00
PART 3	**ATTACHMENTS**			
K7910	HYDRAULIC THUMB KIT K7870 Quick Coupler required	K1K995K24	190	$2,558.00
KXB510Q	HYDRAULIC BREAKER, 500 ft. lbs. rated Includes manual, one moil point and one chisel point. Requires a K7774 hose kit, and a K7992 mount bracket	K7K020K00	610	$9,000.00
K7774	HYDRAULIC BREAKER HOSE KIT Required for KXB510Q installations	K503K10	16	$645.00
K7992	BREAKER MOUNT BRACKET Required for KXB510Q Quick Attach configuration	K621A66	95	$797.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers.	K768K30	5	$985.00
K7461	24" EXCAVATING RAKE	K1K464K84	300	$1,878.00

K Series KX040-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 3	**ATTACHMENTS (Cont.)**			
K7940	CANOPY WORK LIGHT KIT	K105K30	6	$135.00
K9929	STEEL CRAWLER KIT Convert tracks from rubber to steel	K2K934A36	439	$3,762.00
K7927	TRAVEL ALARM KIT Emits an audible signal when traveling forward or reverse	K111K54	2	$143.00
PART 4	**ROPS / FOPS**			
K9153	REPLACEMENT 4-POST ROPS / FOPS CANOPY	K1K443A00	250	$1,850.00
K9152	REPLACEMENT ROPS / FOPS CAB The K9152 cab is configured as a replacement for damaged factory mounted cabs. It does not include cabin electrical wiring, wiper motor, heater, or defroster. Refer to illustrated parts list to order these components.	K6K357K00	390	$8,150.00
K7479	Cab Mirror Kit Includes two side mirrors, one for each side, one rear mirror, and attaching hardware	K218K40	4	$280.00
K9946	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	K96A72	4	$124.00
K7942A	RADIO OPTION Compatible with cab models only. Kit includes E9299A AM/FM/WB radio, mounting kit, speakers and antenna	X193A44	8	$248.00

ALLIED ATTACHMENT

DESCRIPTION	CONTACT:
Earth Auger Model 975, 1475, 1975	McMillen 503 Gay Street Delhi, Iowa 52223 (563) 922-2981 Fax (563) 922-2700
Vibratory Compactor Model 500B	Allied Construction Products, LLC 3900 Kelly Avenue Cleveland, OH 44114 Tel: (404) 435-6947, Fax: (216) 431-2601 Website: http://www.AlliedCP.com
Flail Mower Model 30EX	Rockhound Attachments PO Box 22 Hughson, CA 95326 Tel: (800) 426-5615, Fax: (360) 230-2322 Website: http://www.Rockhound.com

Available from Parts
70000-00297 Block Heater Kit

PRICING PAGES / SPECIFICATIONS

Item # 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of **40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature, NET**

DELIVERED PRICE to the MoDOT districts that you select.
If bidding more than one make or model make copies of this pricing sheet and submit it with your bid.

I am bidding (MAKE) Kubota **(MODEL)** KX057-4

Price $ 55,600.00

Vendor must complete for each unit bid

Net Horse Power:	47.6
Engine Make:	Kubota
Engine Model:	V2607-D1
Operating Weight lbs:	12,900
Operating Weight (metric ton)	5.868
Max Dig Depth:(ft/in)	12' 8.2"
Tail overhang over side (in)	4' 2"
Length of track on ground (ft/in)	7' 8"
Reach @ground level (ft/in)	20'.05"
Dump Height (ft/in)	13'.86"
Track shoe or rubber shoe width (in)	15.6"

OPTIONS	DESCRIPTION	Price
Option 1	30"Heavy Duty Toothed Bucket (with pin(s) if applicable)	Attached
Option 2	36"Heavy Duty Toothed Bucket (with pin(s) if applicable)	
Option 3	48" Smooth Ditching Bucket (with pin(s) if applicable)	
Option 4	Hydraulic Thumb Attachment	
Option 5	LED or strobe type amber beacon light	

Please include a complete list of options with detailed pricing information for each (make/model) your company would be willing to provide. Please indicate below the percent of (%) discount off Manufacturers Suggested Retail Prices (MSRP) for those excavator options available in your data book or pricing guides for which prices were not provided with your bid.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 12%

Item # 1 Manufacturer's Standard Compact Excavator continued:

Please indicate with an 'X' the districts for which you are bidding to provide this unit:

Northwest District (NW) X **Northeast District (NE)** X **Kansas City (KC) District** X

Central District (CD) X **St. Louis District (STL)** ____ **Southwest District (SW)** X

Southeast District (SE) ____ **All Districts** ____

Delivery will be made 0-60 days after receipt of order.

Warranty Information -

Standard Warranty: 1 year full & 2 years Engine

Extended Warranty: up to 2 additional years full

Begin Date: Delivery Date

K Series KX057-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 2	**QUICK ATTACH BUCKETS**			
K7915	Quick Coupler Includes two mounting pins, 1 locking pin and hardware.	K663K78	100	$851.00
K7916	Bucket Hangers Set of two ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K229A32	82	$294.00
K7917	12 inch 3.00 cu. ft. Trenching Bucket	K887K64	249	$1,138.00
K7918	18 inch 4.50 cu. ft. Trenching Bucket The K7918 bucket has four teeth. The K7937 thumb tines contact the end of the teeth and do not mesh between the teeth.	K900K90	275	$1,155.00
K7919	24 inch 6.30 cu. ft. Trenching Bucket	K950K82	295	$1,219.00
K7920	30 inch 8.00 cu. ft. Trenching Bucket	K1K159K08	338	$1,486.00
K7921	36 inch 8.00 cu. ft. Trenching Bucket	K1K293K24	368	$1,658.00
K7926	36 inch 3.48 cu. ft. Cemetery Bucket	K936K00	265	$1,200.00
K7922	36 inch 6.64 cu. ft. Drainage Bucket Pre-drilled for bolt on cutting edge	K887K64	230	$1,138.00
K7474	Bolt On Cutting Edge for K7922 36" Drainage Bucket	K117K00	41	$150.00
K7924	48 inch 8.50 cu. ft. Drainage Bucket Pre-drilled for bolt on cutting edge	K1K269K06	270	$1,627.00
K7878	Bolt On Cutting Edge for K7924 48" Drainage Bucket	K156K00	51	$200.00
PART 3	**ATTACHMENTS**			
K7937	HYDRAULIC THUMB KIT K7915 Quick Coupler required.	K1K674K66	195	$2,147.00
K7932	FROST RIPPER	K850K20	325	$1,090.00
KXB560Q	HYDRAULIC BREAKER	K9X264A06	820	$11,877.00
	Includes manual, one moil point and one chisel point. Requires K7931 Breaker Mount Bracket and K7941 Hose Kit.			
K7931	BREAKER MOUNT BRACKET Required for all KXB560Q installations	K621A66	99	$797.00
K7941	BREAKER HOSE KIT Required for all KXB560Q installations	X442A26	22	$567.00
K7773	ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers	K768K30	5	$985.00
K7940	CANOPY WORK LIGHT KIT	K105K30	20	$135.00
K7927	TRAVEL ALARM KIT Emits an audible signal when traveling forward or reverse.	K111K54	7	$143.00

Cab w/ A/c & Heat $5803.00

Angle Blade $2450.00

K Series KX057-4

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
PART 3	**ATTACHMENTS (Cont.)**			
K7938	Steel Crawler Kit Converts tracks from rubber to steel	K4X017X00	1298	$5,150.00
PART 4	**ROPS / FOPS**			
K7933	REPLACEMENT 4-POST ROPS / FOPS CANOPY	K1X209A00	250	$1,550.00
K7934	REPLACEMENT ROPS / FOPS CAB	K5K148K00	390	$6,600.00
	The K7934 cab is configured as a replacement for damaged factory mounted cabs. It does not include cabin electrical wiring, wiper motor, air conditioner, heater, or defroster. Refer to illustrated parts list to order these components.			
K7479	Cab Mirror Kit Includes two side mirrors, one for each side, one rear mirror, and attaching hardware	K218K40	4	$280.00
K9946	RETRACTABLE SEAT BELT OPTION (3") As required in some states for OSHA compliance.	K96A72	4	$124.00
K7942A	RADIO OPTION Compatible with cab models only. AM/FM radio with MP3 port and 7 channel Weather Band. The cab is radio ready.	X193A44	6	$248.00
V4218A	STROBE LIGHT KIT Cab pre-wired with switch. A new bracket must be created for the installation. See installation instructions.	K137V28	3	$176.00

ALLIED ATTACHMENT CONTACTS

DESCRIPTION	CONTACT:
Earth Auger Model 975, 1475, 1975	McMillen 503 Gay Street Delhi, IA 52223 Tel: (800) 922-2981, Fax (319) 922-2700 Website: www.paladinbrands.com
Vibratory Compactor Model 500B, 1000B	Allied Construction Products, LLC 3900 Kelly Avenue Cleveland, OH 44114 Tel: (404) 435-6947, Fax: (216) 431-2601 Website: hppt://www.AlliedCP.com
Flail Mower Model 30EX	Rockhound Attachments PO Box 220 Hughson, CA 95326 Tel: (800) 426-5615, Fax (360) 230-2322 Website: www.rockhound.com

Available from Parts
70000-73274 Block Heater Kit

Item # 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of **85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature. DELIVERED PRICE** to the MoDOT districts that you select.
If bidding more than one make or model make copies of this pricing sheet and submit it with your bid.

I am bidding (MAKE) Case **(MODEL)** CX130C w/Cab & 8'2" Dipper

Price $ 114200.00

Vendor must complete for each unit bid

Net Horse Power:	100
Engine Make:	Isuzu
Engine Model:	AM-4JJ1X
Operating Weight: (lbs)	27,999
Operating Weight (metric ton)	12,700
Max Dig Depth:(ft/in)	19'9"
Depth @ 8' bottom: (ft/in)	19'3"
Max. depth of vertical wall (ft/in)	19'3"
Reach @ground level (ft/in)	28'4"
Dump Height (ft/in)	21'9"
Track shoe or rubber shoe width (in)	23.6"
Tail overhang over side (in)	8'7"
Length of track on ground (ft/in)	9'10"

Please include a complete list of options with detailed pricing information for each (make/model) your company would be willing to provide. Please indicate below the percent of (%) discount off Manufacturers Suggested Retail Prices (MSRP) for those excavator options available in your data book or pricing guides for which prices were not provided with your bid.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Please indicate with an 'X' the districts for which you are bidding:

Northwest District (NW) X **Northeast District (NE)** X **Kansas City (KC) District** ____

Central District (CD) X **St. Louis District (STL)** ____ **Southwest District (SW)** ____

Southeast District (SE) ____ **All Districts** ____

Delivery will be made 0-120 days after receipt of order.

Warranty Information -

Standard Warranty: 1 year full & 2 years on Engine

Extended Warranty: up to 5 year available

Begin Date: Delivery Date

Training

Each excavator purchased by MoDOT shall have the minimum mandatory training supplied as outlined below:

Item A – Mandatory for each unit sold (if multiple, at MoDOT's discretion, training may be combined) Four (4) hours safe operation and routine/preventive maintenance for mechanics and operators. Training time and location shall be coordinated with district personnel. The vendor shall supply training within one month of acceptance by MoDOT. All costs associated with training and materials supplied shall be the responsibility of the vendor. Training shall be provided by a factory or dealership personnel. The trainer must be approved by MoDOT. Training content shall be tailored to cover the specific units sold.

Item B - Price must be included for each item for the following optional training: **Price per student $** 50.00 Training shall be provided by a factory or dealership personnel. The trainer must be approved by MoDOT. Training content shall be tailored to cover the specific units sold.

Should the training not meet the requirements (needs of the employees being trained,) indicated below, the vendor shall come back to the location the training first took place and hold the training again.

a.) 8 hours Electronic Operation and Diagnostics
1. Engine
2. Transmission
3. HVAC
4. Hydraulics
5. Calibration Procedures

b.) 4 hours Hydraulic & Transmission Mechanical Diagnostic
1. Operation
2. Adjustments
3. Pressure/Flow Tests

Item C - Optional Software – Price must be included for the following: diagnostic software, cables, and interface. Price per set $ NA

Item D - Optional price $ 500.00 for vendor to perform the first scheduled on-site maintenance. Vendor shall supply all labor associated with the maintenance. All materials used for maintenance will be supplied by MoDOT. At MoDOT's discretion, this first scheduled maintenance may be used as a training class for mechanics and maintenance employees.

Item E - Vendors must allow MoDOT technicians to attend any in-depth factory technical training as deemed necessary by MoDOT. Training shall be the same as received by dealership personnel with content tailored to cover specific units sold. Vendor must supply training to MoDOT at the same cost as dealership personnel.

Manuals

a. One set of service and parts CD's per unit sold.
b. Operator manuals must be hard copy and supplied with each individual unit.

All vendors shall provide toll free numbers for technical assistance on all components of the items bid. Toll free numbers shall be manned during normal working hours (8 AM to 4 PM).

CASE CONSTRUCTION

CX130C CRAWLER EXCAVATOR
US PRICE LIST

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
Case Coupler Buckets						
		84404117	24" Heavy Duty Coupler Bucket with 4 teeth (.43 cu. yd.)	775 LB		$4,702.00
		84404118	30" Heavy Duty Coupler Bucket with 4 teeth (.56 cu. yd.)	870 LB		$5,219.00
		84404119	36" Heavy Duty Coupler Bucket with 5 teeth (.70 cu. yd.)	970 LB		$5,660.00
		84404121	42" Heavy Duty Coupler Bucket with 5 teeth (.83 cu. yd.)	1,055 LB		$5,923.00
Case Multi Fit Coupler						
		405486A1	Case Multi Fit Hydraulic Coupler Optimized for use with Case coupler buckets. Also can be used with a wide range of buckets from other manufacturers including pin-on types. Includes hydraulic installation kit and instructions.	603 LB		$9,129.00
Case Pin On Buckets						
		84404093	24" Heavy Duty Bucket with 4 teeth (.43 cu. yd.)	969 LB		$3,402.00
		84404095	30" Heavy Duty Bucket with 4 teeth (.56 cu. yd.)	1,073 LB		$3,546.00
		84404103	36" Heavy Duty Bucket with 5 teeth (.70 cu. yd.)	1,227 LB		$3,841.00
		84404105	24" Extra Heavy Duty Bucket with 4 teeth (.51 cu. yd.)	1,050 LB		$3,644.00
		84404108	30" Extra Heavy Duty Bucket with 4 teeth (.66 cu. yd.)	1,200 LB		$4,044.00
		84404109	36" Extra Heavy Duty Bucket with 5 teeth (.81 cu. yd.)	1,375 LB		$4,429.00
		84404110	42" Extra Heavy Duty Bucket with 5 teeth (.97 cu. yd.)	1,500 LB		$4,727.00
		84404113	48" Ditching Bucket (.79 cu. yd.)	860 LB		$3,452.00
		84404115	60" Ditching Bucket (1.02 cu. yd.)	1,000 LB		$3,916.00
		84406310	42" Heavy Duty Bucket with 5 teeth (.83 cu. yd.)	1,351 LB		$4,315.00

Dozer Blade $8110.00
9' 10" Dipper Arm $820.00

CASE CONSTRUCTION

CX130C CRAWLER EXCAVATOR
US PRICE LIST

(Ex Works Port of Entry)

Not for use with No Boom						
		461865	HAM ELCT PRO CNTRL **Hammer Circuit Electrical Proportional Control** **Joystick activated** **Provides single direction flow; use for hammer application** **Includes manually adjustable relief valve to set required pressures** **Notes:** **1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow.** **2) Heavy duty bucket linkage is standard equipment on C series excavators.** **3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or www.HKX.com)**			$6,147.00
		461868	HAM/HF ELET PRO CNTRL **Hammer/High Flow Circuit, Electrical Proportional Control** **Does not include the in-cab Electronic Pressure Control feature** **Joystick activated** **Provides single or dual pump, two-way flow, for use with multiple applications: thumb/grapples/crushers** **Secondary Low-flow Auxiliary Hydraulics can be added** **Includes manually adjustable relief valve to set required pressures** **Is switchable to single acting flow for hammer applications** **Notes:** **1) Not for use with other Auxiliary Hydraulics options with the exception of Low Flow.** **2) Heavy duty bucket linkage is standard equipment on C Series excavators.** **3) For dealer installed auxiliary hydraulic kits contact: HKX (1-800-493-5487 or www.HKX.com)**			$8,664.00