MISSOURI DEPARTMENT OF TRANSPORTATION
GENERAL SERVICES DIVISION
FLEET SECTION

NOTIFICATION OF STATEWIDE CONTRACT

CONTRACT TITLE: Excavators

CURRENT CONTRACT PERIOD: April 30 2008 – April 30, 2009

BUYER INFORMATION: **Jerry Dunn**
(573) 526-7932
jerry.dunn@modot.mo.gov

RENEWAL INFORMATION	Bid prices should be firm for purchase until April 30, 2009. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions

ALL PURCHASES MADE UNDER THIS CONTRACT MUST BE FOR **PUBLIC USE ONLY.**
PURCHASES FOR PERSONAL USE BY PUBLIC EMPLOYEES OR OFFICIALS ARE PROHIBITED.

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCURE -MENT
3-080410	371090568	Tri-State Const. Equipment Kevin Smyser 6787 County Road 312 Palmyra MO. 63461 573-769-2274 kevinsmyser@meoi.com	2,3,5	Yes
3-080410	430698305	Erb Equipment Co. Inc Tim Smith 200 Erb Industrial Drive Fenton, MO 63026 (636) 349-0200 timsmith@erbequipment.com	6,10	Yes

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCURE -MENT
3-080410	480942178	Murphy Tractor & Equipment Co. Jim Levey 1601 N. Corrington Kansas City, MO 64120 (816) 483-5000 816-806-7033 Cell jlevy@murphytractor.com	1,4,7,8,9 10	Yes
3-080410	4310282030	Potter Equipment Company Roger Potter 1155 S. Kansas Expressway Springfield Mo. 65807 417-862-9275 roger@potterequip.com	8,10	Yes
3-080410	440390945	The Victor L Phillips Company Gregory Knipp 4100 gardner Ave Kansas City MO. 64120 816-241-9290 gknipp@vlpco.com	1,4,7,8	Yes
3-080410	431037077	Luby Equipment Jerry Jansen 2300 Cassens Dr. Fenton Mo. 63026 800-830-9970 217-222-5454 Cell jjansen@lubyequipment.com	3,6,10	Yes
3-080410	431613306	Crown Power & Equipment Ray Lasley 3621 Rockport Hills Rd. Jefferson City MO. 65101 573-636-5281 rlasley@crown-power.com	2,5	Yes
3-080410	440650689	Dean Machinery Co. Steve Phillips 1201 W. 31st. Street Kansas City MO. 64108 816-536-1401 steve.phillips@deancat.com	1,2,4,5,7 ,8	Yes

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCURE -MENT
3-080410	430263380	Fabick CAT Rod Byers One Fabick Dr. Fenton MO. 63026 636-343-5900 rod.byers@fabickcat.com	5,6,7,8,9, 10	Yes
3-080410	421346050	Logan Contractors Supply Jon Krueger 1325 S. Enterprise Dr. Olathe KS. 66061 913-768-1551 jon@logancontractors.com	1,2,4,5,7, 8	Yes
3-080410	440586703	Cooke Sales & Service Co. Greg Peterson 809 S. Westminster Ave. Fulton MO. 65251 573-642-2258 gregatcookes@yahoo.com	1,2,3,5	No
3-080410	610445955	Rudd Equipment Company C.B. Schiff 4679 Baumgartner Rd. St. Louis, Missouri 63129 314-487-8925 cschiff@ruddequipment.com	2,3,5,6,9 ,10	Yes
3-080410	430524090	Pat Kelly Equipment Co. Rich Sahrman 5920 N. Lindbergh Blvd. Hazelwood MO. 63042 314-895-9500 sales@patkelly.com	2,3,5,6, 10	Yes
3-080410	440513694	Van Keppel Monty Little 1801 N. 9th. Street Kansas City Ks. 66101 913-281-4800 or 573-478-0182 mlittle@vankeppel.com	1,4,7,8,9	Yes

3-080410	371324032	Roland Machinery Co. William G. Mitchell 4670 Crossroads Industrial Drive Bridgeton MO. 63044 314-291-1330 vkeough@rolandmachinery.com	2,3,5,6, 10	Yes
3-080410	300141952	Custom Truck & Equipment Stacey Stratton 7701 East 24 Highway Kansas City Ks. 66125 816-241-4888 stacey@cbodyllc.com	All	Yes

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Tri-Sate Construction**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 50D** ***PRICE:*** **$ 47,150.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**39.9**
Engine:	**YANMAR**
Engine Model	**4TNV88**
Operating Weight	**10,428 lbs**
Operating Weight (metric ton)	**5**
Max Dig Depth	**11' 9"**
Tail overhang over side (in)	**3' 3.4" Radius**
Length of track on ground	**8' 4"**
Reach @ ground Level	**19'**
Dump Height	**13' 5.4"**
Track shoe or rubber shoe width	**16' (Rubber)**

AVAILABLE OPTIONS:

16"Steel Tracks	**$1,275,00**
5' 7" Long arm in lieu of stand. 4' 6:	**$955.00**
Cab with heat and a/c	**$3,795.00**
Cloth suspension seat	**$247.00**
12" heavy Duty Bucket	**$520.00**
18" Heavy Duty Bucket/Teeth	**$575.00**
24" Heavy Duty Bucket/Teeth	**$645.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:
Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2, 3, 5.

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: ERB Equipment**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 50D** ***PRICE:*** **$ 47,226.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**39.9**
Engine:	**YANMAR**
Engine Model	**4TNV88**
Operating Weight	**10,428 lbs**
Operating Weight (metric ton)	**5**
Max Dig Depth	**11' 9" standard arm**
Tail overhang over side (in)	**0**
Length of track on ground	**6' 6.7"**
Reach @ ground Level	**19' standard**
Dump Height	**13' 5.4" standard arm**
Track shoe or rubber shoe width	**16"**

AVAILABLE OPTIONS:

16"Steel Tracks	**$1,285,00**
Rubber Crawler pads in lieu of rubber track	**$3,650.00**
Long arm (5' 7") with counterweight **Extends over the edge of track**	**$$965.00**
Cab with heat and air conditioner	**$3,840.00**
Suspension seat – cloth for cab unit only	**$245.00**
12" Grey bucket	**$510.00**
18"Grey bucket	**$562.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics **$250.00 per student**

Item C Optional Software – Diagnostic software, cables and interface **$3,775.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. $1,000.00

Notes:
Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 60 days after receipt of order.

Vendor bidding only Districts 6, 10.

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Potter Equipment**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Case CX 50B** ***PRICE:*** **$ 47,490.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**39.8**
Engine:	**YANMAR**
Engine Model	**4TNV88**
Operating Weight	**10,383 lbs**
Operating Weight (metric ton)	**4.655**
Max Dig Depth	**11' 9"**
Tail overhang over side (in)	**0**
Length of track on ground	**6' 6"**
Reach @ ground Level	**18' 10"**
Dump Height	**13' 5"**
Track shoe or rubber shoe width	**15.7 "**

AVAILABLE OPTIONS:

Steel Tracks in lieu of rubber	**$1,736,00**
Cab and air conditioning	**$4,249.00**
18" Heavy duty bucket	**$930.00**
24" Heavy duty bucket	**$1,075.00**
Universal rigid thumb	**$2,700.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics per student	**$1,320.00 unlimited number of people can attend**
Item C Optional Software – Diagnostic software, cables and interface	**$3,775.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit $50.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 60 - 120 days after receipt of order.

Vendor bidding only Districts 8 and 9.

Excavators (Statewide)
Multiple Award

Contract Number: Contract Number: 3-080410 **Vendor: Murphy Tractor.**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Hitachi ZX 50U-2** ***PRICE:*** **$ 47,788.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**39.9**
Engine:	**YANMAR**
Engine Model	**4TNV88**
Operating Weight	**10,428 lbs**
Operating Weight (metric ton)	**5**
Max Dig Depth	**11' 9"**
Tail overhang over side (in)	**3' 3.4" Radius**
Length of track on ground	**8' 4"**
Reach @ ground Level	**19'**
Dump Height	**13' 5.4"**
Track shoe or rubber shoe width	**16' (Rubber)**

AVAILABLE OPTIONS:

16"Steel Tracks	**$1,275,00**
5' 7" Long arm in lieu of stand. 4' 6:	**$955.00**
Cab with heat and a/c	**$3,795.00**
Cloth suspension seat	**$247.00**
12" heavy Duty Bucket	**$520.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%

Delivery will be made 30 - 60 days after receipt of order.

Vendor bidding only Districts 1, 4 7,8, 9.

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Victor L. Phillips**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of <u>40 to 60 with 4 to 6 metric ton operating weight rating</u> as advertised in manufacturer's standard literature.

MAKE/MODEL: **Case CX 50B** ***PRICE:*** **<u>$ 48,161.00</u>**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**39.8**
Engine:	**YANMAR**
Engine Model	**4TNV88**
Operating Weight	**10,261 lbs**
Operating Weight (metric ton)	**4.5**
Max Dig Depth	**11' 9"**
Tail overhang over side (in)	**0**
Length of track on ground	**8' 1"**
Reach @ ground Level	**9'**
Dump Height	**13' 5.4"**
Track shoe or rubber shoe width	**15'. 7"**

AVAILABLE OPTIONS:

Cab, heat, Air	**$4,855.00**
Thumb-Universal Rigid-Coupler:	**$2,992.00**
Steel tracks	**$2,000.00**
12" Bucket	**$941,00**
24" Bucket	**$1,222.00**
36" Bucket	**$1,489.00**

<u>TRAINING OPTIONS</u>

Item B Optional Training – 12-hour operation and diagnostics per student: **$100.00**

Item C Optional Software – Diagnostic software, cables and interface: **Price not provided**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: Price not provided.

<u>Notes:</u>

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1, 4 7, 8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Victor L. Phillips**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Hyundai R55-7** ***PRICE:*** **$ 49,153.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**52**
Engine:	**YANMAR**
Engine Model	**4TNV94L**
Operating Weight	**12,750 lbs**
Operating Weight (metric ton)	**5,700**
Max Dig Depth	**12' 6"**
Tail overhang over side (in)	
Length of track on ground	**6' 5"**
Reach @ ground Level	**20' 2"**
Dump Height	**13' 3"**
Track shoe or rubber shoe width	**15'. 7"**

AVAILABLE OPTIONS:

Double Acting hydraulics	**$1,368.00**
Lever Pattern Selector	**$563.00**
6' 3" Arm	**$990.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$100.00**

Item C Optional Software – Diagnostic software, cables and interface: **Price not provided**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: Price not provided.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 90 - 120 days after receipt of order.

Vendor bidding only Districts 1, 4 7, 8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Victor L. Phillips**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Takeuchi TB153FR** ***PRICE:*** **$ 44,974.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**38.2**
Engine:	**YANMAR**
Engine Model	**4TNV88**
Operating Weight	**12,681 lbs**
Operating Weight (metric ton)	**5.6**
Max Dig Depth	**12' 10"**
Tail overhang over side (in)	**0**
Length of track on ground	**6' 6"**
Reach @ ground Level	**20' 4"**
Dump Height	**12' 9"**
Track shoe or rubber shoe width	**15'. 7"**

AVAILABLE OPTIONS:

Cab, heat, Air	**$4,920.00**
Hydraulic Thumb	**$1,320.00**
12" Pin on bucket	**$720.00**
24" Pin on bucket	**$760,00**
36" Pin on bucket	**$1,020.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$100.00**

Item C Optional Software – Diagnostic software, cables and interface: **Price not provided**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: Price not provided.

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1, 4 7, 8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Lubby Equipment**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Case CX 50B** ***PRICE:*** **$ 49,200.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**40**
Engine:	**YANMAR**
Engine Model	**4TNV88**
Operating Weight	**10,261 lbs**
Operating Weight (metric ton)	**5**
Max Dig Depth	**11' 9"**
Tail overhang over side (in)	**0**
Length of track on ground	**6' 6"**
Reach @ ground Level	**19' 3"'**
Dump Height	**13' 5.4"**
Track shoe or rubber shoe width	**16" Rubber track**

AVAILABLE OPTIONS:

Cab, heat, Air	**$4,400.00**
Manual quick coupler	**$1,150.00**
12" Tooth bucket	**$900.00**
18" Tooth bucket	**$1,000.00**
24" Tooth bucket	**$1,200.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$250.00**

Item C Optional Software – Diagnostic software, cables and interface: **N/A**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $250.00 provided.

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 3, 6 10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Crown Power**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Kubota KX 161-3** ***PRICE:*** **$ 42,015.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**47**
Engine:	**Kubota**
Engine Model	**V2403-M**
Operating Weight	**11,698 lbs**
Operating Weight (metric ton)	**5. 305**
Max Dig Depth	**12' 6"**
Tail overhang over side (in)	**4. 5**
Length of track on ground	
Reach @ ground Level	**20' 6"'**
Dump Height	**13' 8"**
Track shoe or rubber shoe width	**15.7"**

AVAILABLE OPTIONS:

Cab, and Air	**$4,389.00**
Angle Blade	**$1,973.00**
Quick attach for bucket	**$704.00**
24" Bucket	**$1,041.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **Recommend factory 32 Training**

Item C Optional Software – Diagnostic software, cables and interface: **Proprietary to CNH**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $575.00 provided.

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 30-120 days after receipt of order.

Vendor bidding only Districts 2, 5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Dean Machinery**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of <u>40 to 60 with 4 to 6 metric ton operating weight rating</u> as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar 304C CR** ***PRICE:*** **<u>$ 46,655.00</u>**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**42**
Engine:	**Mitsubishi**
Engine Model	**S4Q2**
Operating Weight	**10,582 lbs**
Operating Weight (metric ton)	**4**
Max Dig Depth	**10' 10"**
Tail overhang over side (in)	**0**
Length of track on ground	**7' 3"**
Reach @ ground Level	**17' 11"'**
Dump Height	**12' 1"**
Track shoe or rubber shoe width	**16"**

AVAILABLE OPTIONS:

Cab	**$4,290.00**
Cab & Air	**$5,680.00**
Mechanical Quick Coupler	**$1,670.00**
Power Angle blade	**$3,195.00**
Long stick	**$1,485.00**

<u>TRAINING OPTIONS</u>

Item B Optional Training – 12-hour operation and diagnostics per student: **$325.00**

Item C Optional Software – Diagnostic software, cables and interface: **$1,242.00 + $500 / yr. subscription**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $695.00.

<u>Notes:</u>

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 21%

Delivery will be made 90 days after receipt of order.

Vendor bidding only Districts 1,2,4,5,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Dean Machinery**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar 305C CR** ***PRICE:*** **$ 52,950.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**47**
Engine:	**Mitsubishi**
Engine Model	**S4Q2-T**
Operating Weight	**11,465 lbs**
Operating Weight (metric ton)	**5**
Max Dig Depth	**11' 5"**
Tail overhang over side (in)	**0**
Length of track on ground	**7' 3"**
Reach @ ground Level	**18' 7"'**
Dump Height	**12' 6"**
Track shoe or rubber shoe width	**16"**

AVAILABLE OPTIONS:

Cab	**$3,100.00**
Cab & Air	**$4,235.00**
Mechanical Quick Coupler	**$1,670.00**
Power Angle blade	**$3,195.00**
Long stick	**$1,485.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$325.00**

Item C Optional Software – Diagnostic software, cables and interface: **$1,242.00 + $500 / yr. subscription**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $695.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 21%

Delivery will be made 90 days after receipt of order.

Vendor bidding only Districts 1,2,4,5,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Fabick Cat**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar 304C CR** ***PRICE:*** **$ 46,655.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**42**
Engine:	**Mitsubishi**
Engine Model	**S4Q2**
Operating Weight	**10,582 lbs**
Operating Weight (metric ton)	**4**
Max Dig Depth	**10' 10"**
Tail overhang over side (in)	**0**
Length of track on ground	**7' 3"**
Reach @ ground Level	**17' 11"'**
Dump Height	**12' 1"**
Track shoe or rubber shoe width	**16"**

AVAILABLE OPTIONS:

Cab	**$4,290.00**
Cab & Air	**$5,680.00**
Mechanical Quick Coupler	**$1,670.00**
Power Angle blade	**$3,195.00**
Long stick	**$1,485.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$325.00**

Item C Optional Software – Diagnostic software, cables and interface: **$1,242.00 + $500 / yr. subscription**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $695.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 21%

Delivery will be made 90 days after receipt of order.

Vendor bidding only Districts 5,6,7, 8, 9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Fabick Cat**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar 305C CR** ***PRICE:*** **$ 52,950.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**47**
Engine:	**Mitsubishi**
Engine Model	**S4Q2-T**
Operating Weight	**11,465 lbs**
Operating Weight (metric ton)	**5**
Max Dig Depth	**11' 5"**
Tail overhang over side (in)	**0**
Length of track on ground	**7' 3"**
Reach @ ground Level	**18' 7"'**
Dump Height	**12' 6"**
Track shoe or rubber shoe width	**16"**

AVAILABLE OPTIONS:

Cab	**$3,100.00**
Cab & Air	**$4,235.00**
Mechanical Quick Coupler	**$1,670.00**
Power Angle blade	**$3,195.00**
Long stick	**$1,485.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$325.00**

Item C Optional Software – Diagnostic software, cables and interface: **$1,242.00 + $500 / yr. subscription**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $695.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 21%

Delivery will be made 90 days after receipt of order.

Vendor bidding only Districts 5,6,7,8,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Logan Contractor & Supply**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Gehl 603 (w/24" Bucket)** ***PRICE:*** **$ 59,610.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**57**
Engine:	**Yanmar**
Engine Model	**4TNV98 – VNSEPA2**
Operating Weight	**12,566 lbs**
Operating Weight (metric ton)	**5.7**
Max Dig Depth	**13' 7"**
Tail overhang over side (in)	**1' 7"**
Length of track on ground	**6' 7"**
Reach @ ground Level	**19' 6"'**
Dump Height	**13' 9"**
Track shoe or rubber shoe width	**15.7"**

AVAILABLE OPTIONS:

Complete Cab w / Air Conditioning	**$2,880.00**
Steel tracks	**$756.00**
Counter Weight	**$1,135.00**
Proportional Aux. Hyd. Joystick Cont.	**$1,075.00**
Various Buckets	**To be determined**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$250.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $750.00.

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 5%

Delivery will be made 45-60 days after receipt of order.

Vendor bidding only Districts 1,2,4,5,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Cook Sales & Service**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **JCB 80452 (Canopy Build)** ***PRICE:*** **$ 43,780.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**45**
Engine:	**Perkins**
Engine Model	**404-22C**
Operating Weight	**10,322 lbs**
Operating Weight (metric ton)	**4. 6**
Max Dig Depth	**11'7. 5" Dozer Up / 12' 3" Dozer Down"**
Tail overhang over side (in)	**0**
Length of track on ground	**6' 6"**
Reach @ ground Level	**19' 2"'**
Dump Height	**13' 1"**
Track shoe or rubber shoe width	**16"**

AVAILABLE OPTIONS:

Steel Tracks 16" width	**$1,294.00**
Rotating Beacon (Amber)	**$200.00**
Tool Kit	**$56.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$60.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $375.00.
Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90 – 120 days after receipt of order.

Vendor bidding only Districts 1,2,3,5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Cook Sales & Service**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **JCB 80452 (Cab) with Air Cond.** ***PRICE:*** **$ 45,550.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**45**
Engine:	**Perkins**
Engine Model	**404-22C**
Operating Weight	**10,322 lbs**
Operating Weight (metric ton)	**4. 6**
Max Dig Depth	**11'7. 5" Dozer Up / 12' 3" Dozer Down"**
Tail overhang over side (in)	**0**
Length of track on ground	**6' 6"**
Reach @ ground Level	**19' 2"'**
Dump Height	**13' 1"**
Track shoe or rubber shoe width	**16"**

AVAILABLE OPTIONS:

Steel Tracks 16" width	**$1,294.00**
Rotating Beacon (Amber)	**$200.00**
Tool Kit	**$56.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$60.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $375.00.
Notes:

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90 - 120 days after receipt of order.

Vendor bidding only Districts 1,2,3,5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Cook Sales & Service**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **JCB 8052 (Canopy Build)** ***PRICE:*** **$ 48,450.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**46.5**
Engine:	**Perkins**
Engine Model	**404-22C**
Operating Weight	**11,356 lbs**
Operating Weight (metric ton)	**5. 1**
Max Dig Depth	**13' 1"**
Tail overhang over side (in)	**11. 5 "**
Length of track on ground	**6' 6"**
Reach @ ground Level	**19' 10"'**
Dump Height	**13' 5"**
Track shoe or rubber shoe width	**15.75"**

AVAILABLE OPTIONS:

Steel Tracks 15.75" width	**$2,090.00**
Rotating Beacon (Amber)	**$178.00**
Exterior Mirror	**$81.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$60.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $375.00.
Notes:

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90 - 120 days after receipt of order.

Vendor bidding only Districts 1,2,3,5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Cook Sales & Service**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **JCB 8052 (Cab with heat / no air)** ***PRICE:*** **$ 49,750.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**46.5**
Engine:	**Perkins**
Engine Model	**404-22C**
Operating Weight	**11,356 lbs**
Operating Weight (metric ton)	**5. 1**
Max Dig Depth	**13' 1"**
Tail overhang over side (in)	**11. 5 "**
Length of track on ground	**6' 6"**
Reach @ ground Level	**19' 10"'**
Dump Height	**13' 5"**
Track shoe or rubber shoe width	**15.75"**

AVAILABLE OPTIONS:

Steel Tracks 15.75" width	**$2,090.00**
Rotating Beacon (Amber)	**$178.00**
Exterior Mirror	**$81.00**
Tool Kit	**$102.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$60.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $375.00.
Notes:

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90 - 120 days after receipt of order.

Vendor bidding only Districts 1,2,3,5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Cook Sales & Service**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **JCB 8060 (Cab) with heat** ***PRICE:*** **$ 55,850.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**57.6**
Engine:	**Isuzu**
Engine Model	**4JGI**
Operating Weight	**13,210 lbs**
Operating Weight (metric ton)	**6**
Max Dig Depth	**13'7"**
Tail overhang over side (in)	**11. 5 "**
Length of track on ground	**6' 6"**
Reach @ ground Level	**20' 3"'**
Dump Height	**13' 1"**
Track shoe or rubber shoe width	**15.75"**

AVAILABLE OPTIONS:

Steel Tracks 21.6" width	**$2,283.00**
Rotating Beacon (Amber)	**$178.00**
Exterior Mirror	**$81.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$60.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $375.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90 - 120 days after receipt of order.

Vendor bidding only Districts 1,2,3,5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Rudd Equipment**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EC55B** ***PRICE:*** **$ 55,490.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**52**
Engine:	**Volvo**
Engine Model	**D3.1A**
Operating Weight	**12,125 lbs**
Operating Weight (metric ton)	**5. 5**
Max Dig Depth	**12'5"**
Tail overhang over side (in)	**27. 5 "**
Length of track on ground	**6' 4"**
Reach @ ground Level	**19' 6"'**
Dump Height	**13' 4"**
Track shoe or rubber shoe width	**16"**

AVAILABLE OPTIONS:

13' Bucket with Pins	**$650.00**
18" Bucket with Pins	**$1050.00**
24" Bucket with Pins	**$1100.00**
30" Bucket with Pins	**$1250.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: $50.00

Item C Optional Software – Diagnostic software, cables and interface: $750.00

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $500.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60 - 120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Rudd Equipment**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of <u>40 to 60 with 4 to 6 metric ton operating weight rating</u> as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo ECR58** ***PRICE:*** **<u>$ 49,500.00</u>**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**52**
Engine:	**Volvo**
Engine Model	**D3.1A**
Operating Weight	**12,963 lbs**
Operating Weight (metric ton)	**5. 5**
Max Dig Depth	**11'10"**
Tail overhang over side (in)	**0"**
Length of track on ground	**6' 4"**
Reach @ ground Level	**19' 6"'**
Dump Height	**13' 1"**
Track shoe or rubber shoe width	**15.75"**

AVAILABLE OPTIONS:

Enclosed Cab with A/C and Heat	**$4,500.00**
13' Bucket with Pins	**$650.00**
18" Bucket with Pins	**$1050.00**
24" Bucket with Pins	**$1100.00**
30" Bucket with Pins	**$1250.00**

<u>TRAINING OPTIONS</u>

Item B Optional Training – 12-hour operation and diagnostics per student: $50.00

Item C Optional Software – Diagnostic software, cables and interface: $750.00

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $500.00.
<u>Notes:</u>

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60 - 120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Van Keppel**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of <u>40 to 60 with 4 to 6 metric ton operating weight rating</u> as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo ECR 58** ***PRICE:*** **<u>$ 47,888.00</u>**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**51**
Engine:	**Volvo**
Engine Model	**D3.1A**
Operating Weight	**12,056 lbs**
Operating Weight (metric ton)	**5. 4**
Max Dig Depth	**11'8" – 13'**
Tail overhang over side (in)	**0"**
Length of track on ground	**8' 2"**
Reach @ ground Level	**19' 5"**
Dump Height	**13'**
Track shoe or rubber shoe width	**16"**

AVAILABLE OPTIONS:

Enclosed Cab	**$5,550.00**
Rotating Beacon	**$250.00**
Front and Rear Work Light	**$300.00**
Radio – Speaker w/cab	**$735.00**
13" Bucket w/lifting hook, p/o w/bolt-on teeth	**$600.00**

<u>TRAINING OPTIONS</u>

Item B Optional Training – 12-hour operation and diagnostics: **$75.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,000.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $700.00

<u>Notes:</u>

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28%

Delivery will be made 90 - 120 days after receipt of order.

Vendor bidding only Districts 1, 4, 7, 8, 9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Pat Kelly**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **New Holland (Kobelco) E50** ***PRICE:*** **$ 46.788.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**40.8**
Engine:	**Yanmar**
Engine Model	**4TNV88-XYB**
Operating Weight	**10,275 lbs**
Operating Weight (metric ton)	**4.67**
Max Dig Depth	**11' 9"**
Tail overhang over side (in)	**0 "**
Length of track on ground	**6' 6"**
Reach @ ground Level	**18' 10"'**
Dump Height	**13' 5"**
Track shoe or rubber shoe width	**16"**

AVAILABLE OPTIONS:

Cab with Air Conditioning and heat **$4,807.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$1,880.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,280.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $800.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 60 plus days after receipt of order.

Vendor bidding only Districts 2,3,5,6,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Roland Machinery**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of 40 to 60 with 4 to 6 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Komatsu PC5OMR-2** ***PRICE:*** **$ 51,800.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**39.4**
Engine:	**Komatsu**
Engine Model	**4D88E**
Operating Weight	**11,100 lbs**
Operating Weight (metric ton)	**5**
Max Dig Depth	**13' 8"**
Tail overhang over side (in)	**3. 2 "**
Length of track on ground	**8' 3"**
Reach @ ground Level	**21' 1"'**
Dump Height	**14' 9"**
Track shoe or rubber shoe width	**16"**

AVAILABLE OPTIONS:

Cab with heater	**$3,445.00**
Air conditioning (with cab only)	**$2,573.00**
Aux. Plumbing	**$847.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$200.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **Built into the monitor panel.**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $410.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%

Delivery will be made 90 - 100 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor : Custom Truck & Equipment**

Item – 1 Manufacturer's Standard Compact Excavator, meeting the net horsepower range of <u>40 to 60 with 4 to 6 metric ton operating weight rating</u> as advertised in manufacturer's standard literature.

MAKE/MODEL: **Terex TC 60** ***PRICE:*** **<u>$ 57,118.00</u>**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**51.5**
Engine:	**Mitsubishi**
Engine Model	**S4Q2-Y**
Operating Weight	**12,500 lbs**
Operating Weight (metric ton)	**6**
Max Dig Depth	**12' 2"**
Tail overhang over side (in)	**2' 5 "**
Length of track on ground	**8' 4"**
Reach @ ground Level	**19' 8"'**
Dump Height	**12' 9"**
Track shoe or rubber shoe width	**16" Rubber**

AVAILABLE OPTIONS:

73" Dipperstick	**$1,336.00**
Spring Cushioned Seat	**$294.00**
Air Conditioning	**$3,651.00**
24" Pin – On Bucket	**$858.00**
Terex manual quick latch w/24" bucket	**$1,622.00**
Steel Crawlers	**$1,468.00**

<u>TRAINING OPTIONS</u>

Item B Optional Training – 12-hour operation and diagnostics: **$50.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,977.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $300.00

<u>Notes:</u>

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 24%

Delivery will be made 30 - 75 days after receipt of order.

Vendor bidding only Districts 1,2,3,4,5,6,7,8,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: TRI-STATE**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 120D** ***PRICE:*** **$99,000.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**93**	**Specs currently unavailable at this time.**
Engine:	**?**	
Engine Model	**?**	
Operating Weight	**28,498 lbs**	
Operating Weight (metric ton)	**12**	
Max Dig Depth	**19' 11"**	
Depth @ 8'bottom	**?**	
Max. depth of vertical wall	**?**	
Reach @ ground Level	**28' 10"**	
Dump Height	**?**	
Track shoe or rubber shoe width	**?**	
Tail overhand over side	**?**	
Length of track on ground	**?**	

AVAILABLE OPTIONS:

24" Steel Pads with back fill blade	**$7,350.00**
28" Pad in lieu of standard 24" pads	**$350.00**
28" Steel pads with back fill blade	**$7,675.00**
24" Rubber pads without blade	**$5,470.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2, 3, 5.

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: TRI-STATE**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 120C** ***PRICE:*** **$100,300.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**89**	**This Machine will go out of production when supplies run out (limited options and machines are available).**
Engine:	**John Deere**	
Engine Model	**4045H**	
Operating Weight	**28,840 lbs**	
Operating Weight (metric ton)	**13**	
Max Dig Depth	**19' 6"**	
Depth @ 8'bottom	**18' 10"**	
Max. Depth of vertical wall	**17' 7"**	
Reach @ ground Level	**27' 10"**	
Dump Height	**21' 8"**	
Track shoe or rubber shoe width	**24**	
Tail overhand over side	**7' 0" Radius**	
Length of track on ground	**11' 9"**	

AVAILABLE OPTIONS:

28" Pads in lieu of 24" standard	**$355.00**
24" .48 Cubic yard bucket with teeth	**$2,125.00**
30" .65 Cubic yard bucket with teeth	**$2,250.00**
36" .81 Cubic yard bucket with teeth	**$2,525.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2, 3, 5.

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: TRI-STATE**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 135D** ***PRICE:*** **$103,100.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**93**	**Specs currently unavailable at this time.**
Engine:	**?**	
Engine Model	**?**	**New model, production will start in**
Operating Weight	**31,147 lbs**	**Aug. or Sept. 2008**
Operating Weight (metric ton)	**?**	
Max Dig Depth	**19' 9"**	
Depth @ 8'bottom	**?**	
Max. Depth of vertical wall	**?**	
Reach @ ground Level	**?**	
Dump Height	**?**	
Track shoe or rubber shoe width	**?**	
Tail overhand over side	**?**	
Length of track on ground	**?**	

AVAILABLE OPTIONS:

24 " Steel pads with back fill blade	**$7,450.00**
28" Pads in lieu of standard 24"	**$350.00**
28" Steel Pads with back fill blade	**$7,795.00**
20" Rubber pads without blade	**$5,650.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:
Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2, 3, 5.

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor : Murphy Tractor & Equipment**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 120C** ***PRICE:*** **$100,560.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**89**	**This Machine will go out of production when supplies run out (limited options and machines are available).**
Engine:	**John Deere**	
Engine Model	**4045H**	
Operating Weight	**28,840 lbs**	
Operating Weight (metric ton)	**13**	
Max Dig Depth	**19' 6"**	
Depth @ 8'bottom	**18' 10"**	
Max. depth of vertical wall	**17' 7"**	
Reach @ ground Level	**27' 10"**	
Dump Height	**21' 8"**	
Track shoe or rubber shoe width	**24**	
Tail overhand over side	**7' 0" Radius**	
Length of track on ground	**11' 9"**	

AVAILABLE OPTIONS:

28" Pads in lieu of 24" standard	**$355.00**
24" .48 Cubic yard bucket with teeth	**$2,125.00**
30" .65 Cubic yard bucket with teeth	**$2,250.00**
36" .81 Cubic yard bucket with teeth	**$2,525.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts1, 4,7,8,9.

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Murphy Tractor & Equipment**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 120D** ***PRICE:*** **$99,918.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**93**	**Specs currently unavailable at this time.**
Engine:	**?**	
Engine Model	**?**	
Operating Weight	**28,498 lbs**	
Operating Weight (metric ton)	**12**	
Max Dig Depth	**19' 11"**	
Depth @ 8'bottom	**?**	
Max. depth of vertical wall	**?**	
Reach @ ground Level	**28' 10"**	
Dump Height	**?**	
Track shoe or rubber shoe width	**?**	
Tail overhand over side	**?**	
Length of track on ground	**?**	

AVAILABLE OPTIONS:

24" Steel pads with back fill blade	**$7,350.00**
28" Pads with back fill blade	**$350.00**
28" Steel pads with back field blade	**$7,675.00**
24" Rubber pads without blade	**$5,470.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1, 4,7, 8, 9.

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Murphy Tractor & Equipment**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 135D** ***PRICE:*** **$104,616.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**93**	**Specs currently unavailable at this time.**
Engine:	**?**	
Engine Model	**?**	**New model, production will start in**
Operating Weight	**31,147 lbs**	**Aug. or Sept. 2008**
Operating Weight (metric ton)	**?**	
Max Dig Depth	**19' 9"**	
Depth @ 8'bottom	**?**	
Max. depth of vertical wall	**?**	
Reach @ ground Level	**?**	
Dump Height	**?**	
Track shoe or rubber shoe width	**?**	
Tail overhand over side	**?**	
Length of track on ground	**?**	

AVAILABLE OPTIONS:

24" Steel pads with back fill blade	**$7,450.00**
28" Pads in lieu of standard 24"	**$350.00**
28 Steel pads with back fill blade	**$7,795.00**
20" Rubber pads without blade	**$5,650.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts1,4,7,8,9.

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: ERB Equipment Co.**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 120C** ***PRICE:*** **$99,729.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**89**
Engine:	**John Deere**
Engine Model	**4045H**
Operating Weight	**29,250 lbs**
Operating Weight (metric ton)	**13.3**
Max Dig Depth	**19' 6"**
Depth @ 8'bottom	**18' 10"**
Max. depth of vertical wall	**17' 7"**
Reach @ ground Level	**27' 10"**
Dump Height	**21' 8"**
Track shoe or rubber shoe width	**28**
Tail overhand over side	**2' 5"**
Length of track on ground	**9' 5"**

AVAILABLE OPTIONS:

24" Bucket with teeth	**$1,775.00**
30" Bucket with teeth	**$1,895.00**
36" Bucket with teeth	**$2,150.00**
42" Bucket with teeth	**$2,210.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student**
Item C Optional Software – Diagnostic software, cables and interface	**$3,775.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. $1,000.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 6 and 10.

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: ERB Equipment Co.**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 135C RTS** ***PRICE:*** **$103,220.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**88**
Engine:	**Isuzu**
Engine Model	**CC-4BGITC**
Operating Weight	**30,440 lbs**
Operating Weight (metric ton)	**13.8**
Max Dig Depth	**19' 9"**
Depth @ 8'bottom	**19' 2"**
Max. depth of vertical wall	**17' 11"**
Reach @ ground Level	**28' 9"**
Dump Height	**23' 5"**
Track shoe or rubber shoe width	**24**
Tail overhand over side	**10"**
Length of track on ground	**9' 5"**

AVAILABLE OPTIONS:

24" Bucket with teeth	**$1,745.00**
30" Bucket with teeth	**$1,860.00**
36" Bucket with teeth	**$2,110.00**
42" Bucket with teeth	**$2,168.00**
Side cutter kit 3"	**$255.00**

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 6 and 10.

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Potter Equipment Co.**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **CX 135 III** ***PRICE:*** **$103,700.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**95**
Engine:	**Isuzu**
Engine Model	**AJ-4JJ1X**
Operating Weight	**29,631 lbs**
Operating Weight (metric ton)	**13.444**
Max Dig Depth	**17' 11"**
Depth @ 8'bottom	**17' 3"**
Max. depth of vertical wall	**15' 11"**
Reach @ ground Level	**26' 6"**
Dump Height	**22' 8"**
Track shoe or rubber shoe width	**24**
Tail overhand over side	**4"**
Length of track on ground	**9' 5"**

AVAILABLE OPTIONS:

24" Heavy duty bucket	**$3,820.00**
30" Heavy duty bucket	**$4,200.00**
60" Ditching bucket, no teeth	**$3,885.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics per student	**$1,320.00 unlimited number of people can attend**
Item C Optional Software – Diagnostic software, cables and interface	**$3,775.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit $50.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 60 - 120 days after receipt of order.

Vendor bidding only Districts 8 and 9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Victor L. Phillips Co.**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Case CX 130B** ***PRICE:*** **$103,680.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**95**
Engine:	**Isuzu**
Engine Model	**AJ-4JJ1X**
Operating Weight	**29,500 lbs**
Operating Weight (metric ton)	**13. 1**
Max Dig Depth	**19' 10"**
Depth @ 8'bottom	**19' 3"**
Max. depth of vertical wall	**29' 8"**
Reach @ ground Level	**28' 4"**
Dump Height	**21' 11"**
Track shoe or rubber shoe width	**23.6**
Tail overhand over side	**7"**
Length of track on ground	**11' 6"**

AVAILABLE OPTIONS:

24" Heavy duty bucket	**$3,488.00**
30" Heavy duty bucket	**$4,065.00**
60" Ditching bucket, no teeth	**$3,248.00**
Double acting auxiliary hydraulics	**$4,931.00**

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 4,7, and 8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Luby Equipment Co.**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Case CX 130B** ***PRICE:*** **$106,300.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**95**
Engine:	**Isuzu**
Engine Model	**AJ-4JJ1X**
Operating Weight	**27, 800 lbs**
Operating Weight (metric ton)	**12**
Max Dig Depth	**18' 2"**
Depth @ 8'bottom	**17' 6"**
Max. depth of vertical wall	**16' 3"**
Reach @ ground Level	**27' 3"**
Dump Height	**21' 0"**
Track shoe or rubber shoe width	**24 Triple grouser**
Tail overhand over side	**33"**
Length of track on ground	**9' 2"**

AVAILABLE OPTIONS:

9' 11" Arm	**$900.00**
Rubber link track chain	**$5,150.00**
Aux. Hydraulics for hammer	**$3,500.00**
Aux. Hydraulics dual action	**$5,600.00**
Hydraulic bucket coupler	**$5,600.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$250.00**

Item C Optional Software – Diagnostic software, cables and interface: **N/A**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $250.00 provided.

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2, 6 and 10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Luby Equipment Co.**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **CX 135 MSR** ***PRICE:*** **$109,300.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**95**
Engine:	**Isuzu**
Engine Model	**AJ-4JJ1X**
Operating Weight	**29,631 lbs**
Operating Weight (metric ton)	**13**
Max Dig Depth	**19' 5"**
Depth @ 8'bottom	**18' 9"**
Max. Depth of vertical wall	**16' 8"**
Reach @ ground Level	**28' 1"**
Dump Height	**23' 5"**
Track shoe or rubber shoe width	**24 triple grouser**
Tail overhand over side	**7"**
Length of track on ground	**9' 2"**

AVAILABLE OPTIONS:

Offset boom (15' 6") & arm (6' 9")	**$15,200.00**
Rubber link track chain	**$5,900.00**
Aux. hydraulics for hammer	**$3,500.00**
Aux. hydraulics dual action	**$5,600.00**
Hydraulic bucket coupler	**$5,600.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$250.00**

Item C Optional Software – Diagnostic software, cables and interface: **N/A**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $250.00 provided.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 3, 6 and 10

Excavators (Statewide)
Multiple Awards

Contract Number: 3-080410 **Vendor: Crown Power**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Case CX 130B** ***PRICE:*** **$101,373.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**106**
Engine:	**Case**
Engine Model	**4TA-390**
Operating Weight	**27,057 lbs**
Operating Weight (metric ton)	**12. 247**
Max Dig Depth	**20'**
Depth @ 8'bottom	**19' 5"**
Max. depth of vertical wall	**17' 6"**
Reach @ ground Level	**28' 3"**
Dump Height	**23' 2"**
Track shoe or rubber shoe width	**23.6**
Tail overhand over side	**6' 11"**
Length of track on ground	**9' 2"**

AVAILABLE OPTIONS:

Aux Hydraulics	**$5,717.00**
36" HD. Bucket	**$4,240.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics per student: **Recommend factory Training**

Item C Optional Software – Diagnostic software, cables and interface: **Proprietary to CNH**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $575.00 provided.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0 %

Delivery will be made 30 - 120 days after receipt of order.

Vendor bidding only Districts 2, 5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Dean Machinery**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar 312DL** ***PRICE:*** **$103,545.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**90**
Engine:	**CAT**
Engine Model	**C4.2**
Operating Weight	**29,650 lbs**
Operating Weight (metric ton)	**12**
Max Dig Depth	**19' 1"**
Depth @ 8'bottom	**18' 6"**
Max. depth of vertical wall	**16' 11"**
Reach @ ground Level	**27' 8"**
Dump Height	**20' 4"**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**37"**
Length of track on ground	**10'**

***AVAILABLE OPTIONS*:**

Straight Travel Pedal	**$1,265.00**
8' 6" Blade	**$8,905.00**
Hydraulic Quick Coupler	**$6,075.00**
Hydraulic Hammer Circuit	**$8,000.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$325.00**

Item C Optional Software – Diagnostic software, cables and interface: **$1,242.00 + $500 / yr. subscription**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $695.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 29%

Delivery will be made 140 days after receipt of order.

Vendor bidding only Districts 1, 2,4,5,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Fabick CAT.**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar 312DL** ***PRICE:*** **$103,545.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**90**
Engine:	**CAT**
Engine Model	**C4.2**
Operating Weight	**29,650 lbs**
Operating Weight (metric ton)	**12**
Max Dig Depth	**19' 1"**
Depth @ 8'bottom	**18' 6"**
Max. depth of vertical wall	**16' 11"**
Reach @ ground Level	**27' 8"**
Dump Height	**20' 4"**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**37"**
Length of track on ground	**10'**

AVAILABLE OPTIONS:

Straight Travel Pedal	**$1,265.00**
8' 6" Blade	**$8,905.00**
Hydraulic Quick Coupler	**$6,075.00**
Hydraulic Hammer Circuit	**$8,000.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$325.00**

Item C Optional Software – Diagnostic software, cables and interface: **$1,242.00 + $500 / yr. subscription**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $695.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 29%

Delivery will be made 140 days after receipt of order.

Vendor bidding only Districts 5,6,7,8,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Logan Contractors**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Gehl 1202 w/24" bucket** ***PRICE:*** **$105,510.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**94**
Engine:	**John Deere**
Engine Model	**4045 TF 270**
Operating Weight	**25,397 lbs**
Operating Weight (metric ton)	**12**
Max Dig Depth	**17' 4"**
Depth @ 8'bottom	**6' 10"**
Max. depth of vertical wall	**13'**
Reach @ ground Level	**24' 8"**
Dump Height	**19' 4"**
Track shoe or rubber shoe width	**19. 5"**
Tail overhand over side	**18"**
Length of track on ground	**102"**

AVAILABLE OPTIONS:

ROPS Cab w / Air Conditioning	**Standard**
Work lights dual front, single rear	**$347.00**
Dual Mirrors	**$156.00**
Counterweights	**$1,130.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$250.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $750.00.

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 5%

Delivery will be made 45-60 days after receipt of order.

Vendor bidding only Districts 1,2,4,5,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Cooke Sales & Service**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **JCB JZ140 (standard build)** ***PRICE:*** **$99,350.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**97.6**
Engine:	**Isuzu**
Engine Model	**A4BGIT-SI**
Operating Weight	**32,291 lbs**
Operating Weight (metric ton)	**14.6**
Max Dig Depth	**18' 3" w / 8'2" dipper**
Depth @ 8'bottom	**17' 5"**
Max. depth of vertical wall	**16' 4"**
Reach @ ground Level	**26' 11"**
Dump Height	**22'**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**4"**
Length of track on ground	**9' 1"**

AVAILABLE OPTIONS:

Rotating Beacon	**$203.00**
Fire Extinguisher	**$303.00**
Additional Work-lights	**$489.00**
Lower windshield wiper	**$400.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$60.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $375.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90-120 days after receipt of order.

Vendor bidding only Districts 1,2,3,5,

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Cooke Sales & Service**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **JCB JZ140 (standard build w blade)** ***PRICE:*** **$109,850.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**97.6**
Engine:	**Isuzu**
Engine Model	**A4BGIT-SI**
Operating Weight	**34,030 lbs**
Operating Weight (metric ton)	**15.4**
Max Dig Depth	**18' 3" w / 8'2" dipper**
Depth @ 8'bottom	**17' 5"**
Max. depth of vertical wall	**16' 4"**
Reach @ ground Level	**26' 11"**
Dump Height	**22'**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**4"**
Length of track on ground	**9' 1"**

AVAILABLE OPTIONS:

Rotating Beacon	**$203.00**
Fire Extinguisher	**$303.00**
Additional Work-lights	**$489.00**
Lower windshield wiper	**$400.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$60.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $375.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90-120 days after receipt of order.

Vendor bidding only Districts 1,2,3,5,

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Cooke Sales & Service**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **JCB JZ145 (standard build)** ***PRICE:*** **$95,300.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**94.**
Engine:	**Isuzu**
Engine Model	**A4BGIT**
Operating Weight	**31,400 lbs**
Operating Weight (metric ton)	**14.2**
Max Dig Depth	**18' 3" w / 8'2" dipper**
Depth @ 8'bottom	**17' 5"**
Max. depth of vertical wall	**16' 4"**
Reach @ ground Level	**26' 11"**
Dump Height	**22'**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**30"**
Length of track on ground	**9' 1"**

AVAILABLE OPTIONS:

Rotating Beacon	**$203.00**
Fire Extinguisher	**$303.00**
Additional Work-lights	**$489.00**
Lower windshield wiper	**$400.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$60.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $375.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90-120 days after receipt of order.

Vendor bidding only Districts 1,2,3,5,

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Cooke Sales & Service**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **JCB JS 145 (standard build with blade)** ***PRICE:*** **$106,200.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**94.**
Engine:	**Isuzu**
Engine Model	**A4BGIT**
Operating Weight	**33,140 lbs**
Operating Weight (metric ton)	**15**
Max Dig Depth	**18' 3" w / 8'2" dipper**
Depth @ 8'bottom	**17' 5"**
Max. depth of vertical wall	**16' 4"**
Reach @ ground Level	**26' 11"**
Dump Height	**22'**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**30"**
Length of track on ground	**9' 1"**

AVAILABLE OPTIONS:

Rotating Beacon	**$203.00**
Fire Extinguisher	**$303.00**
Additional Work-lights	**$489.00**
Lower windshield wiper	**$400.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$60.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $375.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90-120 days after receipt of order.

Vendor bidding only Districts 1,2,3,5,

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Rudd Equipment**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EC140CL** ***PRICE:*** **$102,900.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**92.**
Engine:	**Volvo**
Engine Model	**D4E**
Operating Weight	**28,530 lbs**
Operating Weight (metric ton)	**13**
Max Dig Depth	**18' 2"**
Depth @ 8'bottom	**17' 5"**
Max. depth of vertical wall	**16' 3"**
Reach @ ground Level	**26' 10"**
Dump Height	**19'7"**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**2' 9"**
Length of track on ground	**10' 0"**

AVAILABLE OPTIONS:

Dozer Blade	**$12,170.00**
Hydraulic Coupler	**$5,675.00**
24" Rock Bucket with teeth and pins	**$2,650.00**
36" Rock Bucket with Teeth and pins	**$3,060.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$50.00**

Item C Optional Software – Diagnostic software, cables and interface: **$750.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $500.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60-120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Rudd Equipment**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo ECR145CL** ***PRICE:*** **$108,750.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**92.**
Engine:	**Volvo**
Engine Model	**D4E**
Operating Weight	**32,980 lbs**
Operating Weight (metric ton)	**15**
Max Dig Depth	**18' 2"**
Depth @ 8'bottom	**17'6"**
Max. depth of vertical wall	**13' 10"**
Reach @ ground Level	**26' 10"**
Dump Height	**22' 6"**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**7"**
Length of track on ground	**10' 0"**

AVAILABLE OPTIONS:

Dozer Blade	**$12,170.00**
Hydraulic Coupler	**$5,675.00**
24" Rock Bucket with teeth and pins	**$2,650.00**
36" Rock Bucket with Teeth and pins	**$3,060.00**
36" Ditch bucket and pins	**$2,210.00**
48" Ditch bucket and pins	**$2,360.00**

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60-120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Van Keppel**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EC140C** ***PRICE:*** **$101,962.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**92.**
Engine:	**Volvo**
Engine Model	**D4E**
Operating Weight	**28,530 lbs**
Operating Weight (metric ton)	**12.94**
Max Dig Depth	**18' 2"**
Depth @ 8'bottom	**17' 5"**
Max. depth of vertical wall	**16' 3"**
Reach @ ground Level	**26' 10"**
Dump Height	**19'7"**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**20"**
Length of track on ground	**12' 4"**

AVAILABLE OPTIONS:

36" XP Bucket **$3,500.00**

Warranty 3yr. 6.000 Hr. full Machine **$6,300.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$75.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,000.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $700.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28%

Delivery will be made 90-120 days after receipt of order.

Vendor bidding only Districts 1,4, 7, 8, 9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Van Keppel**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo ECR145CL** ***PRICE:*** **$106,927.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**92.**
Engine:	**Volvo**
Engine Model	**D4E**
Operating Weight	**32,980 lbs**
Operating Weight (metric ton)	**14.9**
Max Dig Depth	**18' 2"**
Depth @ 8'bottom	**17'6"**
Max. depth of vertical wall	**13' 10"**
Reach @ ground Level	**26' 10"**
Dump Height	**22' 6"**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**7"**
Length of track on ground	**10' 0"**

AVAILABLE OPTIONS:

36" GP Bucket	**$3,500.00**
3Yr. 6,000 Hr. Full Warranty	**$6,300.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$75.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,000.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $700.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28%

Delivery will be made 90-120 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Pat Kelly**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Link-Belt 130X2** ***PRICE:*** **$86,374.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**95.**
Engine:	**ISUZU**
Engine Model	**AJ-4JJ1X**
Operating Weight	**28,440 lbs**
Operating Weight (metric ton)	**12.9**
Max Dig Depth	**18' 2"**
Depth @ 8'bottom	**17'6"**
Max. depth of vertical wall	**16' 3"**
Reach @ ground Level	**26' 10"**
Dump Height	**21' 0"**
Track shoe or rubber shoe width	**23.6"**
Tail overhand over side	**7"**
Length of track on ground	**9'. 2"**

AVAILABLE OPTIONS:

9' 10" Arm in lieu of 8' 2"	**$425.00**
Hydraulic Hammer Kit	**$2,805.00**
Thumb Aux. Hydraulics	**$2,240.00**

Item B Optional Training – 12-hour operation and diagnostics: $1,880.00 per student

Item C Optional Software – Diagnostic software, cables and interface: $1,280.00 per set

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $800.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 60 days after receipt of order.

Vendor bidding only Districts 1,2,3,4,5,6,7,8,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Pat Kelly**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Link-Belt 135 MSR with 7'10" Arm** ***PRICE:*** **$88,130.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**88**
Engine:	**ISUZU**
Engine Model	**BB-4BGIT**
Operating Weight	**29,100 lbs**
Operating Weight (metric ton)	**13.2**
Max Dig Depth	**17' 11"**
Depth @ 8'bottom	**17' 3"**
Max. depth of vertical wall	**15' 11"**
Reach @ ground Level	**26' 6"**
Dump Height	**22' 8"**
Track shoe or rubber shoe width	**23 6"**
Tail overhand over side	**4' 10"**
Length of track on ground	**9'. 1"**

AVAILABLE OPTIONS:

9' 10" Arm in lieu of 8' 2"	**$425.00**
Hydraulic Hammer Kit	**$2,805.00**
Thumb Aux. Hydraulics	**$2,240.00**

Item B Optional Training – 12-hour operation and diagnostics: $1,880.00 per student

Item C Optional Software – Diagnostic software, cables and interface: $1,280.00 per set

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $800.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 60 days after receipt of order.

Vendor bidding only Districts 1,2,3,4,5,6,7,8,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Roland Machinery**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Komatsu PC138USLC-8** ***PRICE:*** **$100,140.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**92.**
Engine:	**Komatsu**
Engine Model	**AJ-4JJ1X**
Operating Weight	**31,500 lbs**
Operating Weight (metric ton)	**14. 5**
Max Dig Depth	**19' 4"**
Depth @ 8'bottom	**18 '9"**
Max. depth of vertical wall	**17' 6"**
Reach @ ground Level	**28' 3"**
Dump Height	**24' 1"**
Track shoe or rubber shoe width	**24 "**
Tail overhand over side	**10"**
Length of track on ground	**10' 4"**

AVAILABLE OPTIONS:

Dozer blade 8' 6" wide	**$7,020.00**
JRB Smart – Loc Quick Coupler	**$4,960.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$200.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **Built into the monitor panel.**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $410.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%

Delivery will be made 60 days after receipt of order.

Vendor bidding only Districts 2, 3,5, 6, 10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Custom Truck & Equipment**

Item – 2 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 85 to 100 with 10 to 15 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Terex TXC 140LC-2** ***PRICE:*** **$101,258.00**

EQUIPMENT INCLUDED IN PRICE:

Net horsepower:	**95.**
Engine:	**Daewoo**
Engine Model	**DL 06**
Operating Weight	**30,864 lbs**
Operating Weight (metric ton)	**14**
Max Dig Depth	**18' 6" w / 8' 2" arm**
Depth @ 8'bottom	
Max. depth of vertical wall	**17' 9" @ 8' vertical**
Reach @ ground Level	**26' 9"**
Dump Height	**20' 8"**
Track shoe or rubber shoe width	**24 "**
Tail overhand over side	**36"**
Length of track on ground	**9' 11"**

AVAILABLE OPTIONS:

9' 10 Stick	**$3,888.00**
Hammer piping	**$2,461.00**
30" HD, GP Bucket	**$2,518.00**
Hydraulic Quick Latch	**$6,116.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$50.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,977.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $300.00
Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 24%

Delivery will be made 30 -75 days after receipt of order.

Vendor bidding only Districts 1, 2, 3,5, 6, 7,8,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Tri-State Construction**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 160D** ***PRICE:*** **$118,300.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**121**
Engine:	**John Deere**
Engine Model	**404514**
Operating Weight	**39,508 lbs**
Operating Weight (metric ton)	**16**
Max Dig Depth	**21' 4"**
Depth @ 8'bottom	**20' 7"**
Max. depth of vertical wall	**18' 8"**
Reach @ ground Level	**30' 1"**
Dump Height	**21'**
Track shoe or rubber shoe width	**24 "**
Tail overhand over side	**8, 2"**
Length of track on ground	**12' 10"**

AVAILABLE OPTIONS:

28" steel pads in lieu of 24" standard	**$585.00**
Heated air suspension seat	**$380.00**
Aux hydraulics with 2 way foot control	**$4,370.00**
Aux. hydraulics with 2-way hand controls	**$4,861.00**
36" .81 Cubic yard bucket with teeth	**$2,790.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2,3,5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Murphy Tractor & Equipment**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 160D** ***PRICE:*** **$119,853.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**121**
Engine:	**John Deere**
Engine Model	**404514**
Operating Weight	**39,508 lbs**
Operating Weight (metric ton)	**16**
Max Dig Depth	**21' 4"**
Depth @ 8'bottom	**20' 7"**
Max. depth of vertical wall	**18' 8"**
Reach @ ground Level	**30' 1"**
Dump Height	**21'**
Track shoe or rubber shoe width	**24 "**
Tail overhand over side	**8, 2"**
Length of track on ground	**12' 10"**

AVAILABLE OPTIONS:

28" steel pads in lieu of 24" standard	**$585.00**
Heated air suspension seat	**$380.00**
Aux hydraulics with 2 way foot control	**$4,370.00**
Aux. hydraulics with 2-way hand controls	**$4,861.00**
36" .81 Cubic yard bucket with teeth	**$2,790.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: ERB Equipment Co.**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 160DLC** ***PRICE:*** **$118,450.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**121**
Engine:	**John Deere**
Engine Model	**4045H**
Operating Weight	**39,508 lbs**
Operating Weight (metric ton)	**17.9**
Max Dig Depth	**21' 4"**
Depth @ 8'bottom	**20' 7"**
Max. depth of vertical wall	**18' 8"**
Reach @ ground Level	**30' 1"**
Dump Height	**21' 0"**
Track shoe or rubber shoe width	**24 "**
Tail overhand over side	**2' 5"**
Length of track on ground	**10' 2"**

AVAILABLE OPTIONS:

24" Bucket with teeth	**$1,880.00**
30" Bucket with teeth	**$1,990.00**
36" Bucket with teeth	**$2,255.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics **$250.00 per student**

Item C Optional Software – Diagnostic software, cables and interface **$3,775.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. $1,000.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 60 days after receipt of order.

Vendor bidding only Districts 6,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Potter Equipment**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Case CX 160B** ***PRICE:*** **$120,880.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**120**
Engine:	**Isuzu**
Engine Model	**4JJ1X**
Operating Weight	**37,700 lbs**
Operating Weight (metric ton)	**17.105**
Max Dig Depth	**21' 4"**
Depth @ 8'bottom	**20' 8"**
Max. depth of vertical wall	**16' 8"**
Reach @ ground Level	**29' 1"**
Dump Height	**21'. 11"**
Track shoe or rubber shoe width	**24 "**
Tail overhand over side	**41"**
Length of track on ground	**10' 6"**

AVAILABLE OPTIONS:

Double acting auxiliary hydraulics	**$7,200.00**
24" Heavy duty bucket	**$3,825.00**
30" Heavy duty bucket	**$4,220.00**
60" Ditching bucket, no teeth	**$3,950.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics per student	**$1,320.00 unlimited number of people can attend**
Item C Optional Software – Diagnostic software, cables and interface	**$3,775.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit $50.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 60 -120 days after receipt of order.

Vendor bidding only Districts 8, 9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Victor L. Phillips**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Case CX 160B** ***PRICE:*** **$125,275.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**120**
Engine:	**Isuzu**
Engine Model	**4JJ1X**
Operating Weight	**37,700 lbs**
Operating Weight (metric ton)	**17.105**
Max Dig Depth	**21' 4"**
Depth @ 8'bottom	**20' 8"**
Max. depth of vertical wall	**16' 8"**
Reach @ ground Level	**29' 1"**
Dump Height	**21'. 11"**
Track shoe or rubber shoe width	**24 " Steel**
Tail overhand over side	**8' Tail Swing Radius**
Length of track on ground	**10' 6"**

AVAILABLE OPTIONS:

General Purpose Bucket 24"	**$3,622.00**
General Purpose Bucket 30"	**$4,053.00**
General Purpose Bucket 36"	**$4,474.00**
General Purpose Bucket 42"	**$4,626.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics per student: **$100.00**

Item C Optional Software – Diagnostic software, cables and interface: **Price not provided**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: Price not provided.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 -90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Victor L. Phillips**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Hyundai R140LC-7A** ***PRICE:*** **$86,964.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**105**
Engine:	**Mitsubishi**
Engine Model	**DO4FD-TAA**
Operating Weight	**30,820 lbs**
Operating Weight (metric ton)	**13.98**
Max Dig Depth	**18' 4"**
Depth @ 8'bottom	**17'**
Max. depth of vertical wall	**16'10"**
Reach @ ground Level	**26' 11"**
Dump Height	**19' 11"**
Track shoe or rubber shoe width	**24 "**
Tail overhand over side	
Length of track on ground	**9' 10"**

AVAILABLE OPTIONS:

Air Suspension	**$545.00**
Single Acting Hydraulics	**$3,295.00**
Double Acting Hydraulics	**$4,533.00**
Lever Pattern Selector Valve (ISO-U.S.)	**$609.00**
Dozer Blade	**$5,528.00**
Hydraulic Quick Coupler	**$3,595.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$100.00**

Item C Optional Software – Diagnostic software, cables and interface: **Price not provided**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: Price not provided.

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 -90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Victor L. Phillips**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Hyundai R160LC-7A** ***PRICE:*** **$94,545.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**116**
Engine:	**Mitsubishi**
Engine Model	**DO4FD-TAA**
Operating Weight	**38,360 lbs**
Operating Weight (metric ton)	**17. 40**
Max Dig Depth	**19' 11"**
Depth @ 8'bottom	**19' 3"**
Max. depth of vertical wall	**17'10"**
Reach @ ground Level	**29' 1"**
Dump Height	**20' 6"**
Track shoe or rubber shoe width	**24 "**
Tail overhand over side	
Length of track on ground	**10' 6"**

AVAILABLE OPTIONS:

Air Suspension	**$545.00**
Single Acting Hydraulics	**$3,530.00**
Double Acting Hydraulics	**$4,308.00**
Lever Pattern Selector Valve (ISO-U.S.)	**$609.00**
10' 2" Arm	**$957.00**
Tracks with 28" Triple Grouser	**$1,241.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$100.00**

Item C Optional Software – Diagnostic software, cables and interface: **Price not provided**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: Price not provided.

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 90-120 days after receipt of order.

Vendor bidding only Districts 1,4,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Victor L. Phillips**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Hyundai R180LC-7A** ***PRICE:*** **$104,966.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**116**
Engine:	**Mitsubishi**
Engine Model	**DO4FD-TAA**
Operating Weight	**40,120 lbs**
Operating Weight (metric ton)	**18. 20**
Max Dig Depth	**19' 11"**
Depth @ 8'bottom	**19' 3"**
Max. depth of vertical wall	**17'10"**
Reach @ ground Level	**29' 1"**
Dump Height	**20' 6"**
Track shoe or rubber shoe width	**24 "**
Tail overhand over side	
Length of track on ground	**11"**

AVAILABLE OPTIONS:

Air Suspension Seat	**$551.00**
Single Acting Hydraulics	**$3,571.00**
Double Acting Hydraulics	**$4,356.00**
Lever Pattern Selector Valve (ISO-U.S.)	**$615.00**
10' 2" Arm	**$957.00**
Tracks with 32" Triple Grouser	**$762.00**

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 -90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Luby Equipment**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Case CX 160B** ***PRICE:*** **$126,600.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**120**
Engine:	**Isuzu**
Engine Model	**4JJ1X**
Operating Weight	**37,700 lbs**
Operating Weight (metric ton)	**17**
Max Dig Depth	**19' 11"**
Depth @ 8'bottom	**19' 2"**
Max. depth of vertical wall	**16' 8"**
Reach @ ground Level	**29' 1"**
Dump Height	**21'. 8"**
Track shoe or rubber shoe width	**24 " Triple grouser**
Tail overhand over side	**45"**
Length of track on ground	**10' 6"**

AVAILABLE OPTIONS:

10' 0" Arm	**$770.00**
28" Triple grouser pads	**$1,300.00**
Aux. hydraulics for hammer	**$3,800.00**
Aux. hydraulics dual action	**$5,800.00**
Hydraulic coupler for bucket	**$5,900.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$250.00**

Item C Optional Software – Diagnostic software, cables and interface: **N/A**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $250.00 provided.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60 -90 days after receipt of order.

Vendor bidding only Districts 3,6,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Crown Power Equipment**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Case CX 160B** ***PRICE:*** **$120,225.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**120**
Engine:	**Isuzu**
Engine Model	**4JJ1X**
Operating Weight	**37,700 lbs**
Operating Weight (metric ton)	**17.1**
Max Dig Depth	**21' 4"**
Depth @ 8'bottom	**20' 8"**
Max. depth of vertical wall	**17' 2"**
Reach @ ground Level	**30' 3"**
Dump Height	**21'. 11"**
Track shoe or rubber shoe width	**23'. 6"**
Tail overhand over side	
Length of track on ground	

AVAILABLE OPTIONS:

Auxiliary Hydraulics **$5,896.00**

42" H. D. Bucket **$4,139.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics per student: **Recommend factory Training**

Item C Optional Software – Diagnostic software, cables and interface: **Proprietary to CNH**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $575.00 provided.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 30 -120 days after receipt of order.

Vendor bidding only Districts 2,5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Dean Machinery**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar 315 DL** ***PRICE:*** **$128,165.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**115**
Engine:	**CAT**
Engine Model	**C4.2**
Operating Weight	**38,095 lbs**
Operating Weight (metric ton)	**15**
Max Dig Depth	**21' 7"**
Depth @ 8'bottom	**20' 9"**
Max. depth of vertical wall	**19' 1"**
Reach @ ground Level	**30' 3"**
Dump Height	**21'. 7"**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**44"**
Length of track on ground	**10' 5"**

AVAILABLE OPTIONS:

Hydraulic Hammer Circuit	**$4,355.00**
Hydraulic thumb	**$5,165.00**
Hydraulic Quick Coupler	**$6,495.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$325.00**

Item C Optional Software – Diagnostic software, cables and interface: **$1,242.00 + $500 / yr. subscription**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $695.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 29%

Delivery will be made 140 days after receipt of order.

Vendor bidding only Districts 1,2,4,5,7,8,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Fabick CAT**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar 315 DL** ***PRICE:*** **$128,165.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**115**
Engine:	**CAT**
Engine Model	**C4.2**
Operating Weight	**38,095 lbs**
Operating Weight (metric ton)	**15**
Max Dig Depth	**21' 7"**
Depth @ 8'bottom	**20' 9"**
Max. depth of vertical wall	**19' 1"**
Reach @ ground Level	**30' 3"**
Dump Height	**21'. 7"**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**44"**
Length of track on ground	**10' 5"**

AVAILABLE OPTIONS:

Hydraulic Hammer Circuit	**$4,355.00**
Hydraulic thumb	**$5,165.00**
Hydraulic Quick Coupler	**$6,495.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$325.00**

Item C Optional Software – Diagnostic software, cables and interface: **$1,242.00 + $500 / yr. subscription**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $695.00.
Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 29%

Delivery will be made 140 days after receipt of order.

Vendor bidding only Districts 5,6,7,8,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Cook Sales & Service**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **JCB JS160 NLC/LC** ***PRICE:*** **$110,250.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**123**
Engine:	**Isuzu**
Engine Model	**4JJIX**
Operating Weight	**37,600 lbs**
Operating Weight (metric ton)	**17**
Max Dig Depth	**19' 6"**
Depth @ 8'bottom	**18' 11"**
Max. depth of vertical wall	**17' 7"**
Reach @ ground Level	**28' 7"**
Dump Height	**22' .1"**
Track shoe or rubber shoe width	**24" (standard)**
Tail overhand over side	**41"**
Length of track on ground	**10' 2"**

AVAILABLE OPTIONS:

10' Dipper	**In Base**
Long undercarriage w/10' dipper and 24" pads	**In Base**
28" Pads – 3 bar – 43 link chain	**$3,147.00**
32 " Pads – 3 bar – 43 link chain (only on LC build)	**$3,536.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$60.00**

Item C Optional Software – Diagnostic software, cables and interface: **Not Available**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $375.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90-120 days after receipt of order.

Vendor bidding only Districts 1,2,3,5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Rudd Equipment**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EC 160C** ***PRICE:*** **$115,250.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**117**
Engine:	**Volvo**
Engine Model	**D6E**
Operating Weight	**40,700 lbs**
Operating Weight (metric ton)	**18**
Max Dig Depth	**19'10"**
Depth @ 8'bottom	**18' 11"**
Max. depth of vertical wall	**14' 11"**
Reach @ ground Level	**28' 11"**
Dump Height	**20' 11"**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**3' 9"**
Length of track on ground	**10' 5"**

AVAILABLE OPTIONS:

Dozer Blade	**$13,000.00**
Hydraulic coupler	**$6,250.00**
24" Bucket with teeth and pins	**$3,065.00**
36 " Bucket with teeth and pins	**$3,550.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$50.00**

Item C Optional Software – Diagnostic software, cables and interface: **$750.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $500.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60-120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Van Keppel**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EC 160C** ***PRICE:*** **$113,888.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**117**
Engine:	**Volvo**
Engine Model	**D6E**
Operating Weight	**38,340**
Operating Weight (metric ton)	**17.4**
Max Dig Depth	**19' 10"**
Depth @ 8'bottom	**18' 11"**
Max. depth of vertical wall	**14' 11"**
Reach @ ground Level	**28' 11"**
Dump Height	**20' 10"**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**45"**
Length of track on ground	**10' 5"**

AVAILABLE OPTIONS:

36" GP Bucket	**$3,500.00**
3yr. 6000 hr. full machine warranty	**$7,500.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$75.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,000.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $700.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28`%

Delivery will be made 90-120 days after receipt of order.

Vendor bidding only Districts 1,4,7, 8,9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Pat Kelly**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of <u>100 to 130 with 15 to 25 metric ton operating weight rating</u> as advertised in manufacturer's standard literature.

MAKE/MODEL: **Link – Belt 160X2** ***PRICE:*** **$102,874.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**120**
Engine:	**ISUZU**
Engine Model	**AI-4JJIX**
Operating Weight	**37,700 lbs**
Operating Weight (metric ton)	**17.1**
Max Dig Depth	**19' 11"**
Depth @ 8'bottom	**19' 2"**
Max. depth of vertical wall	**19' 11"**
Reach @ ground Level	**29' 1"**
Dump Height	**21' 8"**
Track shoe or rubber shoe width	**23' 6"**
Tail overhand over side	**7' 9"**
Length of track on ground	**10' 6"**

AVAILABLE OPTIONS:

10' Arm in lieu of 8' 7"	**$475.00**
Hydraulic Hammer kit	**$3,165.00**
Thumb Aux. hydraulics	**$2,558.00**

Item B Optional Training – 12-hour operation and diagnostics: **$1,880.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,280.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $800.00

<u>Notes:</u>

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 60 days after receipt of order.

Vendor bidding only Districts 1,2,3,4,5,6,7,8,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Roland Machinery**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Komatsu PC160LC-7EO** ***PRICE:*** **$112,625.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**115**
Engine:	**Komatsu**
Engine Model	**SAA4D107E-1**
Operating Weight	**37,700 lbs**
Operating Weight (metric ton)	**16.5**
Max Dig Depth	**20' 6"**
Depth @ 8'bottom	**19' 10"**
Max. depth of vertical wall	**17' 5"**
Reach @ ground Level	**29' 9"**
Dump Height	**21' 5"**
Track shoe or rubber shoe width	**24"**
Tail overhand over side	**45"**
Length of track on ground	**10' 5"**

AVAILABLE OPTIONS:

Pattern Change valve **$720.00**

JRB smart-Loc Quick Coupler **$5,268.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$200.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **Built into the monitor panel.**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $410.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%

Delivery will be made 40-60 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Custom Truck & Equipment**

Item – 3 Manufacturer's Standard Crawler Excavator, meeting the net horsepower range of 100 to 130 with 15 to 25 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Terex TXC 180 LC-2** ***PRICE:*** **$114,574.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**118**
Engine:	**Doosan**
Engine Model	**WL 06**
Operating Weight	**38,993 lbs**
Operating Weight (metric ton)	**18**
Max Dig Depth	**20' w / 8' 6" Arm**
Depth @ 8'bottom	
Max. depth of vertical wall	**19' 5" @ vertical**
Reach @ ground Level	**29' 6"**
Dump Height	**21' 4"**
Track shoe or rubber shoe width	**28"**
Tail overhand over side	**39"**
Length of track on ground	**10' 5"**

AVAILABLE OPTIONS:

10' 2"Arm	**$5,735.00**
Hammer Piping	**$2,646.00**
30" HD, GP Bucket	**$3,165.00**
Hydraulic quick latch	**$6,116.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$50.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,977.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $300.00
Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 60 days after receipt of order.

Vendor bidding only Districts 1,2,3,4,5,6,7,8,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Tri State Construction**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 190 Mono Boom** ***PRICE:*** **$152,000.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**159**
Engine:	**ISUZU**
Engine Model	**4HK1X**
Operating Weight	**43,211lbs**
Operating Weight (metric ton)	**19**
Max Dig Depth	**19' 2"**
Depth @ 8'bottom	**18' 6"**
Max. depth of vertical wall	**17' 3"**
Reach @ ground Level	**30' 10"**
Dump Height	**21' 2"**
Blade or Outrigger	**Both Standard**
Transport Width	**8' 11"**
Tail swing Radius	**7' 7"**

AVAILABLE OPTIONS:

Front and rear outriggers	**$2,565.00**
36" .97 Bucket with teeth	**$3,490.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 2,3,5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Tri State Construction**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 220 Mono Boom** ***PRICE:*** **$173,200.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**159**
Engine:	**ISUZU**
Engine Model	**4HK1X**
Operating Weight	**49,207lbs**
Operating Weight (metric ton)	**22**
Max Dig Depth	**20' 8"**
Depth @ 8'bottom	**20' 1"**
Max. depth of vertical wall	**18' 4"**
Reach @ ground Level	**32' 8"**
Dump Height	**24' 1"**
Blade or Outrigger	**Both Standard**
Transport width	**8' 11"**
Tail swing radius	**9' 0"**

AVAILABLE OPTIONS:

Front and rear outriggers	**$2,750.00**
36" .97 Bucket with teeth	**$3,500.00**
42" 1.19 Bucket with teeth	**$3,650.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 2,3,5

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Murphy Tractor & Equipment**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 190 Mono Boom** ***PRICE:*** **$153,413.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**159**
Engine:	**ISUZU**
Engine Model	**4HK1X**
Operating Weight	**43,211lbs**
Operating Weight (metric ton)	**19**
Max Dig Depth	**19' 2"**
Depth @ 8'bottom	**18' 6"**
Max. depth of vertical wall	**17' 3"**
Reach @ ground Level	**30' 10"**
Dump Height	**21' 2"**
Blade or Outrigger	**Both Standard**
Transport Width	**8' 11"**
Tail swing radius	**7' 7"**

AVAILABLE OPTIONS:

Front and rear outriggers	**$2,565.00**
36" .97 Bucket with teeth	**$3,490.00**
42" 1.19 Bucket with teeth	**$3,650.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics	**$250.00 per student (Min. 13/ class)**
Item C Optional Software – Diagnostic software, cables and interface	**$1,800.00 Software & $1,975.00 Cables & Interface**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. Standard

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts1, 4,7,8,9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Murphy Equipment**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 220 Mono Boom** ***PRICE:*** **$175,434.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**159**
Engine:	**ISUZU**
Engine Model	**AdHK1X**
Operating Weight	**49,207lbs**
Operating Weight (metric ton)	**22**
Max Dig Depth	**20' 8"**
Depth @ 8'bottom	**20' 1"**
Max. depth of vertical wall	**18' 4"**
Reach @ ground Level	**32' 8"**
Dump Height	**24' 1"**
Blade or Outrigger	**Both Standard**
Transport Width	**8' 11"**
Tail swing radius	**9' 0"**

AVAILABLE OPTIONS:

Front and rear outriggers	**$2,750.00**
36" .97 Bucket with teeth	**$3,500.00**
42" 1.19 Bucket with teeth	**$3,650.00**
48" 1.39 Bucket with teeth	**$3,950.00**
60" 1.14 Smooth Lip bucket	**$2,295.00**

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: ERB Equipment**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 190 DW Wheeled Excavator** ***PRICE:*** **$151,500.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**159**
Engine:	**ISUZU**
Engine Model	**AHK1X**
Operating Weight	**44,029 lbs**
Operating Weight (metric ton)	**19.97**
Max Dig Depth	**19' 2"**
Depth @ 8'bottom	**18' 6"**
Max. depth of vertical wall	**17' 3"**
Reach @ ground Level	**30' 10"**
Dump Height	**21' 2"**
Blade or Outrigger	**Less Blade**
Transport Width	**8' 11"**
Tail swing radius	**7' 7"**

AVAILABLE OPTIONS:

Front and rear outriggers in lieu of front blade and outrigger	**$2,675.00**
Variable geometry boom for under machine, boom tuck for roading	**$6,735.00**
24" H.D. Bucket	**$1,9760.00**
30" H. D Bucket	**$2,126.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics **$250.00 per student**

Item C Optional Software – Diagnostic software, cables and interface **$3,775.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit. $1,000.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 60 days after receipt of order.

Vendor bidding only Districts 6,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Potter Equipment**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Case CX 210B** ***PRICE:*** **$143,640.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**157**
Engine:	**ISUZU**
Engine Model	**4HK1X**
Operating Weight	**47,400 lbs**
Operating Weight (metric ton)	**21.5**
Max Dig Depth	**21' 10"**
Depth @ 8'bottom	**21' 2"**
Max. depth of vertical wall	**19' 7"**
Reach @ ground Level	**31' 11"**
Dump Height	**22' 4"**
Blade or Outrigger	**None**
Transport Width	**10'**
Tail swing radius	**9'**

AVAILABLE OPTIONS:

Double acting Auxiliary hydraulics	**$8,300.00**
24" Heavy duty bucket	**$3,825.00**
30" Heavy Duty bucket	**$4,220.00**
42" Heavy Duty bucket	**$5,375.00**
60" Ditching bucket, no teeth	**$4,285.00**

TRAINING OPTIONS

Item B Optional Training – 12 hour operation and diagnostics per student	**$1,320.00 unlimited number of people can attend**
Item C Optional Software – Diagnostic software, cables and interface	**$3,775.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit $50.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 60-120 days after receipt of order.

Vendor bidding only Districts 8, 9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Victor L. Phillips**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Hyundai 200W-7A** ***PRICE:*** **$138,693.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**153**
Engine:	**Cummins**
Engine Model	**QSB6.7**
Operating Weight	**45,400 lbs**
Operating Weight (metric ton)	**20.5**
Max Dig Depth	**20' 11"**
Depth @ 8'bottom	**20' 4"**
Max. depth of vertical wall	**19' 1"**
Reach @ ground Level	**31' 9"**
Dump Height	**23' 2"**
Blade or Outrigger	**2 Front with blade or $ Outrigger option**
Transport Width	**8' 2"**
Tail swing radius	**9' 2"**

AVAILABLE OPTIONS:

Air suspension Seat	**$545.00**
Four outriggers (in lieu of dozer blade)	**$1,911.00**
Single acting hydraulics	**$4,150.00**
Double acting hydraulics	**$5,008.00**
Lever Pattern Selector Valve (ISO – U.S.)	**$780.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student:	**$100.00**
Item C Optional Software – Diagnostic software, cables and interface:	**Price not provided**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: Price not provided.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Luby Equipment**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Doosan DX 190W** ***PRICE:*** **$126,000.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**150**
Engine:	**Doosan**
Engine Model	**DB58TIS**
Operating Weight	**39,021 lbs**
Operating Weight (metric ton)	**18**
Max Dig Depth	**19'8"**
Depth @ 8'bottom	**18' 6"**
Max. depth of vertical wall	**18' 6"**
Reach @ ground Level	**16' 6"**
Dump Height	**29' 1"**
Blade or Outrigger	**4 Outriggers**
Transport Width	**8' 2"**
Tail swing Radius	**47"**

AVAILABLE OPTIONS:

24" Tooth bucket	**$2,800.00**
36" Tooth bucket	**$3,300.00**
42" Tooth bucket	**$3,800.00**
60" Ditching bucket	**$2,600.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student: **$250.00**

Item C Optional Software – Diagnostic software, cables and interface: **N/A**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $250.00 provided.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%

Delivery will be made 60-90 days after receipt of order.

Vendor bidding only Districts 3,6,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Dean Machinery**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar M315 D** ***PRICE:*** **$155,120.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**135**
Engine:	**CAT**
Engine Model	**C4.4**
Operating Weight	**34,600 lbs**
Operating Weight (metric ton)	**15**
Max Dig Depth	**19'4"**
Depth @ 8'bottom	**18' 9"**
Max. depth of vertical wall	**12' 7"**
Reach @ ground Level	**30' 1"**
Dump Height	**20' 5"**
Blade or Outrigger	**Options**
Transport Width	**8' 4"**
Tail swing Radius	**37"**

AVAILABLE OPTIONS:

Dozer blade on front or rear	**$6,830.00**
Outriggers front or Rear	**$9,525.00**
Lights, working	**$216.00**
Tilting ditching bucket	**$11,245.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student:	**$325.00**
Item C Optional Software – Diagnostic software, cables and interface:	**$1,242.00 + $500 / yr. subscription**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $695.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 29%

Delivery will be made 120 days after receipt of order.

Vendor bidding only Districts 1,2,4,5,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Fabick Machinery**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar M315 D** ***PRICE:*** **$155,120.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**135**
Engine:	**CAT**
Engine Model	**C4.4**
Operating Weight	**34,600 lbs**
Operating Weight (metric ton)	**15**
Max Dig Depth	**19'4"**
Depth @ 8'bottom	**18' 9"**
Max. depth of vertical wall	**12' 7"**
Reach @ ground Level	**30' 1"**
Dump Height	**20' 5"**
Blade or Outriggers	**Options**
Transport Width	**8' 4"**
Tail swing Radius	**37"**

AVAILABLE OPTIONS:

Dozer blade on front or rear	**$6,830.00**
Outriggers front or Rear	**$9,525.00**
Lights, working	**$216.00**
Tilting ditching bucket	**$11,245.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student:	**$325.00**
Item C Optional Software – Diagnostic software, cables and interface:	**$1,242.00 + $500 / yr. subscription**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $695.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 29%

Delivery will be made 120 days after receipt of order.

Vendor bidding only Districts 5,6,7,89,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Rudd Equipment**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EW 160C Mono Block Boom** ***PRICE:*** **$134,500.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**142**
Engine:	**Volvo**
Engine Model	**D6E**
Operating Weight	**38,977 lbs**
Operating Weight (metric ton)	**17.7**
Max Dig Depth	**18'4"**
Depth @ 8'bottom	**17' 8"**
Max. depth of vertical wall	**15' 5"**
Reach @ ground Level	**28' 11"**
Dump Height	**20' 4"**
Blade or Outrigger	**Front Blade, rear Outriggers**
Transport Width	**8' 4"**
Tail swing radius	**7' 1"**

AVAILABLE OPTIONS:

Outriggers front and rear in lieu of blade	**$4,000.00**
Hydraulic Coupler	**$6,750.00**
24" Rock bucket with teeth and pins	**$2,647.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student:	**$50.00**
Item C Optional Software – Diagnostic software, cables and interface:	**$750.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $500.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made60 - 120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Rudd Equipment**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EW 180C Mono Block Boom** ***PRICE:*** **$151,750.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**152**
Engine:	**Volvo**
Engine Model	**D6E**
Operating Weight	**42,945 lbs**
Operating Weight (metric ton)	**19.5**
Max Dig Depth	**19'1"**
Depth @ 8'bottom	**18' 5"**
Max. depth of vertical wall	**13' 2"**
Reach @ ground Level	**29' 9"**
Dump Height	**21' 2"**
Blade or Outrigger	**Front Blade, rear Outriggers**
Transport Width	**8' 4"**
Tail swing Radius	**8' 0"**

AVAILABLE OPTIONS:

Outriggers front and rear in lieu of blade	**$4,500.00**
Hydraulic Coupler	**$6,700.00**
24" Rock bucket with teeth and pins	**$3,065.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student:	**$50.00**
Item C Optional Software – Diagnostic software, cables and interface:	**$750.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $500.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60 - 120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Van Keppel**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EW 160C** ***PRICE:*** **$135,525.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**142**
Engine:	**Volvo**
Engine Model	**D6E**
Operating Weight	**38,260 lbs**
Operating Weight (metric ton)	**17.4**
Max Dig Depth	**18'4"**
Depth @ 8'bottom	**17' 8"**
Max. depth of vertical wall	**15' 5"**
Reach @ ground Level	**28' 11"**
Dump Height	**20' 4"**
Blade or Outrigger	**13' 1"**
Transport Width	**8' 4"**
Tail swing radius	**7' 1"**

AVAILABLE OPTIONS:

3 Year 6000 hr. F/M Warranty	**$8,900.00**
36" GP Bucket	**$3,800.00**
Rototilt attachment w/work tool hydraulics	**$5,400.00**
Extra Lighting	**$395.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$75.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,000.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $700.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28%

Delivery will be made 90 - 120 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Van Keppel**

Item – 4 Manufacturer's Standard Wheeled Excavator with One-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EW 180C Mono Block Boom** ***PRICE:*** **$155,527.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**152**
Engine:	**Volvo**
Engine Model	**D6E**
Operating Weight	**42,330 lbs**
Operating Weight (metric ton)	**19.2**
Max Dig Depth	**19'1"**
Depth @ 8'bottom	**18' 5"**
Max. depth of vertical wall	**13' 2"**
Reach @ ground Level	**29' 9"**
Dump Height	**21' 2"**
Blade or Outrigger	**13' 3"**
Transport Width	**8' 4"**
Tail swing Radius	**8'**

AVAILABLE OPTIONS:

3 Year 6000 Hr. F/M Warranty	**$9,800.00**
36" G P. Bucket	**$3,600.00**
Rotatable attachment W/work tool hydraulics	**$5,400.00**
36" Rock bucket with teeth and pins	**$3,060.00**
Extra Lighting	**$395.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$75.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,000.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $700.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28%

Delivery will be made 90 - 120 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Tri State Equipment**

Item – 5 Manufacturer's Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 190D Variable Geometry Boom** ***PRICE:*** **$158,475.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**152**
Engine:	**ISUZU**
Engine Model	**4HK1X**
Operating Weight	**44,974 lbs**
Operating Weight (metric ton)	**19**
Max Dig Depth	**19'5"**
Depth @ 8'bottom	**18' 10"**
Max. depth of vertical wall	**17' 3"**
Reach @ ground Level	**30' 6"**
Dump Height	**22' 10"**
Blade or Outrigger	**Both Standard**
Transport Width	**8' 11"**
Tail swing Radius	**7' 7"**

AVAILABLE OPTIONS:

Front and rear outriggers	**$2,565.00**
36" .97 Cubic yard bucket with teeth	**$3,490.00**
42" 1.19 Cubic yard bucket with teeth	**$3,650.00**
48" 1.39 Cubic yard bucket with teeth	**$3,935.00**
60" 1.14 Cubic yard smooth lip bucket	**$2,295.00**

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2,3,5,

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Tri State Equipment**

Item – 5 Manufacturer's Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 220D Variable Geometry Boom** ***PRICE:*** **$179,850.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**159**
Engine:	**ISUZU**
Engine Model	**4HK1X**
Operating Weight	**51,368 lbs**
Operating Weight (metric ton)	**22**
Max Dig Depth	**19'11"**
Depth @ 8'bottom	**19' 8"**
Max. depth of vertical wall	**17' 3"**
Reach @ ground Level	**32' 0"**
Dump Height	**25' 0"**
Blade or Outrigger	**Both Standard**
Transport Width	**8' 11"**
Tail swing Radius	**9' 0"**

AVAILABLE OPTIONS:

Front and rear outriggers	**$2,750.00**
36" .97 Cubic yard bucket with teeth	**$3,500.00**
42" 1.19 Cubic yard bucket with teeth	**$3,650.00**
48" 1.39 Cubic yard bucket with teeth	**$3,950.00**
60" 1.14 Cubic yard smooth lip bucket	**$2,295.00**

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 2,3,5,

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Murphy Tractor Equipment**

Item – 5 Manufacturer's Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 190D Variable Geometry Boom** ***PRICE:*** **$159,789.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**159**
Engine:	**ISUZU**
Engine Model	**4HK1X**
Operating Weight	**44,974 lbs**
Operating Weight (metric ton)	**19**
Max Dig Depth	**19'5"**
Depth @ 8'bottom	**18' 10"**
Max. depth of vertical wall	**17' 3"**
Reach @ ground Level	**30' 6"**
Dump Height	**22' 10"**
Blade or Outrigger	**Both Standard**
Transport Width	**8' 11"**
Tail swing Radius	**7' 7"**

AVAILABLE OPTIONS:

Front and rear outriggers	**$2,565.00**
36" .97 Cubic yard bucket with teeth	**$3,490.00**
42" 1.19 Cubic yard bucket with teeth	**$3,650.00**
48" 1.39 Cubic yard bucket with teeth	**$3,935.00**
60" 1.14 Cubic yard smooth lip bucket	**$2,295.00**

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Murphy Tractor Equipment**

Item – 5 Manufacturer's Standard Wheeled Excavator with <u>Two-Piece</u> Boom, meeting the net horsepower range of <u>120 to 160 with 17 to 21 metric ton operating weight rating</u> as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 220D Variable Geometry Boom** ***PRICE:*** **$182,000.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**159**
Engine:	**ISUZU**
Engine Model	**4HK1X**
Operating Weight	**51,368 lbs**
Operating Weight (metric ton)	**22**
Max Dig Depth	**19'11"**
Depth @ 8'bottom	**19' 8"**
Max. depth of vertical wall	**17' 3"**
Reach @ ground Level	**32' 0"**
Dump Height	**25' 0"**
Blade or Outrigger	**Both Standard**
Transport Width	**8' 11"**
Tail swing Radius	**9' 0"**

AVAILABLE OPTIONS:

Front and rear outriggers	**$2,750.00**
36" .97 Cubic yard bucket with teeth	**$3,500.00**
42" 1.19 Cubic yard bucket with teeth	**$3,650.00**
48" 1.39 Cubic yard bucket with teeth	**$3,950.00**
60" 1.14 Cubic yard smooth lip bucket	**$2,295.00**

<u>Notes:</u>

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 30%

Delivery will be made 60 - 90 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: ERB**

Item – 5 Manufacturer's Standard Wheeled Excavator with <u>Two-Piece</u> Boom, meeting the net horsepower range of <u>120 to 160 with 17 to 21 metric ton operating weight rating</u> as advertised in manufacturer's standard literature.

MAKE/MODEL: **John Deere 190D Variable Geometry Boom** ***PRICE:*** **$158,235.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**152**
Engine:	**ISUZU**
Engine Model	**4HK1X**
Operating Weight	**44,974 lbs**
Operating Weight (metric ton)	**19**
Max Dig Depth	**19'5"**
Depth @ 8'bottom	**18' 10"**
Max. depth of vertical wall	**17' 3"**
Reach @ ground Level	**30' 6"**
Dump Height	**22' 10"**
Blade or Outrigger	**Both Standard**
Transport Width	**8' 11"**
Tail swing Radius	**7' 7"**

<u>Notes:</u>

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%

Delivery will be made 60 days after receipt of order.

Vendor bidding only Districts 6,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Dean Machinery**

Item – 5 Manufacturer's Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar M315D** ***PRICE:*** **$162,965.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**135**
Engine:	**CAT**
Engine Model	**C4.4**
Operating Weight	**34.600-39,500**
Operating Weight (metric ton)	**15**
Max Dig Depth	**19'4"**
Depth @ 8'bottom	**18' 9"**
Max. depth of vertical wall	**12' 7"**
Reach @ ground Level	**30' 1"**
Dump Height	**20' 5"**
Blade or Outrigger	**Options**
Transport Width	**8' 4"**
Tail swing Radius	**37"**

AVAILABLE OPTIONS:

Dozer blade front & Rear	**$6,830.00**
Outriggers front & rear	**$9,525.00**
Lights Working	**$420.00**
Rotating beacon	**$216.00**
Tilting Ditch cleaning bucket	**$11,245.00**

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 29%

Delivery will be made 120 days after receipt of order.

Vendor bidding only Districts 1,2,4,5,7,8

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Fabick Cat**

Item – 5 Manufacturer's Standard Wheeled Excavator with <u>Two-Piece</u> Boom, meeting the net horsepower range of <u>120 to 160 with 17 to 21 metric ton operating weight rating</u> as advertised in manufacturer's standard literature.

MAKE/MODEL: **Caterpillar M315D** ***PRICE:*** **$162,965.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**135**
Engine:	**CAT**
Engine Model	**C4.4**
Operating Weight	**34.600-39,500**
Operating Weight (metric ton)	**15**
Max Dig Depth	**19'4"**
Depth @ 8'bottom	**18' 9"**
Max. depth of vertical wall	**12' 7"**
Reach @ ground Level	**30' 1"**
Dump Height	**20' 5"**
Blade or Outrigger	**Options**
Transport Width	**8' 4"**
Tail swing Radius	**37"**

AVAILABLE OPTIONS:

Dozer blade front & Rear	**$6,830.00**
Outriggers front & rear	**$9,525.00**
Lights Working	**$420.00**
Rotating beacon	**$216.00**
Tilting Ditch cleaning bucket	**$11,245.00**

<u>Notes:</u>

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 29%

Delivery will be made 120 days after receipt of order.

Vendor bidding only Districts 5,6,7,8,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Rudd Equipment**

Item – 5 Manufacturer's Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EW160C Two Piece Boom** ***PRICE:*** **$136,900.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**142**
Engine:	**Volvo**
Engine Model	**D6E**
Operating Weight	**39,727**
Operating Weight (metric ton)	**18**
Max Dig Depth	**18'3"**
Depth @ 8'bottom	**17' 8"**
Max. depth of vertical wall	**14' 7"**
Reach @ ground Level	**29' 5"**
Dump Height	**22' 11"**
Blade or Outrigger	**Outriggers**
Transport Width	**8' 4"**
Tail swing Radius	**7' 1"**

AVAILABLE OPTIONS:

Outriggers front and rear in lieu of blade	**$4,000.00**
Hydraulic coupler	**$6,750.00**
24" Rock Bucket with teeth and pin	**$2,647.00**
36" Rock bucket with teeth and pins	**$3,060.00**
36" Ditch bucket and pins	**$2,360.00**

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60 -120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Rudd Equipment**

Item – 5 Manufacturer's Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EW180C Two Piece Boom** ***PRICE:*** **$153,500.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**152**
Engine:	**Volvo**
Engine Model	**D6E**
Operating Weight	**44,270**
Operating Weight (metric ton)	**20**
Max Dig Depth	**19'5"**
Depth @ 8'bottom	**18' 9"**
Max. depth of vertical wall	**14' 6"**
Reach @ ground Level	**30' 5"**
Dump Height	**23' 11"**
Blade or Outrigger	**Front blade, Rear Outriggers**
Transport Width	**8' 4"**
Tail swing Radius	**8' 0"**

AVAILABLE OPTIONS:

Outriggers front and rear in lieu of blade	**$4,5 00.00**
Hydraulic coupler	**$6,700.00**
24" Rock Bucket with teeth and pin	**$3,065.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics per student:	**$50.00**
Item C Optional Software – Diagnostic software, cables and interface:	**$750.00**

Item D Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $500.00.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 60 -120 days after receipt of order.

Vendor bidding only Districts 2,3,5,6,9,10

Excavators (Statewide)
Multiple Award

Contract Number: 3-080410 **Vendor: Van Keppel**

Item – 5 Manufacturer's Standard Wheeled Excavator with Two-Piece Boom, meeting the net horsepower range of 120 to 160 with 17 to 21 metric ton operating weight rating as advertised in manufacturer's standard literature.

MAKE/MODEL: **Volvo EW180C Two Piece Boom** ***PRICE:*** **$157,335.00**

EQUIPMENT INCLUDED IN PRICE:

Net horse power:	**152**
Engine:	**Volvo**
Engine Model	**D6E**
Operating Weight	**43,650**
Operating Weight (metric ton)	**19.8**
Max Dig Depth	**19'5"**
Depth @ 8'bottom	**18' 9"**
Max. depth of vertical wall	**14' 6"**
Reach @ ground Level	**30' 5"**
Dump Height	**23' 11"**
Blade or Outrigger	**13' 3"**
Transport Width	**8' 4"**
Tail swing Radius	**8' 0"**

AVAILABLE OPTIONS:

3 yr. 6000 Hr. F/M Warranty	**$9,8 00.00**
36" G/P Bucket	**$6,700.00**
Rototilt & Attachment w/work tool hydraulics	**$5,600.00**
Extra Lighting	**$395.00**

TRAINING OPTIONS

Item B Optional Training – 12-hour operation and diagnostics: **$75.00 per student**

Item C Optional Software – Diagnostic software, cables and interface: **$1,000.00 per set**

Optional Maintenance – Price for vendor to perform the first scheduled on-site maintenance per unit: $700.00

Notes:

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 28%

Delivery will be made 90 -120 days after receipt of order.

Vendor bidding only Districts 1,4,7,8,9