

ITEM # 15 - New standard equipped 2014 or Newer Model 17,500 LB, GVWR Chassis-Cab with DRW and 60" CA

ACCEPTABLE MAKES AND MODELS:

- Standard Ford Super Duty F550 with 141" Wheelbase Cab to Axle 60"
- Dodge 5500 with 144.0" Wheelbase, Cab to Axle 60.2"
- International TerraStar with 134" Wheelbase, Cab to Axle 59.6"
- Freightliner M2 106 with 130" Wheelbase, Cab to Axle 61.4"

All units bid must contain the following options:

1. Standard diesel Engine with the highest cooling capacity (Size 6.7 Horsepower 200)
2. Manufacturer's standard rear end axle ratio (Ratio: 4.30)
3. Automatic transmission (Speeds 5)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size 225/70R19.5)
7. Rubber flooring
8. Minimum GVWR 17,500 LB
9. Brakes 4-wheel anti-lock braking system (ABS)
10. Speed control and tilt wheel
11. Back up alarm
12. Vinyl seats
13. 3 sets of keys

DEALER COMPLETE IN DETAIL:

~~2014~~ MAKE 2015 MODEL M2106 GVWR 19780 EACH \$ 54,681⁰⁰ CHASSIS

GAS MPG: CITY NOT POSTED HWY NOT POSTED

FUEL CAPACITY 40 GAL FUEL CAPACITY (2) — OIL CAPACITY 3 GAL

BUMPER TO BUMPER WARRANTY BASE vehicle 2 yrs unlimited miles STANDARD

POWERTRAIN WARRANTY 2 yrs unlimited miles STANDARD Allison 3 yr STD 2 yr EXT Add \$230⁰⁰

EXTENDED WARRANTY Extended Base 3 additional 100,000 miles 1000.00 ENGINE EXTENDED ADDITIONAL 3 YRS 100K MILE Add \$2900⁰⁰

OPTIONAL EQUIPMENT PRICES, Item # 15

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- | | | |
|--------------|---|---------------|
| Option 15A.1 | Mounted 9' platform body meeting Specification E1320DRW | EACH \$ _____ |
| | MAKE _____ MODEL _____ | |
| Option 15A.2 | Mounted 9' aluminum platform body meeting Specification E1320DRW
(Minimum 1 1/4" aluminum extruded floor instead of steel) | EACH \$ _____ |
| | MAKE _____ MODEL _____ | |
| Option 15B.1 | Mounted 9' platform dump body meeting Specification E1327 | EACH \$ _____ |
| | MAKE _____ MODEL _____ | |
| Option 15B.2 | Mounted 9' aluminum platform dump body meeting Specification E1327
(Minimum 1 1/4" aluminum extruded floor instead of steel) | EACH \$ _____ |
| | MAKE _____ MODEL _____ | |

RC2015-3

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Q U O T A T I O N

M2 106 CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK	DETROIT DA-F-8.0-3 8,000# FF1 71.5 KPI/3.74 DROP
CUM ISB 6.7-200 200 HP @ 2300 RPM, 2600 GOV, 520 LB/FT @ 1600 RPM	SINGLE FRONT AXLE
ALLISON 1000 RDS AUTOMATIC TRANSMISSION WITH PARK PAWL WITH PTO PROVISION	8,000# TAPERLEAF FRONT SUSPENSION
DETROIT DA-RS-13.0-2 13,000# F-SERIES SINGLE REAR AXLE	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
12,500# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION	3875MM (153 INCH) WHEELBASE
	1/4X3.00X10.00 INCH STEEL FRAME (6.35MMX254.0MM/0.250X10.00 INCH) 50KSI
	1600MM (63 INCH) REAR FRAME OVERHANG

			PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	54,714	\$	54,714
EXTENDED WARRANTY		\$	0	\$	0
DEALER INSTALLED OPTIONS		\$	0	\$	0
CUSTOMER PRICE BEFORE TAX		\$	54,714	\$	54,714

TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$	(33.0)	\$	(33.0)
TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$	0	\$	0

TRADE-IN

TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
--------------------	----	-----	----	-----

BALANCE DUE	(LOCAL CURRENCY)	\$	54,681	\$	54,681
-------------	------------------	----	--------	----	--------

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.



ITEM #15

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description
Price Level	
PRL-07M	M2 PRL-07M (EFF:09/18/2013)
Data Version	
DRL-009	SPECPRO21 DATA RELEASE VER 009
Vehicle Configuration	
001-172	M2 106 CONVENTIONAL CHASSIS
004-215	2015 MODEL YEAR SPECIFIED
002-004	SET BACK AXLE - TRUCK
019-002	STRAIGHT TRUCK PROVISION
003-001	LH PRIMARY STEERING LOCATION
General Service	
AA1-002	TRUCK CONFIGURATION
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE
A84-1GM	GOVERNMENT BUSINESS SEGMENT
AA4-011	FIXED LOAD COMMODITY
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
AB1-008	MAXIMUM 8% EXPECTED GRADE
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
995-091	MEDIUM TRUCK WARRANTY
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 6000.0 lbs
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 12000.0 lbs
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 18000.0 lbs



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
Truck Service	
AA3-005	FLATBED/PLATFORM/STAKE BODY
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in
Engine	
101-2N2	CUM ISB 6.7-200 200 HP @ 2300 RPM, 2600 GOV, 520 LB/FT @ 1600 RPM
Electronic Parameters	
79A-075	75 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
80G-002	PTO MINIMUM RPM - 700
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH
Engine Equipment	
99C-013	2013 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG14
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)
13E-001	STANDARD OIL PAN
105-001	ENGINE MOUNTED OIL CHECK AND FILL
133-004	ONE PIECE VALVE COVER
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1850 CCA THREADED STUD BATTERIES
290-017	BATTERY BOX FRAME MOUNTED
281-001	STANDARD BATTERY JUMPERS
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-001	NON-POLISHED BATTERY BOX COVER
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
108-002	STANDARD AIR COMPRESSOR GOVERNOR
131-013	AIR COMPRESSOR DISCHARGE LINE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
239-001	STANDARD EXHAUST SYSTEM LENGTH
237-052	RH STANDARD HORIZONTAL TAILPIPE
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
23Y-002	DIESEL EXHAUST FLUID PUMP MOUNTED AFT OF DIESEL EXHAUST FLUID TANK
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
273-004	BORG WARNER VISCOUS FAN DRIVE
110-003	CUMMINS SPIN ON FUEL FILTER
118-001	FULL FLOW OIL FILTER
266-078	950 SQUARE INCH ALUMINUM RADIATOR
103-004	ANTIFREEZE TO -34F, NOAT EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-016	RADIATOR DRAIN VALVE
168-002	LOWER RADIATOR GUARD
134-001	ALUMINUM FLYWHEEL HOUSING
132-004	ELECTRIC GRID AIR INTAKE WARMER
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission

342-1MB	ALLISON 1000 RDS AUTOMATIC TRANSMISSION WITH PARK PAWL WITH PTO PROVISION
---------	---

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
Transmission Equipment	
343-301	ALLISON VOCATIONAL PACKAGE 354 - AVAILABLE ON 1000/2000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, EVS, HS, MH, PTS AND SPS
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-003	PRIMARY MODE GEARS, 5 FORWARD GEARS WITH MANUAL SELECTION FOR 3, 2 AND 1, AVAILABLE FOR 1000/2000 PRODUCT FAMILIES ONLY
353-022	VEHICLE INTERFACE WIRING WITH BODY BUILDER CONNECTOR MOUNTED BACK OF CAB
362-1BU	CUSTOMER INSTALLED CHELSEA 230/231/236 SERIES PTO
363-002	PTO MOUNTING, RH SIDE OF MAIN TRANSMISSION
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
345-074	DASH MOUNTED T-HANDLE CABLE SHIFT CONTROL WITH PARK POSITION FOR INTERNAL PARK PAWL
97G-006	TRANSMISSION PROGNOSTICS - DISABLED (N/A) 2013, FOR USE IN 1000/2000 ONLY
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
346-001	TRANSMISSION OIL CHECK AND FILL
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment	
400-1EW	DETROIT DA-F-8.0-3 8,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
402-021	MERITOR 15X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
409-002	SKF SCOTSEAL CLASSIC FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
536-050	TRW THP-60 POWER STEERING
539-003	POWER STEERING PUMP
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE
Front Suspension	
620-032	8,000# TAPERLEAF FRONT SUSPENSION
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
410-001	FRONT SHOCK ABSORBERS
Rear Axle and Equipment	
420-1C3	DETROIT DA-RS-13.0-2 13,000# F-SERIES SINGLE REAR AXLE
421-430	4.30 REAR AXLE RATIO
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES
423-001	MERITOR 15X6 Q+ CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)
451-018	WEBB CAST IRON REAR BRAKE DRUMS
440-006	REAR OIL SEALS
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS
41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE
Rear Suspension	
622-1MB	12,500# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION
621-004	SPRING SUSPENSION - 1.50" AXLE SPACER
431-001	STANDARD U-BOLT PAD
439-001	REAR SHOCK ABSORBERS - ONE AXLE
Brake System	
018-002	AIR BRAKE PACKAGE
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
904-001	FIBER BRAID PARKING BRAKE HOSE
412-001	STANDARD BRAKE SYSTEM VALVES
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM
413-002	STD U.S. FRONT BRAKE VALVE
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-034	BW AD-IP BRAKE LINE AIR DRYER WITH HEATER
479-015	AIR DRYER FRAME MOUNTED
460-001	STEEL AIR BRAKE RESERVOIRS
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS

Trailer Connections

335-004	UPGRADED CHASSIS MULTIPLEXING UNIT
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT

Wheelbase & Frame

545-387	3875MM (153 INCH) WHEELBASE
546-020	1/4X3.00X10.00 INCH STEEL FRAME (6.35MMX254.0MM/0.250X10.00 INCH) 50KSI
552-030	1600MM (63 INCH) REAR FRAME OVERHANG
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 87.45 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 84.45 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 245.39
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 87.45 in
FSS-0LH	FRAME SPACE LH SIDE : 40.37 in
FSS-0RH	FRAME SPACE RH SIDE : 72.86 in
553-001	SQUARE END OF FRAME
550-001	FRONT CLOSING CROSSMEMBER
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REARMOST CROSSMEMBER
565-001	STANDARD SUSPENSION CROSSMEMBER

Chassis Equipment



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS

Fuel Tanks

204-217	34 GALLON/128 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH
218-005	RECTANGULAR FUEL TANK(S)
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
212-007	FUEL TANK(S) FORWARD
664-001	PLAIN STEP FINISH
205-001	FUEL TANK CAP(S)
122-084	ALLIANCE FUEL FILTER/WATER SEPARATOR WITH PRIMER PUMP
216-020	EQUIFLO INBOARD FUEL SYSTEM
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE

Tires

093-0B0	GOODYEAR G647 RSS 225/70R19.5 12 PLY RADIAL FRONT TIRES
094-1DJ	GOODYEAR G622 RSD 225/70R19.5 12 PLY RADIAL TRACTION REAR TIRES
510-0B0	GOODYEAR G647 RSS 225/70R19.5 12 PLY RADIAL SPARE TIRE

Hubs

418-014	WEBB IRON FRONT HUBS
450-014	WEBB IRON REAR HUBS

Wheels

502-1EB	ACCURIDE 50180 19.5X6.75 8-HUB PILOT 5.12 INSET 4-HAND STEEL DISC FRONT WHEELS
505-1EB	ACCURIDE 50180 19.5X6.75 8-HUB PILOT 4-HAND STEEL DISC REAR WHEELS
496-011	FRONT WHEEL MOUNTING NUTS
497-011	REAR WHEEL MOUNTING NUTS

Cab Exterior

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
650-009	RUBBER CAB MOUNTS
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
646-009	PAINTED PLASTIC GRILLE
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE
644-004	FIBERGLASS HOOD
726-001	SINGLE ELECTRIC HORN
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY
302-001	(5) AMBER MARKER LIGHTS
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-1BH	DUAL WEST COAST MOLDED-IN COLOR MIRRORS
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
729-001	STANDARD SIDE/REAR REFLECTORS
768-043	63X14 INCH TINTED REAR WINDOW
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS
654-003	MANUAL DOOR WINDOW REGULATORS
663-013	TINTED WINDSHIELD
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED

Cab Interior

707-1AK	OPAL GRAY VINYL INTERIOR
706-013	MOLDED PLASTIC DOOR PANEL
708-013	MOLDED PLASTIC DOOR PANEL
772-006	BLACK MATS WITH SINGLE INSULATION
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING
694-010	IN DASH STORAGE BIN

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
742-007	(2) CUP HOLDERS LH AND RH DASH
680-006	GRAY/CHARCOAL FLAT DASH
700-002	HEATER, DEFROSTER AND AIR CONDITIONER
701-001	STANDARD HVAC DUCTING
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
170-015	STANDARD HEATER PLUMBING
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR
702-002	BINARY CONTROL, R-134A
739-033	STANDARD INSULATION
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM
324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
284-023	(1) 12 VOLT POWER SUPPLY IN DASH
756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION
760-1DC	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS
758-036	VINYL WITH VINYL INSERT DRIVER SEAT
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT
763-032	3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

732-004	GRAY DRIVER INSTRUMENT PANEL
734-004	GRAY CENTER INSTRUMENT PANEL
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE LIGHT AND BUZZER
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
721-001	97 DB BACKUP ALARM
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-011	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3
160-025	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
864-005	TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
372-051	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP
81Y-001	PRE-FLIGHT, ALL OUTPUTS FLASH WITH SMART SWITCH
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE

Prepared for:
Tom Veasman
MISSOURI DEPT. OF
TRANSPORTATION
105 WEST CAPITAL AVE
PO BOX 270
JEFFERSON CITY, MO 65102
Phone: .

Prepared by:
Ralph Carter
COLUMBIA FREIGHTLINER
STERLING
1660 JADE ROAD
COLUMBIA, MO 65201
Phone: 1-800-888-0525

Data Code	Description
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS
Design	
065-000	PAINT: ONE SOLID COLOR
Color	
980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
962-970	VENDOR WHITE FRONT WHEELS/RIMS (PW, TKWHT21, W, TW)
966-970	VENDOR WHITE REAR WHEELS/RIMS (PW, TKWHT21, W, TW)
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX
Certification / Compliance	
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

ITEM # 16 - New standard equipped 2014 or Newer Model 17,500 GVWR Chassis-Cabs with DRW and 84" CA.
ACCEPTABLE MAKES AND MODELS:

Ford Super Duty F550 with 165" Wheelbase Cab to Axle 84"
Dodge 5500 with 168.3" Wheelbase, Cab to Axle 84.2"
International TerraStar with 158" Wheelbase, Cab to Axle 83.6"
Freightliner M2 106 with 153" Wheelbase, Cab to Axle 84"

All units bid must contain the following options:

1. Standard, diesel engine with the highest cooling capacity (Size 6.7 Horsepower 200)
2. Manufacturer's standard rear end axle ratio (Ratio: 4.30)
3. Automatic Transmission (Speeds 5)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires: (4) manufacturer's standard all season, plus full size spare and wheel (Size 225 70R 19.5)
7. Rubber flooring
8. Minimum GVWR. 17,500 LB
9. Brakes 4-wheel anti-lock braking system (ABS)
10. Speed control and tilt wheel
11. Back up alarm
12. Vinyl seats
13. 3 sets of keys

DEALER COMPLETE IN DETAIL:

~~MAKE~~ MAKE 2015 MODEL M2106 GVWR 19780 EACH \$ 55181⁰⁰
GAS MPG: CITY Not Posted HWY Not Posted
FUEL CAPACITY 40 FUEL CAPACITY (2) — OIL CAPACITY 36A1
BUMPER TO BUMPER WARRANTY SAME AS ITEM #15
POWERTRAIN WARRANTY SAME AS ITEM #15
EXTENDED WARRANTY SAME AS ITEM #15

OPTIONAL EQUIPMENT PRICES, Item # 16

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- Option 16A.1 Mounted 12' platform body meeting Specification E1320DRW EACH \$ _____
MAKE _____ MODEL) _____
- Option 16A.2 Mounted 12' aluminum platform body meeting Specification E1320DRW EACH \$ _____
(Minimum 1 1/4" aluminum extruded floor instead of steel)
MAKE _____ MODEL) _____
- Option 16B.1 Mounted 11' platform dump body meeting Specification E1327 EACH \$ _____
MAKE _____ MODEL _____
- Option 16B.2 Mounted 11' aluminum platform dump body meeting Specification E1327 EACH \$ _____
(Minimum 1 1/4" aluminum extruded floor instead of steel)
MAKE _____ MODEL _____

ITEM #16

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Q U O T A T I O N

M2 106 CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK	DETROIT DA-F-8.0-3 8,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
CUM ISB 6.7-200 200 HP @ 2300 RPM, 2600 GOV, 520 LB/FT @ 1600 RPM	8,000# TAPERLEAF FRONT SUSPENSION
ALLISON 1000 RDS AUTOMATIC TRANSMISSION WITH PARK PAWL WITH PTO PROVISION	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
DETROIT DA-RS-13.0-2 13,000# F-SERIES SINGLE REAR AXLE	3300MM (130 INCH) WHEELBASE
12,500# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION	1/4X3.00X10.00 INCH STEEL FRAME (6.35MMX254.0MM/0.250X10.00 INCH) 50KSI
	1600MM (63 INCH) REAR FRAME OVERHANG

			PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	55,214	\$	55,214
EXTENDED WARRANTY		\$	0	\$	0
DEALER INSTALLED OPTIONS		\$	0	\$	0
CUSTOMER PRICE BEFORE TAX		\$	55,214	\$	55,214

TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$	(33.0)	\$	(33.0)
TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$	0	\$	0

TRADE-IN

TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
--------------------	----	-----	----	-----

BALANCE DUE	(LOCAL CURRENCY)	\$	55,181	\$	55,181
-------------	------------------	----	--------	----	--------

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description
Price Level	
PRL-07M	M2 PRL-07M (EFF:09/18/2013)
Data Version	
DRL-009	SPECPRO21 DATA RELEASE VER 009
Vehicle Configuration	
001-172	M2 106 CONVENTIONAL CHASSIS
004-215	2015 MODEL YEAR SPECIFIED
002-004	SET BACK AXLE - TRUCK
019-002	STRAIGHT TRUCK PROVISION
003-001	LH PRIMARY STEERING LOCATION
General Service	
AA1-002	TRUCK CONFIGURATION
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE
A84-1GM	GOVERNMENT BUSINESS SEGMENT
AA4-011	FIXED LOAD COMMODITY
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
AB1-008	MAXIMUM 8% EXPECTED GRADE
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
995-091	MEDIUM TRUCK WARRANTY
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 5500.0 lbs
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 12000.0 lbs
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 17500.0 lbs



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
Truck Service	
AA3-005	FLATBED/PLATFORM/STAKE BODY
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in
Engine	
101-2N2	CUM ISB 6.7-200 200 HP @ 2300 RPM, 2600 GOV, 520 LB/FT @ 1600 RPM
Electronic Parameters	
79A-075	75 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
80G-002	PTO MINIMUM RPM - 700
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH
Engine Equipment	
99C-013	2013 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG14
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)
13E-001	STANDARD OIL PAN
105-001	ENGINE MOUNTED OIL CHECK AND FILL
133-004	ONE PIECE VALVE COVER
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1850 CCA THREADED STUD BATTERIES
290-017	BATTERY BOX FRAME MOUNTED
281-001	STANDARD BATTERY JUMPERS
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-001	NON-POLISHED BATTERY BOX COVER
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
108-002	STANDARD AIR COMPRESSOR GOVERNOR
131-013	AIR COMPRESSOR DISCHARGE LINE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
239-020	10 FOOT 00 INCH (120 INCH+0/-5 INCH) EXHAUST SYSTEM HEIGHT
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
23Y-002	DIESEL EXHAUST FLUID PUMP MOUNTED AFT OF DIESEL EXHAUST FLUID TANK
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD(S)
273-004	BORG WARNER VISCOUS FAN DRIVE
110-003	CUMMINS SPIN ON FUEL FILTER
118-001	FULL FLOW OIL FILTER
266-078	950 SQUARE INCH ALUMINUM RADIATOR
103-004	ANTIFREEZE TO -34F, NOAT EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-016	RADIATOR DRAIN VALVE
168-002	LOWER RADIATOR GUARD
134-001	ALUMINUM FLYWHEEL HOUSING
132-004	ELECTRIC GRID AIR INTAKE WARMER



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission

342-1MB	ALLISON 1000 RDS AUTOMATIC TRANSMISSION WITH PARK PAWL WITH PTO PROVISION
---------	---

Transmission Equipment

343-301	ALLISON VOCATIONAL PACKAGE 354 - AVAILABLE ON 1000/2000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, EVS, HS, MH, PTS AND SPS
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-003	PRIMARY MODE GEARS, 5 FORWARD GEARS WITH MANUAL SELECTION FOR 3, 2 AND 1, AVAILABLE FOR 1000/2000 PRODUCT FAMILIES ONLY
353-022	VEHICLE INTERFACE WIRING WITH BODY BUILDER CONNECTOR MOUNTED BACK OF CAB
362-1BU	CUSTOMER INSTALLED CHELSEA 230/231/236 SERIES PTO
363-002	PTO MOUNTING, RH SIDE OF MAIN TRANSMISSION
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
345-074	DASH MOUNTED T-HANDLE CABLE SHIFT CONTROL WITH PARK POSITION FOR INTERNAL PARK PAWL
97G-006	TRANSMISSION PROGNOSTICS - DISABLED (N/A) 2013, FOR USE IN 1000/2000 ONLY
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
346-001	TRANSMISSION OIL CHECK AND FILL
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

400-1EW	DETROIT DA-F-8.0-3 8,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
402-021	MERITOR 15X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
409-002	SKF SCOTSEAL CLASSIC FRONT OIL SEALS

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
536-050	TRW THP-60 POWER STEERING
539-003	POWER STEERING PUMP
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE
Front Suspension	
620-032	8,000# TAPERLEAF FRONT SUSPENSION
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
410-001	FRONT SHOCK ABSORBERS
Rear Axle and Equipment	
420-1C3	DETROIT DA-RS-13.0-2 13,000# F-SERIES SINGLE REAR AXLE
421-430	4.30 REAR AXLE RATIO
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES
423-001	MERITOR 15X6 Q+ CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)
451-018	WEBB CAST IRON REAR BRAKE DRUMS
440-006	REAR OIL SEALS
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS
41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE
Rear Suspension	
622-1MB	12,500# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION
621-004	SPRING SUSPENSION - 1.50" AXLE SPACER
431-001	STANDARD U-BOLT PAD
439-001	REAR SHOCK ABSORBERS - ONE AXLE



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
Brake System	
018-002	AIR BRAKE PACKAGE
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
904-001	FIBER BRAID PARKING BRAKE HOSE
412-001	STANDARD BRAKE SYSTEM VALVES
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM
413-002	STD U.S. FRONT BRAKE VALVE
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-034	BW AD-IP BRAKE LINE AIR DRYER WITH HEATER
479-015	AIR DRYER FRAME MOUNTED
460-001	STEEL AIR BRAKE RESERVOIRS
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS
Trailer Connections	
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT
Wheelbase & Frame	
545-330	3300MM (130 INCH) WHEELBASE
546-020	1/4X3.00X10.00 INCH STEEL FRAME (6.35MMX254.0MM/0.250X10.00 INCH) 50KSI
552-030	1600MM (63 INCH) REAR FRAME OVERHANG
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 64.45 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 61.45 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 222.39
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 64.45 in
FSS-0LH	FRAME SPACE LH SIDE : 11.46 in
FSS-0RH	FRAME SPACE RH SIDE : 49.86 in
553-001	SQUARE END OF FRAME
550-001	FRONT CLOSING CROSSMEMBER
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REARMOST CROSSMEMBER
565-001	STANDARD SUSPENSION CROSSMEMBER
Chassis Equipment	
556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS
Fuel Tanks	
204-190	40 GALLON/151 LITER RECTANGULAR ALUMINUM FUEL TANK - LH
218-005	RECTANGULAR FUEL TANK(S)
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
212-007	FUEL TANK(S) FORWARD
664-001	PLAIN STEP FINISH
205-001	FUEL TANK CAP(S)
122-084	ALLIANCE FUEL FILTER/WATER SEPARATOR WITH PRIMER PUMP
216-020	EQUIFLO INBOARD FUEL SYSTEM
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
Tires	
093-0B0	GOODYEAR G647 RSS 225/70R19.5 12 PLY RADIAL FRONT TIRES
094-1DJ	GOODYEAR G622 RSD 225/70R19.5 12 PLY RADIAL TRACTION REAR TIRES
510-0B0	GOODYEAR G647 RSS 225/70R19.5 12 PLY RADIAL SPARE TIRE
Hubs	
418-014	WEBB IRON FRONT HUBS
450-014	WEBB IRON REAR HUBS
Wheels	
502-1EE	ACCURIDE 50232 19.5X6.75 8-HUB PILOT 4.62 INSET 6-HAND STEEL DISC FRONT WHEELS

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
505-1EB	ACCURIDE 50180 19.5X6.75 8-HUB PILOT 4-HAND STEEL DISC REAR WHEELS
511-1EE	ACCURIDE 50232 19.5X6.75 8-HUB PILOT 6-HAND STEEL DISC SPARE WHEEL
496-011	FRONT WHEEL MOUNTING NUTS
497-011	REAR WHEEL MOUNTING NUTS
Cab Exterior	
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
650-009	RUBBER CAB MOUNTS
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
646-009	PAINTED PLASTIC GRILLE
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE
644-004	FIBERGLASS HOOD
726-001	SINGLE ELECTRIC HORN
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY
302-001	(5) AMBER MARKER LIGHTS
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-1BH	DUAL WEST COAST MOLDED-IN COLOR MIRRORS
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
729-001	STANDARD SIDE/REAR REFLECTORS
768-043	63X14 INCH TINTED REAR WINDOW
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS
654-003	MANUAL DOOR WINDOW REGULATORS
663-013	TINTED WINDSHIELD
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED

Cab Interior	
707-1AK	OPAL GRAY VINYL INTERIOR



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
706-013	MOLDED PLASTIC DOOR PANEL
708-013	MOLDED PLASTIC DOOR PANEL
772-006	BLACK MATS WITH SINGLE INSULATION
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING
694-010	IN DASH STORAGE BIN
742-007	(2) CUP HOLDERS LH AND RH DASH
680-006	GRAY/CHARCOAL FLAT DASH
700-002	HEATER, DEFROSTER AND AIR CONDITIONER
701-001	STANDARD HVAC DUCTING
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
170-015	STANDARD HEATER PLUMBING
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR
702-002	BINARY CONTROL, R-134A
739-033	STANDARD INSULATION
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM
324-014	DOMELIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
284-023	(1) 12 VOLT POWER SUPPLY IN DASH
756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION
760-1DC	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS
758-036	VINYL WITH VINYL INSERT DRIVER SEAT
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT
763-032	3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
732-004	GRAY DRIVER INSTRUMENT PANEL
734-004	GRAY CENTER INSTRUMENT PANEL
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE LIGHT AND BUZZER
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
721-001	97 DB BACKUP ALARM
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-011	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3
160-025	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
864-005	TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
372-051	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP
81Y-001	PRE-FLIGHT, ALL OUTPUTS FLASH WITH SMART SWITCH
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY



Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

Data Code	Description
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

Design

065-000	PAINT: ONE SOLID COLOR
---------	------------------------

Color

980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
962-970	VENDOR WHITE FRONT WHEELS/RIMS (PW, TKWHT21, W, TW)
966-970	VENDOR WHITE REAR WHEELS/RIMS (PW, TKWHT21, W, TW)
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

Prepared for:
 Tom Veasman
 MISSOURI DEPT. OF
 TRANSPORTATION
 105 WEST CAPITAL AVE
 PO BOX 270
 JEFFERSON CITY, MO 65102
 Phone: .

Prepared by:
 Ralph Carter
 COLUMBIA FREIGHTLINER
 STERLING
 1660 JADE ROAD
 COLUMBIA, MO 65201
 Phone: 1-800-888-0525

QUOTATION

M2 106 CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK	DETROIT DA-F-8.0-3 8,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
CUM ISB 6.7-200 200 HP @ 2300 RPM, 2600 GOV, 520 LB/FT @ 1600 RPM	8,000# TAPERLEAF FRONT SUSPENSION
ALLISON 1000 RDS AUTOMATIC TRANSMISSION WITH PARK PAWL WITH PTO PROVISION	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
DETROIT DA-RS-13.0-2 13,000# F-SERIES SINGLE REAR AXLE	3300MM (130 INCH) WHEELBASE
12,500# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION	1/4X3.00X10.00 INCH STEEL FRAME (6.35MMX254.0MM/0.250X10.00 INCH) 50KSI
	1600MM (63 INCH) REAR FRAME OVERHANG

			PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	55,214	\$	55,214
EXTENDED WARRANTY		\$	0	\$	0
DEALER INSTALLED OPTIONS		\$	0	\$	0
CUSTOMER PRICE BEFORE TAX		\$	55,214	\$	55,214

TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$	(33.0)	\$	(33.0)
TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$	0	\$	0

TRADE-IN

TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
BALANCE DUE	(LOCAL CURRENCY) \$	55,181	\$	55,181

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.



Freightliner (FTL)



Run Smart

Freightliner Medium-Duty/Business Class

Coverage		
Description	Time ¹	Distance ¹
Basic Vehicle	2 Years	Unlimited
Battery	1 Year	100,000 mi/161 000 km
Brightwork	6 Months	Unlimited
Cab Corrosion/Perforation	5 Years	Unlimited
Cab Structure	2 Years	Unlimited
Chassis Paint	6 Months	Unlimited
Corrosion	6 Months	Unlimited
Crossmembers	5 Years	Unlimited
Drivetrain	2 Years	Unlimited
Frame Rails	5 Years	Unlimited
Paint	1 Year	100,000 mi/161 000 km
Steer Axle ²	2 Years	Unlimited

¹Time or distance, whichever comes first

²Steer axle coverage-group applies to glider only.

EXTENDED WARRANTIES ARE AVAILABLE ON COMPONENTS SUCH AS AIR CONDITIONING, STARTER-AXLES-TRANSMISSION AND OTHER OPTIONS. SO IF YOU HAVE ANY INTEREST IN THESE I WOULD BE HAPPY TO QUOTE THEM FOR YOU. STANDARD WARRANTY COVERAGE IS LISTED ON FORM ABOVE.

EXTENDED WARRANTIES ALSO AVAILABLE FOR ENGINE AND EMISSIONS AFTER TREATMENT CUSTOM QUOTED FOR YOUR NEEDS. TRANSMISSION EXTENDED WARRANTY ALSO FROM THE MANUFACTURER EITHER MANUAL OR AUTOMATIC.

Warranty Statement & Warranty Coverage Descriptions follow on page two of this document.

The information provided in this document is for general information only and is not offered as customer's warranty.

This coverage may be superseded without notification.

Copyright © Daimler Trucks North America LLC. All rights reserved. Daimler Trucks North America LLC is a Daimler company.

Warranty Statement

1.00 NEW VEHICLE COVERAGE

The following section outlines Company standard warranty coverage for all Company vehicles, apparatus or chassis or cabs sold and domiciled in the USA (50 states and Washington, D.C.), Puerto Rico, and Canada. This information is also included in the Operator's Maintenance and Owner's Warranty Information Booklet.

1.01 NEW VEHICLE LIMITED WARRANTY

Under this New Vehicle Limited Warranty ("Warranty"), Company warrants that each new vehicle will be free from defects in material and workmanship that occur under normal use within the applicable warranty period, subject to certain limitations and exclusions as specified in this document.

This Warranty covers all components and parts unless specifically covered by other warranties or otherwise excluded by this document.

1.02 LIMITATIONS

This Warranty does not apply to vehicles that are sold or domiciled outside of the United States (50 states and Washington, D.C.), Puerto Rico, or Canada.

This Warranty does not apply to engines, Allison or Twin Disc transmissions, tires, or other components or parts that are not manufactured by Company and that are warranted directly by their respective manufacturers. With respect to the foregoing, Company makes no warranty whether express, implied, statutory or otherwise including, but not limited to, any warranty of merchantability or fitness for a particular purpose.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES OF ANY KIND WHETHER WRITTEN, ORAL, OR IMPLIED INCLUDING, BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY SPECIFICALLY EXCLUDES ANY OTHER WARRANTIES OR CONDITIONS PROVIDED FOR BY LAW, WHETHER STATUTORY OR OTHERWISE.

COMPANY'S SOLE OBLIGATION UNDER THIS WARRANTY SHALL BE TO REPAIR OR REPLACE, IN COMPANY'S SOLE DISCRETION, ANY DEFECTIVE COMPONENT OR PART. SUCH REPAIR OR REPLACEMENT SHALL BE WITHOUT COST TO PURCHASER WHEN PERFORMED WITHIN THE APPLICABLE WARRANTY PERIOD (TIME, DISTANCE, OR HOUR LIMIT, WHICHEVER OCCURS FIRST).

Purchaser must notify Company within the applicable warranty period, of any failure of the vehicle to comply with this Warranty and Purchaser must, at Purchaser's expense, promptly return the vehicle to an authorized Dealer for inspection and repair or replacement of any defect in material or workmanship occurring within the applicable warranty period.

The vehicle must be maintained and serviced according to the prescribed schedules outlined in the Driver's/Operator's and Maintenance Manuals. Receipted bills and other evidence that required maintenance and service have been performed are required by Company as a condition of this Warranty.

After the Company's obligations under this Warranty expire, all liabilities of Company to Purchaser under this Warranty shall terminate. Repairs made under this Warranty do not constitute an extension of the original Warranty period for the vehicle or for any specific component or part.

To the extent that any provision of this Warranty contravenes the law of any jurisdiction, such provision shall be inapplicable in such jurisdiction, and the remainder of the warranty shall not be affected.

1.03 PURCHASER'S EXCLUSIVE REMEDY

THIS WARRANTY SHALL BE THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY AGAINST COMPANY, WHETHER IN CONTRACT, UNDER STATUTE (INCLUDING STATUTORY PROVISIONS AS TO QUALITY OR FITNESS FOR ANY PARTICULAR PURPOSE OF GOODS SUPPLIED PURSUANT TO THE CONTRACT OF SALE), WARRANTY, TORT, STRICT LIABILITY, OR ANY OTHER LEGAL THEORY.

1.04 LIMITATION OF LIABILITY

COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE COST TO REPAIR OR REPLACE, IN COMPANY'S SOLE DISCRETION, THE DEFECTIVE COMPONENT OR PART THAT IN NO EVENT SHALL EXCEED THE FAIR MARKET VALUE OF THE VEHICLE AT THE TIME THE DEFECT IS DISCOVERED.

IN NO EVENT SHALL COMPANY BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO, INJURIES TO PERSONS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR ANTICIPATED PROFITS, OR LOSS OF VEHICLE USE.

Coverage Descriptions

Axles

Coverage includes all factory-installed steer axles; drive axles; tag axles; and pusher axles. Excludes any axle installed by a dealer or body builder.

Drive Axle(s)

Coverage includes axle housing, carrier assembly, differential assembly, power divider, axle shafts, and gaskets and seals. Excludes suspension and torque rod brackets, tie rod ends, wheel end equipment, wiring, yokes, and attaching hardware.

Pusher Axle

A pusher axle is a non-driven, weight-bearing axle that can be raised when not required to bear a portion of the load. Since the pusher axle can be of many different configurations, warranty coverage includes all components included in the individual build specification of each individual application.

Steer Axle

Coverage includes I-beam, steering knuckles, differential on drive steer axle, spindles, kingpins, kingpin bearings and steering arms. Excludes wheel end equipment, tie rod ends, steering linkage components, kingpin bushings, and king pin seals.

Tag Axle

A tag axle is a non-driven, continuous weight-bearing axle. Since the tag axle can be of many different configurations, warranty coverage includes all components included in the individual build specification of each individual application.

Battery

Only Freightliner LLC's private brand-label (Alliance Brand Parts), Mopar (Sterling Bullet only), and Furukawa (STL360 Model only) batteries will be warranted. Any other brand of battery is excluded from Company coverage. Claims for all other brands must be submitted directly to the supplier. Warranty coverage includes the battery assembly only.

Basic Body

Coverage includes body emergency lighting and controls; hinged and rollup compartment doors; body trim; body lighting and control; body electrical systems.

Basic Chassis

Coverage includes all factory-installed components of the vehicle/chassis that are not excluded elsewhere in the warranty, or by special agreement or described as having a different time, or distance or hours, or listed separately on each new vehicle warranty coverage chart.

Basic Vehicle

Coverage includes all factory-installed components of the vehicle/chassis that are not excluded elsewhere in the warranty, or by special agreement or described as having a different time or distance, or listed separately on each new vehicle warranty coverage chart.

Body Electrical

Coverage includes body wiring harness(es) only.

Body Structure

Coverage includes compartments and body panels; hinged compartment doors; fire pump closure; body frame and sub-frame, if applicable. Excludes surface corrosion caused by chips or scratches.

Body Structure and Corrosion

Coverage includes compartments and body panels; hinged compartment doors; fire pump closure; body frame and sub-frame, if applicable. Excludes surface corrosion caused by chips or scratches.

Brightwork

Coverage includes all factory-installed components with chrome, polished aluminum, or polished stainless steel surfaces. Excludes any damage to bumper, backside of bumpers, and concealed or inner surfaces.

Cab Corrosion/Perforation

Coverage is limited to rust-through or perforation of the cab and integral sleeper structure and sleeper box (if applicable) due to corrosion from within. Excludes all conditions of rust or corrosion that has not resulted in rust-through or perforation as well as surface rust or corrosion caused by non-adhesion. Excludes any damage to the paint such as chips or scratches.

Cab Structure

Coverage includes cab and integral sleeper structural components, structural components of factory installed sleeper boxes (if applicable), sheet metal panels, doors, and hoods. Excludes all bolt-on components including door and hood hinges, latches, guides, and other mounting hardware.

Corrosion

Coverage provides warranty against corrosion to any metal or metal alloy part of the vehicle. Rust or corrosion to specific components and/or caused by certain conditions are excluded from all Company warranty coverage and will not be paid under Basic Vehicle, Cab Structure, Cab Corrosion, or Aftermarket Parts Warranty.

Exclusions to corrosion warranty include, but are not limited to, the following:

- Corrosion caused by general rust (for example, rust on the unfinished backside of a bumper)
- Surface rust caused by chips or scratches in the paint or chrome surfaces
- Corrosion caused by high-pressure washing, severe wash solutions, cleaning solvents, detergents, compounds
- Corrosion caused by salinity in the environment or corrosive salts and/or chemicals used on the road surface.
- Corrosion caused by acid rain or other industrial fallout
- Corrosion due to improper prevention measures during storage or use

- Corrosion or rust on tone rings, rotors or drums (rotor exclusion does not apply to hydraulic discs with Magna-Coat Rotors)
- Corrosion due to environmental damage (including ocean spray); airborne fallout (includes chemicals, tree sap, etc.), or other atmospheric conditions or other acts of nature
- Corrosion due to improper use, misuse or abuse, negligence, including improper or insufficient maintenance

Cowl Corrosion/Perforation

Coverage is limited to rust-through or perforation of the cowl due to corrosion from within. Excludes all conditions of rust or corrosion that have not resulted in rust-through or perforation as well as surface rust or corrosion caused by non-adhesion. Excludes any damage to the paint such as chips or scratches.

Cowl Structure

Coverage includes cowl structural components, sheet metal panels, and hood. Excludes all bolt-on components including hood hinges, latches, guides, or other mounting hardware.

Crossmembers

Coverage includes crossmembers, gussets, and hook-mounting bolts that attach gussets to crossmembers and gussets/crossmembers to frame rails. Excludes any bolt-on item attached with either conventional or hook bolts.

Driveline

Coverage includes driveshaft tubing, U-joints, yokes, support bearings, and splines.

Drivetrain

Coverage includes transmission, (except Allison transmissions) steer axle(s), drive axle(s), and transfer case. Excludes tag axle(s), pusher axle(s), drivelines, and U-joints.

Frame Rails

Coverage is limited to breaking or cracking of factory installed frame rails, frame rail liners, frame rail extensions, and any item(s) factory welded to them. Excludes all bolt-on items regardless if attached with conventional or hook bolts.

Glider

An incomplete vehicle which may be ordered with or without engine and/or major drive train components; warranty coverage includes all components as specified in the specific build specification.

Off Road On-Site Assistance

Coverage is exclusively available for off road vehicles that are prohibited from use on public streets. If this coverage is provided, it will be specifically included in the coverage table as a separate category. Coverage includes on-site assistance and/or equipment transportation to the nearest authorized repair location for a Daimler Trucks North America LLC warrantable repair.

Paint (Body, Cab, & Cowl)

Paint coverage excludes lack-of gloss issues on vehicles painted with low gloss colors; the underside of hoods and roof and side mounted air fairings; and any damages to the paint or painted surface such as chips and scratches.

Body Paint

Coverage includes all factory-painted exterior body surfaces. Warranted against orange peel; peeling/delaminating; cracking or checking; or loss of gloss due to cracking, checking or hazing.

Cab Paint

Coverage includes all factory-painted exterior surfaces (except those included in chassis paint coverage). Warranted against orange peel; peeling or delaminating; cracking or checking; or loss of gloss due to cracking, checking or hazing.

Cowl Paint

Coverage includes all factory-painted exterior surfaces of cowl structure (except those included in chassis paint). Warranted against orange peel; peeling or delaminating; cracking or checking; or loss of gloss due to cracking, checking or hazing.

Paint, Chassis (Chassis Paint)

Coverage includes all factory painted surfaces on frame rails, crossmembers/gussets, front and rear bumpers, suspension components, power train components, drivelines, fuel tanks, air tanks, wheel and equipment, tool boxes, battery boxes, access steps, and attaching brackets and hardware. Warranted against peeling or non-adhesion. Excludes U-joints and any damages to the paint or painted surface such as chips and scratches.

Towing/Roadside Assistance

Coverage includes roadside assistance or towing (to the nearest authorized repair location) for a Daimler Trucks North America LLC warrantable repair in a vehicle-down situation that prevents the safe and lawful operation of the vehicle. If this coverage is provided, it will be specifically included in the coverage table as a separate category.

Transfer Case Assembly

Coverage includes housing and all internally lubricated parts.

Transmission

Coverage includes housing and all internally lubricated parts, electric/air shift/control units, valves, gaskets, and seals. Excludes broken synchronizer pins, PTOs, transfer case(s), airlines, gauge senders, yoke(s), clutch and clutch control components including clutch brake. Excludes Allison automatic transmissions and Twin Disc Automatic Transmissions.

Wheel End Equipment

Coverage includes brake components, wheels, hubs, drums, rotors, wheel seals/ bearings, slack adjusters, and attaching hardware.