



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>FRAME RAILS</b> NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  High Strength Low Alloy Steel (80,000 PSI Yield); 7.375" x 3.079" x .312" (187.45mm x 78.2mm x 8.0mm) With Transition to 9.125" x 3.079" x .312" (231.8mm x 78.2mm x 8.0mm); Includes 1.2" (30mm) Drop Under Cab; 335.2" (8512.2mm) Maximum OAL NOTE: Refer to WB/AF COMBINATIONS Chart in the Compatibility Charts section of the CT-400 Data Book and the Price List for compatible AF dimension.	01CDN	STD	STD
<b>BUMPER EXTENSION, FRONT</b>  4.0"	01WAC	\$50 +15/-3	\$50 +15/-3
<b>BUMPER, FRONT</b>  Full Width, Aerodynamic, Steel; 0.118" Material Thickness, Dark Gray INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color  Omit Item N/A: Code 01LEG LICENSE PLATE HOLDER : Code 08XCJ FOG LIGHTS  Full Width, Aerodynamic, Steel, Chrome Plated, 0.118" Material Thickness  Full Width, Aerodynamic, Steel, Chrome Plated, 0.118" Material Thickness, Includes Mounting Holes for 2 CPI Bumper Mounted Sirens N/A: Code 08XCJ FOG LIGHTS  Full Width, Aerodynamic, Steel, Painted Gloss Black, 0.118" Material Thickness	01LRR  01LLK  01MSC  01MSN  01MSD	STD  \$30CR -66/+10  \$427 0/0  \$478 0/0  \$54 0/0	STD  \$30CR -66/+10  \$427 0/0  \$478 0/0  \$54 0/0
<b>CROSSMEMBER, REAR, AF</b>  (01)	01SAL	\$116 0/0	\$116 0/0
<b>SKID PLATE</b>  Steel, Frame Mounted, Protects the Transfer Case from the Ground	01AMM	N/A	\$488 0/0
<b>TOW HOOK, FRONT</b>  (02) Frame Mounted	01570	\$73 +12/-2	\$73 +12/-2



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>WHEELBASE RANGE</b>			
128" (325cm) Through and Including 183" (465cm)	01WEB	STD	STD
185" (470cm) Through and Including 236" (600cm)	01WEC	\$274 0/0	\$274 0/0
<b>LICENSE PLATE HOLDER</b>			
Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper REQS: Code 01LRR(std), 01MSC, 01MSD or 01MSN BUMPER, FRONT	01LEG	\$29 +1/0	\$29 +1/0
<b>AXLE, FRONT NON-DRIVING</b>			
<i>Dana Spicer</i>			
- D600-N - I-Beam Type, 6,000-lb Capacity REQS: Code 03AGP(std) SUSPENSION, FRONT, SPRING	02AGN	STD	N/A
- D700-N - I-Beam Type, 7,000-lb Capacity REQS: Code 03AGN SUSPENSION, FRONT, SPRING	02ADZ	\$130 0/0	N/A
<b>AXLE, FRONT DRIVING</b>			
<i>Dana Spicer</i>			
- 70-273 - Single Reduction, 8,000-lb Capacity REQS: Code 03AJJ SUSPENSION, FRONT, SPRING	02EZV	N/A	STD
<b>AXLE, FRONT DRIVING, LUBE</b>			
<i>EmGard</i>			
- 75W-90 - Synthetic Oil; 1 thru 29.99 Pints	02WLA	N/A	\$87 0/0
<b>SUSPENSION, FRONT, SPRING</b>			
Parabolic, Taper Leaf; 8,000-lb Capacity; With Shock Absorbers N/A: Code 02EZV(std) AXLE, FRONT DRIVING	03ADA	N/A	STD
Taper Leaf, Shackle Type; 6,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGN(std) AXLE, FRONT NON-DRIVING	03AGP	STD	N/A
Taper Leaf, Shackle Type; 7,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02ADZ AXLE, FRONT NON-DRIVING	03AGN	\$28 +56/-13	N/A



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SUSPENSION, FRONT, SPRING</b> (CONTINUED)  Taper Leaf, Shackle Type; 8,000-lb Capacity; With 7,000-lb Capacity Steel Spring & (1) Rubber Auxiliary Spring (1000-lb Capacity), With Shock Absorbers	03AJJ	N/A	N/C 0/0
<b>STABILIZER BAR, FRONT</b>	03WAP	\$498 +104/-9	N/A
<b>BRAKE SYSTEM, HYDRAULIC</b>  <i>TRW</i>  - 355 - Split System, With Three Channel ABS INCLS: BRAKE LININGS, FRONT HX-73, - Non-Asbestos : BRAKE LININGS, REAR HX-73, - Non-Asbestos REC: Code 08HAB or 08HAE BODY BUILDER WIRING	04087	STD	STD
<b>AIR COMPRESSOR</b>  <i>Bendix</i>  - Tu-Flo 550 - 13.2 CFM Capacity; and Tank for Air Source on Hydraulic Chassis REQS: Code 16JDU, 16JDY, 16JHN, 16JJD, 16JJE, 16JJG, 16JNT, 16JNV, 16JPT, 16JYX, 16KUW or 16LJS SEAT, DRIVER	04SBL	\$790 +57/-2	N/A
<b>AIR DRYER</b>  <i>Meritor Wabco</i>  - System Saver 1200 - with Heater INCLS: AIR DRYER LOCATION Inside Left Rail, Back of Cab	04EBD	\$450 +10/+6	N/A
<b>BRAKE, PARKING</b>  <i>TRW</i>  Drum-in-Hat Type; for Hydraulic Brake chassis; Activated by Lever in Cab; Mounted in Rear Wheels INCLS: PARKING BRAKE CONTROL (Orscheln) Lever, Floor Mounted, Located Right of Driver	04GAX	STD	STD



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>BRAKES, FRONT, HYDRAULIC DISC</b>  - TRW - 15.35" x 1.54" Rotors; Dual 2.36" (60mm) Diam. Pistons	04JNH	STD	STD
<b>BRAKES, REAR, HYDRAULIC DISC</b>  - TRW - 15.35" x 1.54" Rotors; Dual 2.36" (60mm) Diam. Pistons	04NNH	STD	STD
<b>STEERING GEAR</b>  <i>Sheppard</i>  - MD83 - Power	05PSN	STD	STD
<b>STEERING COLUMN</b>  Stationary  Tilting  Tilting and Telescoping N/A: Code 13WCP TRANSMISSION SHIFT CONTROL	05AAA  05708  05710	STD  \$125 0/0  \$328 +2/+1	STD  \$125 0/0  \$328 +2/+1
<b>STEERING WHEEL</b>  2-Spoke, 18" Diam., Black	05CAL	STD	STD
<b>PROPSHAFT GUARD</b>	06901	N/A	\$80 +3/+13
<b>EXHAUST SYSTEM</b>  Single, Horizontal, Aftertreatment Device Frame Mounted Right Side Back of Cab; Includes Horizontal Tail Pipe INCLS: NOTE: The Horizontal Tailpipe Includes a Temperature Control Device  Single, Horizontal, Aftertreatment Device Frame Mounted Left Side Back of Cab; Includes Horizontal Tail Pipe	07BDA  07BDE	STD  N/A	N/A  STD
<b>ENGINE EXHAUST BRAKE</b>  for MaxxForce 7 V8 Engines, Electronically Activated	07SDE	\$848 +18/+1	\$848 +18/+1



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<p><b>SWITCH, FOR EXHAUST</b></p> <p>3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF</p>	07WZX	\$42 +2/0	\$42 +2/0
<p><b>ELECTRICAL SYSTEM</b></p> <p>12-Volt, Standard Equipment            INCLS: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted            : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever            : BATTERY BOX Steel            : JUMP START STUD Located on Positive Terminal of Outermost Battery            : STARTER SWITCH Electric, Key Operated            : RUNNING LIGHT (2) Daytime, Included With Headlights            : WIRING, CHASSIS Color Coded and Continuously Numbered            : HEADLIGHTS (2) Sealed Beam Halogen, 5" x 7" Rectangular, with Molded-In Argent Colored Bezels            : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever            : STOP, TURN, TAIL &amp; B/U LIGHTS Dual, Rear, Combination with Reflector            : TURN SIGNALS, FRONT Includes Reflectors and Solid State Flashers; Flush Mounted            : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light            : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover            : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature            : FUSES, ELECTRICAL SAE Blade-Type            : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab            : HORN, ELECTRIC Single</p>	08000	STD	STD
<p><b>ALARM, PARKING BRAKE</b></p> <p>Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, With Ignition "OFF" and any Door Opened</p>	08WXD	\$42 0/0	\$42 0/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>ALTERNATOR</b>			
<i>Leece-Neville</i>			
- AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense	08GXD	STD	STD
- AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, With Remote Sense	08GXB	\$601 +1/0	\$601 +1/0
- AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, With Remote Sense	08GXC	\$476 -4/0	\$476 -4/0
- 14931PAH - Brush Type, 12 Volt 320 Amp. Capacity, Pad Mount	08GWY	\$1,258 +13/0	\$1,258 +8/0
<i>Bosch</i>			
- LH160 - Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount	08GGN	\$151 -6/+1	\$151 -6/+1
- LH200 - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount	08GGR	\$459 -3/+1	\$459 -3/+1
<i>Delco Remy</i>			
- 28SI - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GHU	\$404 -2/+1	\$404 -2/+1
- 36SI - Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GGG	\$451 +7/0	\$451 +7/0
<b>AUXILIARY HARNESS</b>			
3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications N/A: Code 08THV DISCONNECT, FRONT HARNESS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	08THJ	\$158 +4/-1	\$158 +4/-1
<b>BACK-UP ALARM</b>			
Electric, 102 dBA	08THB	\$120 -1/+4	\$120 -1/+4



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>BATTERY DISCONNECT SWITCH</b>  <i>Joseph Pollak</i>  - 51-315 - Positive Type, Lever Operated, Cab Mounted INCLS: BATTERY DISCONNECT SWITCH Mounted to Outside of Battery Box	08WCS	\$92 +1/+1	\$92 +1/+1
<b>BATTERY SYSTEM</b>  <i>International</i>  Maintenance-Free (2) 12-Volt 1100CCA Total  Maintenance-Free (2) 12-Volt 1300CCA Total  Maintenance-Free (3) 12-Volt 2250CCA Total  <i>Deka</i>  - 9A31 - Maintenance-Free (3) AGM 12-Volt 2775CCA Total	08MED 08MEP 08MLM 08MMG	STD \$57 0/0 \$201 +54/+24 \$809 +66/+31	STD \$57 0/0 \$201 +54/+24 \$809 +66/+31
<b>BODY BUILDER WIRING</b>  Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn  Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	08HAE 08HAB	\$209 0/+3 \$100 +2/+1	\$209 0/+3 \$100 +2/+1
<b>CB RADIO</b>  Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two Antenna Bases With Wiring AVAIL: Code 08TPB DATA RECORDER	08RCB	\$359 +5/0	\$359 +5/0
<b>2-WAY RADIO</b>  Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness  Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab AVAIL: Code 08TPB DATA RECORDER	08REA 08RGA	\$163 +2/0 \$68 +2/0	\$163 +2/0 \$68 +2/0





## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>DATA RECORDER</b> <span style="float: right;">(SEE PREV PAGE)</span>  REQS: Code 12NVE ENGINE, DIESEL N/A: Code 16LKA SEAT, REAR - for TERRASTAR SFA 4x2	08TPB		
<b>DISCONNECT, FRONT HARNESS</b>  for Guide Post Lights; Connectors Located at Headlight Connection, for Customer Installation N/A: Code 08THJ AUXILIARY HARNESS	08THV	\$14 0/0	\$14 0/0
<b>ELECTRIC TRAILER BRAKE/LIGHTS</b>  Accommodation Package to Rear of Frame; for Separate Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket N/A: Code 08TME and 08TMG TRAILER CONNECTION SOCKET  Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket N/A: Code 08TME and 08TMG TRAILER CONNECTION SOCKET	08HAG	\$244 0/+2	\$244 0/+2
<b>ENGINE SHUTDOWN</b>  Automatic; With 30 Second Delay, With International Engines REQS: Code 08WWJ(std) INDICATOR, LOW COOLANT LEVEL	08WPP	\$147 +1/0	\$147 +1/0
<b>FOG LIGHTS</b>  <b>Grote</b>  (02) Clear, Halogen, Rectangular REQS: Code 01LRR(std), 01MSC or 01MSD BUMPER, FRONT	08XCJ	\$68 0/0	\$68 0/0
<b>HEADLIGHT WARNING BUZZER</b>  Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	08WXB	\$49 0/0	\$49 0/0
<b>HEADLIGHTS ON W/WIPERS</b>  Headlights Will Automatically Turn on if Windshield Wipers are turned on	08WRB	\$22 0/0	\$22 0/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>HORN, AIR</b>  Black, Single Trumpet, Air Solenoid Operated REQS: Code 04SBL AIR COMPRESSOR	08WCL	\$94 + 2/0	N/A
<b>HORN, ELECTRIC</b>  (02)	08540	\$20 + 2/0	\$20 + 2/0
<b>INDICATOR, LOW COOLANT LEVEL</b>  With Audible Alarm	08WWJ	STD	STD
<b>JUMP START STUD</b>  Remote Mounted	08WBW	STD	STD
<b>POWER SOURCE</b>  Cigar Type Receptacle without Plug and Cord	08718	\$30 + 1/0	\$30 + 1/0
<b>POWER SOURCE, TERMINAL TYPE</b>  2-Post	08WCK	\$39 + 1/0	\$39 + 1/0
<b>RADIO</b>  Accommodation Package; Less Radio, With Wiring and Antenna, Includes Multiple Speakers INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior	08787	\$128 + 2/0	\$128 + 2/0
AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers	08RMD	\$368 + 1/0	\$368 + 1/0
AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers, With CD Player	08RME	\$474 + 1/0	\$474 + 1/0
AM/FM/CD/WB/SiriusXM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers REQS: Code 16SDJ, 16SDL or 16SDU MIRRORS	08RMC	\$886 + 1/0	\$886 + 1/0
AM/FM/CD/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers	08RMB	\$763 + 1/0	\$763 + 1/0
AM/FM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers	08RMA	\$483 + 1/0	\$483 + 1/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>RADIO</b> (CONTINUED)  <b>Panasonic</b>  - CQ120 - AM/FM, Includes Multiple Speakers, Includes Auxiliary Input INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior	08RKB	\$305 +3/+2	\$305 +3/+2
<b>SOLENOID, AIR</b>  for Customer Use; Provides (1) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGA	\$105 +1/0	N/A
for Customer Use; Provides (2) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGB	\$182 +2/0	N/A
for Customer Use; Provides (3) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGC	\$207 +2/0	N/A
for Customer Use; Provides (4) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGD	\$259 +3/0	N/A
for Customer Use; Provides (6) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WKM	\$363 +4/0	N/A



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>STARTING MOTOR</b>  <i>Delco Remy</i>  - 29MT - 12 Volt; Less Thermal Over-Crank Protection, With Integrated Magnetic Switch	08WYD	STD	STD
<b>STOP, TURN, TAIL &amp; B/U LIGHTS</b>  <i>Grote</i>  (02) Multi-Function, Sealed, SuperNova LED S/T/T Lights, One Includes LED License Plate Light, B/U Lights are Incandescent	08TRS	\$224 -2/+10	\$224 -2/+10
<b>SWITCH, AIR HORN, PASSENGER</b>  Fire Truck Application; Momentary Switch Located in Instrument Panel Close to Passenger, Driver Also To Activate Switch at Steering Wheel REQS: Code 04SBL AIR COMPRESSOR REQS: Code 08WCL HORN, AIR N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	08WEE	\$57 +1/0	N/A
<b>SWITCH, AUXILIARY</b>  Accessory Control; for Wiring in Roof, With Maximum of 20 amp Load With Switches In Instrument Panel  Interrupter; for Cab and Body Clearance/Marker Lights, Single Position Blinks Lights When Headlight Switch is In "On" or "Off" Position	08TMH  08TMJ	\$70 +1/0  \$24 0/0	N/A  N/A
<b>SWITCH, BODY CIRCUITS, MID</b>  ; for Bodybuilder, With 6 Switches in Instrument Panel; One Power Module With 6 Channel, 20 Amp Max. Per Channel and 80 Amp Max Output, Switches Control the Power Module Through Multiplex Wiring, Mounted Battery Box Back of Cab N/A: Code 60AAA, 60AAB and 60AAG BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60AJA, 60AJE, 60AJG, 60AJH and 60AJJ BDY INTG, THROTTLE CONTROL : Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION	08WSM	\$575 +4/0	\$575 +4/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SWITCH, BODY CIRCUITS, MID</b> (CONTINUED)  ; for Body Builders; 12 Switches in Instrument Panel, with Two Power Modules with 6 Channels, 20 Amp Max. per Channel, 80 Amp Max Output, Switch Control Power Modules Through Multiplex Wiring, Mounted on Battery Box BOC N/A: Code 60AAA, 60AAB and 60AAG BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60AJA, 60AJE, 60AJG, 60AJH and 60AJJ BDY INTG, THROTTLE CONTROL : Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION	08SAJ	\$1,150 +10/+8	\$1,150 +10/+8
<b>SWITCH, TOGGLE, FOR WORK LIGHT</b>  Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light	08WTT	\$49	N/A
<b>TEST EXTERIOR LIGHTS</b>  Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	08WPZ	\$42 0/0	\$42 0/0
<b>TRAILER CONNECTION SOCKET</b>  7-Way; Mounted at rear of Frame, Wired for Turn Signals Combined With Stop, Compatible With Trailers That Use Combined Stop, Tail, Turn Lamps N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS  7-Way; Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible With Trailers That Have Amber or Side Turn Lamps N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS	08TMG  08TME	\$214 -1/+3  \$214 -1/+3	\$214 -1/+3  \$214 -1/+3
<b>TURN SIGNAL SWITCH</b>  Non-Canceling	08WEG	N/C +2/0	N/C +2/0
<b>WINDSHIELD WIPER SPD CONTROL</b>  Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	08WGL	\$26 0/0	\$26 0/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>WIRING, SPECIAL</b>  Includes Wires Installed Through the Dash Panel and End in Engine Compartment, In Cab Wire Ends Will Have ESC Input Terminals, Engine Compartment Wire Ends will have Sealed Connectors	08HAT	\$51 0/0	N/A
<b>FRONT END</b>  Tilting, Fiberglass, With Three Piece Construction INCL: HOOD TILT ASSIST Includes Torsion Bar Spring System	09WAY	STD	STD
<b>BUG SCREEN</b>  Front End; Mounted Behind Grille	09WAC	\$131 +9/0	\$131 +9/0
<b>GRILLE</b>  Molded, Dark Gray Color REQS: Code 16XRN(std) MODESTY PANEL  Chrome, with Chrome Headlight Bezels REQS: Code 16XRX MODESTY PANEL	09HBZ  09HCG	STD  \$648 +6/-1	STD  \$648 +6/-1
<b>GRILLE EMBER SCREEN</b>  Mounted to Grille and Cowl Tray to Keep Hot Embers out of Engine and HVAC Air Intake System N/A: Code 16WLS FRESH AIR FILTER	09WBT	\$90 0/0	\$90 0/0
<b>KEYS - ALL ALIKE</b>  Fleet - Includes Ignition and Cab Door Keys	10943	\$27 0/0	\$27 0/0
<b>LANGUAGE IDENTITY</b>  for French NOTE: 010003	10WAW	N/C 0/0	N/C 0/0
<b>PAINT CLASS</b>  Premium Color  Single Custom Color	10769  10771	\$293 0/0  \$500 0/0	\$293 0/0  \$500 0/0
<b>PAINT IDENTITY, PT-2</b>  Single Color, Instruction No. 932. Wheels N/A: Code 29PAW PAINT IDENTITY, FRONT WHEELS : Code 29PAX PAINT IDENTITY, REAR WHEELS	10632	\$219 0/0	\$219 0/0

TERRASTAR SFA 4x2  
TERRASTAR SFA 4x4  
PLM-282 REVISION NO. 28C  
Printed in the United States of America

SECTION 072  
PAGE 072-14

PRICES EFFECTIVE 07/12/2013  
SUBJECT TO CHANGE WITHOUT NOTICE  
All Taxes Extra, When Applicable



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>PAINT IDENTITY, PT-2</b> (CONTINUED)  Single Color, Instruction No. 936. Frame/Running Gear, Less Fuel Tanks INCL: NOTE: Battery Box, Air Tanks, Fuel Tanks, Steps and Straps NOT Painted	10636	\$157 0/0	\$157 0/0
<b>PAINT, NON-REFLECTING</b>  Non-Reflecting Paint	10661	\$15 0/0	\$15 0/0
<b>PAINT SCHEMATIC, PT-1</b>  Single Color, Design 100 N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB  Three Tone, Design 320 or 34S N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB  Three Tone, Design 321 or 34T N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB  Three Tone, Design 322 or 34U N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB  Two Tone, Design 208. N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB  Two Tone, Design 209. N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB  Two Tone, Design 211 or 2AF N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB  Two Tone, Design 212. N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB  Two Tone, Design 214. N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB  Two Tone, Design 216. N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB	10060  10220  10221  10222  10208  10209  10211  10212  10214  10216	STD  \$729 0/0  \$729 0/0  \$729 0/0  \$729 0/0  \$158 0/0  \$435 0/0  \$158 0/0  \$158 0/0  \$435 0/0  \$435 0/0	STD  \$729 0/0  \$729 0/0  \$729 0/0  \$158 0/0  \$435 0/0  \$158 0/0  \$158 0/0  \$435 0/0  \$435 0/0
<b>PAINT TYPE</b>  Base Coat/Clear Coat, 1-2 Tone  Base Coat/Clear Coat, 3-4 Tone	10761  10762	STD  N/C 0/0	STD  N/C 0/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SPECIAL RATING, GVWR</b>  Limited to 15,000-lb GVWR REQS: Code 16030(std) CAB REQS: Code 14SCG(std) SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE REQS: Code 14ACP or 14ACR(std) AXLE, REAR, SINGLE  Limited to 17,999-lb GVWR	10WGH	N/C  0/0	N/A
	10WGC	N/C  0/0	N/A
<b>TOOL KIT</b>  Rim Wrench and Handle Only	10506	\$69  +8/0	\$69  +8/0
<b>CLUTCH</b> NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  Omit Item (Clutch & Control)	11001	STD	STD
<b>ACCESSORY WIRING, SPECIAL</b>  for Road Speed Wire Coiled Under Instrument Panel for Customer Use AVAIL: Code 12VYP ENGINE CONTROL, REMOTE MOUNTED	12VYL	\$45  0/0	\$45  0/0
<b>ENGINE, DIESEL</b> NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  <b>MaxxForce</b>  - 7 - EPA 10, 300 HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2800 RPM Governed Speed, 300 Peak HP (Max) INCLS: ENGINE SHUTDOWN Electric, Key Operated : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only) : GLOW PLUG Automatic with Indicator Light : FUEL FILTER Engine Mounted : FUEL/WATER SEPARATOR Engine Mounted : GOVERNOR Electronic : FUEL HEATER Included with Fuel/Water Separator : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : OIL FILTER, ENGINE Drop-In Cartridge Type : ENGINE OIL DRAIN PLUG Magnetic  <div style="text-align: right;">(SEE NEXT PAGE)</div>	12NVE	STD	STD



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>ENGINE, DIESEL</b> <span style="float: right;">(SEE PREV PAGE)</span> NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  <b>MaxxForce</b>  - 7 - INCLS: ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C; for MaxxForce Engines REQS: Code 08WWJ(std) INDICATOR, LOW COOLANT LEVEL REQS: Code 12WTA FAN DRIVE SPECIAL EFFECTS REQS: Code 12VZD FEDERAL EMISSIONS REQS: Code 12XAN OBD COMPLIANCE	12NVE		
<b>RADIATOR</b>  Aluminum; 2-Row, Cross Flow, Side-by-Side System, 697 Sqn Louvered, With 225 Sqn CAC, With In-Tank Oil Cooler INCLS: DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates - Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	12UBU	STD	STD
<b>FAN DRIVE</b>  <b>Borg-Warner</b>  - Series 790 - Viscous Type, Screw On INCLS: FAN Nylon  - SA85 - Viscous Type, Screw On INCLS: FAN Nylon	12TTB  12TSY	STD  \$101 + 2/0	STD  \$101 + 2/0
<b>AIR CLEANER</b>  With Service Protection Element INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	12VBR	STD	STD
<b>BLOCK HEATER, ENGINE</b>  <b>Phillips</b>  120 Volt/1000 Watt INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	12890	\$88 + 2/0	\$88 + 2/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>EMISSION COMPLIANCE</b>			
Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	12WZB	\$62 0/0	\$62 0/0
Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door	12WZJ	\$62 0/0	\$62 0/0
Engine Shutdown System Exempt Vehicles, Complies With California Clean Air Regulations NOTE: 010002	12WZD	N/C 0/0	N/C 0/0
Federal, Does Not Comply With California Clean Air Idle Regulations NOTE: 010002	12WZE	N/C 0/0	N/C 0/0
<b>ENGINE CONTROL, REMOTE MOUNTED</b>			
- No Provision Furnished for Remote Mounted Engine Control	12VYP	N/C 0/0	N/C 0/0
Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce post 2007 Emissions Electronic Engines N/A: Code 12VYL ACCESSORY WIRING, SPECIAL	12VZA	\$45 0/0	\$45 0/0
<b>FAN DRIVE SPECIAL EFFECTS</b>			
Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	12WTA	N/C +11/-1	N/C +11/-1
<b>FEDERAL EMISSIONS</b>			
for 2010; MaxxForce 7 Engines	12VZD	N/C 0/0	N/C 0/0
<b>OBD COMPLIANCE</b>			
for 2013 OBD (On Board Diagnostics)	12XAN	N/C 0/0	N/C 0/0
<b>OVER-TEMPERATURE PROTECTION</b>			
(For Engine Coolant) Omit Item	12VVY	N/C 0/0	N/C 0/0
<b>THROTTLE, HAND CONTROL</b>			
Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	12VXT	STD	STD
Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel	12VXU	N/C 0/0	N/C 0/0





## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<p><b>TRANSMISSION, AUTOMATIC (CONTINUED)</b>            NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p>			
<p><i>Allison</i></p>			
<p>- 1000_RDS -</p>			
<p>5th Generation Controls; Close Ratio, 5-Speed, With Overdrive; Includes Park Pawl, With PTO Provision, Less Retarder, With 19,500-lb GW &amp; 26,000-lb GCW Max., on/off hwy            INCLS: TRANSMISSION OIL PAN Magnet in Oil Pan                  : OIL FILTER, TRANSMISSION Mounted on Transmission            REQS: Code 13WYK or 13WYL SHIFT CONTROL PARAMETERS, when in combination with Code 12NVE ENGINE, DIESEL            REQS: Code 13WLN TRANSMISSION OIL            AVAIL: Code 13WVG ALLISON SPARE INPUT/OUTPUT</p>	13ARC	\$290 0/0	\$290 0/0
<p>5th Generation Controls; Close Ratio, 6-Speed, With Overdrive; Includes Park Pawl, With PTO Provision, Less Retarder, With 19,500-lb GW &amp; 26,000-lb GCW Max., on/off hwy            N/A: Code 13WCP TRANSMISSION SHIFT CONTROL            AVAIL: Code 13WVG ALLISON SPARE INPUT/OUTPUT</p>	13AVV	\$290 +31/+20	\$290 +31/+20
<p>- 1350_EVS_P -</p>			
<p>5th Generation Controls; Close Ratio, 5-Speed, with Overdrive; Includes Park Pawl, with PTO Provision, Less Retarder, with 19,500-lb GW &amp; 30,000-lb GCW Max.            REQS: Code 13WYK or 13WYL SHIFT CONTROL PARAMETERS, when in combination with Code 12NVE ENGINE, DIESEL            N/A: Code 13WVE and 13WVG ALLISON SPARE INPUT/OUTPUT</p>	13ASX	\$998 -31/-7	\$998 -31/-7
<p>5th Generation Controls; Close Ratio, 6-Speed, with Overdrive; Includes Park Pawl, with PTO Provision, Less Retarder, with 19,500-lb GW &amp; 30,000-lb GCW Max.            N/A: Code 13WVE and 13WVG ALLISON SPARE INPUT/OUTPUT                  : Code 13WCP TRANSMISSION SHIFT CONTROL</p>	13AVZ	\$998 +23/+18	\$998 +23/+18
<p>- 1350_HS -</p>			
<p>5th Generation Controls; Close Ratio, 5-Speed, with Overdrive; Less PTO Provision, Includes Park Pawl, Less Retarder, with 19,500-lb GW &amp; 30,000-lb GCW Max.            REQS: Code 13WYK or 13WYL SHIFT CONTROL PARAMETERS, when in combination with Code 12NVE ENGINE, DIESEL            AVAIL: Code 13WVE ALLISON SPARE INPUT/OUTPUT</p>	13ASV	\$448 -22/-6	\$448 -22/-6



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>TRANSMISSION, AUTOMATIC (CONTINUED)</b> NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<b>Allison</b> <b>- 1350_HS -</b> 5th Generation Controls; Close Ratio, 6-Speed, with Overdrive; Less PTO Provision, Includes Park Pawl, Less Retarder, with 19,500-lb GW & 30,000-lb GCW Max. N/A: Code 13WCP TRANSMISSION SHIFT CONTROL AVAIL: Code 13WVE ALLISON SPARE INPUT/OUTPUT			
13AVX	\$448 -8/+9	\$448 -8/+9	
<b>- 1350_RDS -</b> 5th Generation Controls; Close Ratio, 5-Speed, with Overdrive; with PTO Provision, Includes Park Pawl, Less Retarder, with 19,500-lb GW & 30,000-lb GCW Max. on/off hwy REQS: Code 13WYK or 13WYL SHIFT CONTROL PARAMETERS, when in combination with Code 12NVE ENGINE, DIESEL AVAIL: Code 13WVG ALLISON SPARE INPUT/OUTPUT			
13ASW	\$738 -31/-7	\$738 -31/-7	
5th Generation Controls; Close Ratio, 6-Speed, with Overdrive; with PTO Provision, Includes Park Pawl, Less Retarder, with 19,500-lb GW & 30,000-lb GCW Max. on/off hwy N/A: Code 13WCP TRANSMISSION SHIFT CONTROL AVAIL: Code 13WVG ALLISON SPARE INPUT/OUTPUT			
13AVY	\$738 +23/+18	\$738 +23/+18	
<b>TRANSMISSION TCM LOCATION</b> Located Inside Cab REQS: Code 16030(std) CAB - for TERRASTAR SFA 4x2 N/A: Code 16CAB CAB - for TERRASTAR SFA 4x4 : Code 16SBA BUNK, LOWER			
13WYH	\$141 0/0	\$141 0/0	
<b>ALLISON SPARE INPUT/OUTPUT</b> NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
for Highway Series (HS), 300/350 Includes J1939 Based Auto Neutral REQS: Code 13APZ(std), 13ASV, 13AVU or 13AVX TRANSMISSION, AUTOMATIC			
13WVE	N/C 0/0	N/C 0/0	
for Rugged Duty Series (RDS), 305/354 Includes J1939 Based Auto Neutral REQS: Code 13ARC, 13ASW, 13AVV or 13AVY TRANSMISSION, AUTOMATIC			
13WVG	N/C 0/0	N/C 0/0	



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>PTO CONTROL, DASH MOUNTED</b>  For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring N/A: Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION	13XAA	\$116 0/0	N/A
<b>SHIFT CONTROL PARAMETERS</b>  Allison Load Based Shift Schedules (LBSS)  Allison Performance Programming in Primary and Allison Economy Programming in Secondary	13WYK  13WYL	N/C 0/0  N/C 0/0	N/C 0/0  N/C 0/0
<b>TRANSFER CASE</b>  <i>Fabco</i>  - TC-28 - Two-Speed, Gear Drive, 3,600 lb-ft Capacity with Electric Shifting Controls, without PTO Provision	13TLK	N/A	STD
<b>TRANSMISSION OIL</b>  Synthetic; 20 thru 28 Pints	13WLN	STD	STD
<b>TRANSMISSION SHIFT CONTROL</b>  Column Mounted; for Allison 1000 and 2000 Series Transmission REQS: Code 13APZ(std), 13ARC, 13ARD, 13ASV, 13ASW or 13ASX TRANSMISSION, AUTOMATIC N/A: Code 05710 STEERING COLUMN	13WCP	\$50 +2/+1	\$50 +2/+1
<b>WIRING, TRANS, BODY BUILDER</b>  Installed Wiring for Transmission/PTO Controls, for Allison 1000, 2000, 2100, 2200, 2400, 2500 Series Transmission	13WDH	\$24 +3/0	\$24 +3/0
<b>AXLE, REAR, SINGLE</b>  <i>Dana Spicer</i>  - S110 - Single Reduction, With Offset Housing, 10,000-lb Capacity, 160 Wheel Ends RATIO: 3.91,4.10,4.30,4.56,4.88 or 5.38 - for TERRASTAR SFA 4x2 : 4.30 - for TERRASTAR SFA 4x4 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle  Single Reduction, With Offset Housing, 11,000-lb Capacity, 160 Wheel Ends RATIO: 3.91,4.10,4.30,4.56,4.88 or 5.38 - for TERRASTAR SFA 4x2 : 4.30 - for TERRASTAR SFA 4x4 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle	14ACR  14ACP	STD  \$198 0/0	STD  \$198 0/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<p><b>AXLE, REAR, SINGLE</b> (CONTINUED)</p> <p><i>Dana Spicer</i></p> <p>- S110 -</p> <p>Single Reduction, With Offset Housing; 13,500-lb Capacity, 160 Wheel Ends RATIO: 3.91,4.10,4.30,4.56,4.88 or 5.38 - for TERRASTAR SFA 4x2 : 4.30 - for TERRASTAR SFA 4x4 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle AVAIL: Code 10WGC SPECIAL RATING, GWR - for TERRASTAR SFA 4x2</p>	14ACN	\$72 0/0	\$72 0/0
<p><b>SUSPENSION, REAR, AIR, SINGLE</b></p> <p><i>International</i></p> <p>Ride Optimized Suspension (IROS); 12,000-lb Capacity, 6.0" Ride Height, With Shock Absorbers N/A: Code 14SAC and 14SCG(std) SUSPENSION, RR, SPRING, SINGLE : Code 14WAP SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.</p>	14TCH	\$1,254 0/+47	N/A
<p><b>SUSPENSION, RR, SPRING, SINGLE</b></p> <p>Vari-Rate; 11,000-lb Capacity N/A: Code 14TCH SUSPENSION, REAR, AIR, SINGLE - for TERRASTAR SFA 4x2 : Code 14899 SUSPENSION AIR CONTROL VALVE - for TERRASTAR SFA 4x2 NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.</p> <p>Vari-Rate; 13,500-lb Capacity N/A: Code 14TCH SUSPENSION, REAR, AIR, SINGLE - for TERRASTAR SFA 4x2 : Code 14899 SUSPENSION AIR CONTROL VALVE - for TERRASTAR SFA 4x2 AVAIL: Code 10WGC SPECIAL RATING, GWR - for TERRASTAR SFA 4x2 NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.</p>	14SCG  14SAC	STD  \$16 +30/+89	STD  \$16 +30/+89









## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<p><b>CAB</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p>INCLS: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side            : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side            : STEP (2) One Per Door - for TERRASTAR SFA 4x2            : STEP (4) Two Steps Per Door - for TERRASTAR SFA 4x4            : CLEARANCE/MARKER LIGHTS (5) Flush Mounted            : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted</p> <p>REQS: Code 16RZG, 16RZK or 16615 SEAT, REAR            REQS: Code 16WSX or 16WSY CAB INTERIOR TRIM            REQS: Code 16LCZ, 16LDK, 16LPC, 16LPE, 16PHX, 16PJH, 16PJU, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16RPV, 16RPX, 16RXE, 16RXG or 16400 SEAT, PASSENGER - for TERRASTAR SFA 4x2</p> <p>-OR- Code 16LCZ, 16LDK, 16LPE, 16PHX, 16PJH, 16PJU, 16PPY, 16PPZ, 16RXG or 16400 SEAT, PASSENGER - for TERRASTAR SFA 4x4</p> <p>-OR- SEAT, FRONT BENCH</p> <p>N/A: Code 16SAP, 16SDD and 16SET GRAB HANDLE, ADDITIONAL EXT            : Code 16VBS CONSOLE, CENTER            : Code 16SDC, 16SED, 16SEE and 16SJA GRAB HANDLE            : Code 13WYH TRANSMISSION TCM LOCATION</p> <p>AVAIL: Code 10WGC SPECIAL RATING, GWR - for TERRASTAR SFA 4x2            : Code 16WJU WINDOW, POWER            : Code 16RZG, 16RZK and 16615 SEAT, REAR            : Code 16GHU GRAB HANDLE, CAB INTERIOR            : Code 16XUC ACCESS, CAB - for TERRASTAR SFA 4x2            : Code 08WTP COURTESY LIGHT</p>	<p>16CAB</p>		
<p><b>ACCESS, CAB</b></p> <p>Driver &amp; Passenger Sides, One Bright Aluminum Step Per Door, for use with Regular &amp; Extended Cabs            N/A: Code 16196 CAB</p> <p>Driver &amp; Passenger Sides, One Bright Aluminum Step Per Door, for use with Crew Cab            REQS: Code 16196 CAB            N/A: Code 16SJA GRAB HANDLE</p>	<p>16XUC</p> <p>16XUD</p>	<p>\$177 +8/+4</p> <p>\$460 +31/+47</p>	<p>N/A</p> <p>N/A</p>



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>AIR CONDITIONER</b> - Blend-Air - With Integral Heater & Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A N/A: Code 16WCS(std) HEATER	16WCT	\$823 +61/+7	\$823 +61/+7
<b>AIR CONDITIONER, PROVISION FOR</b> Accommodation Package, for Air Conditioning, Includes (1) SD7 Sanden Auxiliary Compressor in Secondary Compressor Position and Compressor Drive Effects for Vehicle With Primary Compressor Mounting REQS: Code 16WCT AIR CONDITIONER, when in combination with Code 12NVE ENGINE, DIESEL N/A: Code 16WCS(std) HEATER	16990	\$539 +28/-1	\$539 +28/-1
<b>ARM REST, LEFT, PASSENGER SEAT</b>  REQS: Code 16LCZ, 16LDK, 16PHX, 16PPD, 16PPN, 16RPV, 16RPX or 16RXE SEAT, PASSENGER - for TERRASTAR SFA 4x2 -OR- Code 16LCZ, 16LDK or 16PHX SEAT, PASSENGER - for TERRASTAR SFA 4x4 N/A: Code 16JPS, 16LUH, 16PCN, 16PCP, 16PCR, 16PHJ, 16PJK and 16RXY SEAT, TWO-MAN PASSENGER : Code 16JPU(std) and 16JPV SEAT, FRONT BENCH	16WBZ	\$39 +3/0	\$39 +3/0
<b>ARM REST, RIGHT, DRIVER SEAT</b>  REQS: Code 16JHR, 16JNZ or 16JPA SEAT, DRIVER - for TERRASTAR SFA 4x4 REQS: Code 16JHR, 16JJD, 16JNT, 16JNV, 16JNZ, 16JPA, 16JPT, 16JYX or 16LJS SEAT, DRIVER - for TERRASTAR SFA 4x2 N/A: Code 16JPU(std) and 16JPV SEAT, FRONT BENCH	16WBY	\$39 +3/0	\$39 +3/0
<b>BUNK, LOWER</b>  26" Wide; Includes Mattress, Occupant Restraints and Under Bunk Storage Compartment REQS: Code 16WRX(std), 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB CAB N/A: Code 13WYH TRANSMISSION TCM LOCATION : Code 60AAG BDY INTG, REMOTE POWER MODULE AVAIL: Code 16615 SEAT, REAR	16SBA	\$1,388 +27/+63	\$1,388 +27/+63











## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<p><b>CAB INTERIOR TRIM</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p>INCLS: GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side</p> <p>REQS: Code 16CAB CAB</p> <p>REQS: Code 16LCZ, 16LDK, 16LPC, 16LPE, 16PHX, 16PJH, 16PJU, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16RPV, 16RPX, 16RXE, 16RXG or 16400 SEAT, PASSENGER - for TERRASTAR SFA 4x2</p> <p>-OR- Code 16LCZ, 16LDK, 16LPE, 16PHX, 16PJH, 16PJU, 16PPY, 16PPZ, 16RXG or 16400 SEAT, PASSENGER - for TERRASTAR SFA 4x4</p> <p>-OR- SEAT, FRONT BENCH</p> <p>N/A: Code 16WLE STORAGE POCKET, DOOR : Code 16WEE CAB SOUND INSULATION : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT</p> <p>AVAIL: Code 16WJU WINDOW, POWER</p>	16WSY		
<p><b>CAB SOUND INSULATION</b></p> <p>Includes Dash Insulator and Engine Cover Insulator</p> <p>REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM</p> <p>NOTE: Feature included with CAB INTERIOR TRIM, Premium</p>	16WEE	\$90 +8/0	\$90 +8/0
<p><b>CONSOLE, CENTER</b></p> <p>Polypropylene, With One Coin Holder, One Cup Holder and One Thermos Holder, With Laptop PC or Clipboard Storage, Includes small Storage Area</p> <p>REQS: Code 16030(std) CAB</p> <p>N/A: Code 16JPS, 16LUH, 16PCN, 16PCP, 16PCR, 16PHJ, 16PJK and 16RXY SEAT, TWO-MAN PASSENGER : Code 16JPU(std) and 16JPV SEAT, FRONT BENCH</p>	16VBS	\$64 +12/0	\$64 +12/0
<p><b>CONTROLS, CENTER PANEL</b></p> <p>Includes Ignition Switch, Headlights and Power Mirror Controls Located in Center Panel</p> <p>REQS: Code 16WJS(std) INSTRUMENT PANEL</p> <p>REQS: Code 16SDU MIRRORS</p> <p>N/A: Code 16WJU and 16WJV WINDOW, POWER : Code 16HLM GPS</p>	16VEX	\$666 0/0	\$666 0/0
<p><b>COWL TRAY LID</b></p>	16XXC	\$200 +8/+2	N/A



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>CUP HOLDERS</b>  Omit, In Instrument Panel	16VAH	N/C - 2/0	N/C - 2/0
<b>FRESH AIR FILTER</b>  Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood N/A: Code 09WBT GRILLE EMBER SCREEN	16WLS	\$76 + 1/0	\$76 + 1/0
<b>GAUGE CLUSTER</b>  English With English Electronic Speedometer INCLS: GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout	16HBA	STD	STD
English With Metric Electronic Speedometer INCLS: GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout	16HBB	N/C 0/0	N/C 0/0
Metric With Metric Electronic Speedometer INCLS: GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout	16HBC	N/C 0/0	N/C 0/0
<b>GAUGE, AIR CLEANER RESTRICTION</b>  <i>Filter-Minder</i>  With Black Bezel Mounted in Instrument Panel	16HHE	\$30 + 1/0	\$30 + 1/0
<b>GAUGE, OIL TEMP, ALLISON TRAN</b>	16HGH	\$48 + 1/0	\$48 + 1/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>GAUGE, TEMPERATURE, AMBIENT</b>  Sensor Wiring with Display Unit Mounted in Cluster REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16HCS	\$71 0/0	\$71 0/0
<b>GPS</b>  <i>Rand McNally</i>  Flush Mounted Style In Wing Panel; Display with Color Touch Screen, Includes GPS Navigation, Rechargeable Battery, Internal Antenna & USB Port N/A: Code 16VEX_CONTROLS, CENTER PANEL	16HLM	\$693 0/0	\$693 0/0
<b>GRAB HANDLE</b>  (02) Black, Aluminum; for Cab Entry Mounted Left and Right each Side at "B" Pillar N/A: Code 16CAB CAB AVAIL: Code 16SET GRAB HANDLE, ADDITIONAL EXT  Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar N/A: Code 16SET GRAB HANDLE, ADDITIONAL EXT : Code 16CAB CAB - for TERRASTAR SFA 4x2 : Code 16CAB CAB  Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Right Side Only at "B" Pillar REQS: Code 16030(std) CAB AVAIL: Code 16XUC ACCESS, CAB - for TERRASTAR SFA 4x2  (02) Chrome Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry, Mounted Left and Right, Each Side at "B" Pillar N/A: Code 16SET GRAB HANDLE, ADDITIONAL EXT : Code 16SET GRAB HANDLE, ADDITIONAL EXT, when in combination with Code 16196 CAB : Code 16CAB CAB	16SED           16SEE           16SJA           16SDC	\$87 +4/0           \$118 +2/+1           \$118 +2/0           \$236 +6/0	\$87 +4/0           \$118 +2/+1           \$118 +2/0           \$236 +6/0
<b>GRAB HANDLE, ADDITIONAL EXT</b>  (02) Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; Mounted Left and Right Side on Exterior, Rear of Rear Doors, With Crew Cab REQS: Code 16196 CAB N/A: Code 16SED GRAB HANDLE : Code 16SED GRAB HANDLE, when in combination with Code 16196 CAB  (1) Chrome; Towel Bar Type With Anti-Slip Rubber Insert; Mounted Left Side on Exterior, Rear of Rear Door, With Crew Cab REQS: Code 16196 CAB N/A: Code 16SED GRAB HANDLE : Code 16SED GRAB HANDLE, when in combination with Code 16196 CAB	16SDD           16SAP	\$236 +1/+5           \$118 +1/+2	\$236 +1/+5           \$118 +1/+2



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>GRAB HANDLE, ADDITIONAL EXT</b> (CONTINUED)  (02) Black Anodized Aluminum for Cab Entry, Mounted Left and Right Side on Exterior, Rear of Rear Doors; With Crew Cab REQS: Code 16196 CAB AVAIL: Code 16SED and 16SJA GRAB HANDLE	16SET	\$87 0/+2	\$87 0/+2
<b>GRAB HANDLE, CAB INTERIOR</b>  (2) Safety Yellow N/A: Code 16196 CAB  (4) Safety Yellow, Crew Cab REQS: Code 16196 CAB	16GHU  16GHV	\$33 +4/+4  \$64 +7/+6	\$33 +4/+4  \$64 +7/+6
<b>HEATER</b>  - Blend-Air - with Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps N/A: Code 16990 AIR CONDITIONER, PROVISION FOR : Code 16WCT AIR CONDITIONER	16WCS	<b>STD</b>	<b>STD</b>
<b>HEATER CONNECTION</b>  for International V8 Engines, With Dual Heater Outlets to Accommodate Shutoff Valves or Aftermarket Secondary Heater Requirements	16WHC	\$198 0/0	\$198 0/0
<b>HEATER HOSES</b>  Silicone	16975	\$78 0/0	\$78 0/0
<b>HOSE CLAMPS, HEATER HOSE</b>  <i>Breeze</i>  Belleville Washer Type	16WHJ	\$25 +1/0	\$25 +1/0
<b>HEATER SHUT-OFF VALVES</b>  (02) Ball Check Valve Type  (1) Ball Check Valve Type, Supply Line	16563  16564	\$30 +2/0  \$69 +1/0	\$30 +2/0  \$69 +1/0
<b>HOURLY METER, PTO</b>  for Customer Provided PTO; With Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch AVAIL: Code 60AKG BDY INTG, PTO ACCOMMODATION	16WLM	\$138 +2/0	\$138 +2/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
HVAC FRESH AIR FILTER	16WKY	\$14 + 4/0	\$14 + 4/0
INSTRUMENT PANEL Center Section, Flat Panel	16WJS	STD	STD
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	16HKT	STD	STD
Omit Display of Fault Codes in Instrument Cluster and Disable Blink Codes, Requires Service Tool to Retrieve and View Fault Code	16HKA	N/C 0/0	N/C 0/0
KEYLESS ENTRY SYSTEM REMOTE With Panic and Auxiliary Buttons, Includes One Key Fob (Transmitter) REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB	16WKZ	\$285 + 2/0	\$285 + 2/0
LOW WASHER FLUID INDICATOR	16WSE	\$15 + 1/0	\$15 + 1/0
MIRROR, CONVEX, LOOK DOWN <i>Lang Mekra</i> Right Side; 6" x 10 1/4" REQS: Code 16SDJ or 16SDL MIRRORS	16SDE	\$49 + 1/+1	\$49 + 1/+1
Right Side; 6" x 10 1/4", With Bright Finish REQS: Code 16SDN or 16SDU MIRRORS	16SDG	\$57 + 1/+1	\$57 + 1/+1
MIRRORS <i>Lang Mekra</i> (02) Rectangular, 7.22" x 12.39", Convex Right Side Only, 96" Inside Spacing, Breakaway Type N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16SDE and 16SDG MIRROR, CONVEX, LOOK DOWN : Code 16VSL WINDSHIELD	16SLH	STD	STD
(02) Rectangular, 7.22" x 12.39", Convex Right Side Only, 102" Inside Spacing, Breakaway Type N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16SDE and 16SDG MIRROR, CONVEX, LOOK DOWN : Code 16VSL WINDSHIELD	16SGB	N/C + 1/0	N/C + 1/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>MIRRORS</b> (CONTINUED)			
<i>Lang Mekra</i>			
(02) Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Bright Finish Heads and Brackets N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16VSL WINDSHIELD AVAIL: Code 16SDG MIRROR, CONVEX, LOOK DOWN	16SDN	\$278 +12/+4	\$278 +12/+4
(02) Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatically Controlled, Power Both Sides, Clearance Lights LED, Bright Finish Heads & Brackets AVAIL: Code 16SDG MIRROR, CONVEX, LOOK DOWN	16SDU	\$585 +13/+5	\$585 +13/+5
(02) Rectangular, 7.22" x 12.39", Convex Both Sides, 102" Inside Spacing, Breakaway Type N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16SDE and 16SDG MIRROR, CONVEX, LOOK DOWN : Code 16VSL WINDSHIELD	16SGC	\$22 +2/+1	\$22 +2/+1
(02) Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Black Heads, Brackets & Arms N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16VSL WINDSHIELD AVAIL: Code 16SDE MIRROR, CONVEX, LOOK DOWN	16SDJ	\$22 +8/+2	\$22 +8/+2
(02) Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatic Controlled, Black Heads, Brackets and Arms N/A: Code 16VEX CONTROLS, CENTER PANEL AVAIL: Code 16SDE MIRROR, CONVEX, LOOK DOWN	16SDL	\$148 +8/+2	\$148 +8/+2
(02) Rectangular, 7.22" x 12.39", Convex Both Sides, 96" Inside Spacing, Breakaway Type N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16SDE and 16SDG MIRROR, CONVEX, LOOK DOWN : Code 16VSL WINDSHIELD	16SLJ	\$22 +1/+1	\$22 +1/+1
<b>MODESTY PANEL</b>			
Molded, Dark Gray Color REQS: Code 09HBZ(std) GRILLE	16XRN	STD	STD
Painted REQS: Code 09HCG GRILLE	16XRX	\$118 0/0	\$118 0/0
<b>MOUNTING BRACKETS</b>			
for Catwalk, Less Roof Catwalk N/A: Code 16196 CAB	16917	\$171 +3/0	\$171 +3/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SEAT BELT</b>			
All Orange; 1 to 3 AVAIL: Code 16615 SEAT, REAR	16VCC	\$26 0/0	\$26 0/0
All Orange; 4 to 6 REQS: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 16LCZ, 16LDK, 16LPC, 16LPE, 16PHX, 16PJH, 16PJU, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16RPV, 16RPX, 16RXE, 16RXG or 16400 SEAT, PASSENGER - for TERRASTAR SFA 4x2 -OR- SEAT, TWO-MAN PASSENGER -OR- Code 16LCZ, 16LDK, 16LPE, 16PHX, 16PJH, 16PJU, 16PPY, 16PPZ, 16RXG or 16400 SEAT, PASSENGER - for TERRASTAR SFA 4x4 -OR- SEAT, FRONT BENCH N/A: Code 16PCS and 16615 SEAT, REAR	16VCB	\$50 0/0	\$50 0/0
All Red; 1 to 3 REQS: Code 16LDK, 16LPC, 16LPE, 16PBR, 16PHX, 16PJH, 16PJU, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16RPV, 16RPX, 16RXE, 16RXG or 16400 SEAT, PASSENGER - for TERRASTAR SFA 4x2 -OR- SEAT, TWO-MAN PASSENGER -OR- Code 16LDK, 16LPE, 16PBR, 16PHX, 16PJH, 16PJU, 16PPY, 16PPZ, 16RXG or 16400 SEAT, PASSENGER - for TERRASTAR SFA 4x4 -OR- SEAT, FRONT BENCH AVAIL: Code 16PCS and 16615 SEAT, REAR	16VBZ	\$26 0/0	\$26 0/0
All Red; 4 to 6 REQS: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 16LCZ, 16LDK, 16LPC, 16LPE, 16PHX, 16PJH, 16PJU, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16RPV, 16RPX, 16RXE, 16RXG or 16400 SEAT, PASSENGER - for TERRASTAR SFA 4x2 -OR- SEAT, TWO-MAN PASSENGER -OR- Code 16LCZ, 16LDK, 16LPE, 16PHX, 16PJH, 16PJU, 16PPY, 16PPZ, 16RXG or 16400 SEAT, PASSENGER - for TERRASTAR SFA 4x4 -OR- SEAT, FRONT BENCH N/A: Code 16615 SEAT, REAR	16VCA	\$50 0/0	\$50 0/0





















## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<p><b>SEAT, PASSENGER</b> (CONTINUED)</p> <p><i>Gra-Mag</i></p> <p>Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth            INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type            REQS: Code 16JDU or 16JPA SEAT, DRIVER - for TERRASTAR SFA 4x4            REQS: Code 16JDU, 16JNV, 16JPA or 16JYX SEAT, DRIVER - for TERRASTAR SFA 4x2            N/A: Code 16JPS, 16LUH, 16PCN, 16PCP, 16PCR, 16PHJ, 16PJK and 16RXY SEAT, TWO-MAN PASSENGER                  : Code 16JPU(std) and 16JPV SEAT, FRONT BENCH</p> <p>Non Suspension, High Back With Integral Headrest, Mordura Cloth, With Fixed Back            INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type            REQS: Code 16JPA SEAT, DRIVER            REQS: Code 16WRX(std) or 16WRZ CAB INTERIOR TRIM            REQS: Code 16030(std) CAB            N/A: Code 16JPS, 16LUH, 16PCN, 16PCP, 16PCR, 16PHJ, 16PJK and 16RXY SEAT, TWO-MAN PASSENGER                  : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT                  : Code 16JPU(std) and 16JPV SEAT, FRONT BENCH                  : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE            AVAIL: Code 16VBZ and 16VCC SEAT BELT</p> <p>Non Suspension, High Back With Integral Headrest, Cloth, With Fixed Back, With Under Seat Storage            INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type            REQS: Code 16JDU or 16JPA SEAT, DRIVER - for TERRASTAR SFA 4x4            REQS: Code 16JDU, 16JJD, 16JNV, 16JPA or 16JYX SEAT, DRIVER - for TERRASTAR SFA 4x2            N/A: Code 16JPS, 16LUH, 16PCN, 16PCP, 16PCR, 16PHJ, 16PJK and 16RXY SEAT, TWO-MAN PASSENGER                  : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT                  : Code 16JPU(std) and 16JPV SEAT, FRONT BENCH                  : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p> <p>Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl            INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type            REQS: Code 16JDY, 16JHN, 16JHR, 16JNZ, 16JPA or 16LSC SEAT, DRIVER - for TERRASTAR SFA 4x4            REQS: Code 16JDY, 16JHN, 16JHR, 16JJE, 16JJG, 16JNT, 16JNZ, 16JPA, 16JPT, 16KUW, 16LJS or 16LSC SEAT, DRIVER - for TERRASTAR SFA 4x2</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>16PHX</p> <p>16PBR</p> <p>16PJU</p> <p>16PJH</p>	<p>\$331 -20/-14</p> <p>\$427 -20/-15</p> <p>\$356 -20/-14</p> <p>\$288 -16/-11</p>	<p>\$331 -20/-14</p> <p>\$427 -20/-15</p> <p>\$356 -20/-14</p> <p>\$288 -16/-11</p>











# TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SEAT, TWO-MAN PASSENGER (CONTINUED)</b>			
<i>Gra-Mag</i>			
Fixed Back, Integrated Headrest in Both Occupant Positions, Cloth, With Under Seat Storage Compartment INCLS: SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position) REQS: Code 16JDU or 16JPA SEAT, DRIVER - for TERRASTAR SFA 4x4 REQS: Code 16JDU, 16JNV, 16JPA or 16JYX SEAT, DRIVER - for TERRASTAR SFA 4x2 REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB N/A: Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JPU(std) and 16JPV SEAT, FRONT BENCH	16PCR	\$617 +4/+2	\$617 +4/+2
Fixed Back, Integrated Headrest in Both Occupant Positions, Mordura Cloth, Less Under Seat Storage Compartment INCLS: SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position) REQS: Code 16JPA SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB N/A: Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JPU(std) and 16JPV SEAT, FRONT BENCH	16LUH	\$434 -11/-7	\$434 -11/-7
Fixed Back, Integrated Headrest in Both Occupant Positions, Mordura Cloth, With Under Seat Storage Compartment INCLS: SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position) REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB N/A: Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JPU(std) and 16JPV SEAT, FRONT BENCH : SEAT, DRIVER	16RXY	\$648 +4/+2	\$648 +4/+2
Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, With Under Seat Storage Compartment INCLS: SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position) REQS: Code 16JDY, 16JHN, 16JHR, 16JNZ, 16JPA or 16LSC SEAT, DRIVER - for TERRASTAR SFA 4x4 REQS: Code 16JDY, 16JHN, 16JHR, 16JJE, 16JNT, 16JNZ, 16JPA, 16JPT, 16LJS or 16LSC SEAT, DRIVER - for TERRASTAR SFA 4x2 REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB N/A: Code 16VBS CONSOLE, CENTER <span style="float: right;">(SEE NEXT PAGE)</span>	16PCP	\$576 -11/-7	\$576 -11/-7





## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>STORAGE POCKET, DOOR</b>  Molded Plastic, Full Width; Mounted on Passenger Door REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16WLE	\$25 +1/0	\$25 +1/0
<b>SUNSHADE, EXTERIOR</b>  Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights  Bright Finish; Includes Integral Clearance/Marker Lights	16XWD  16XWE	\$203 +14/+3  \$473 +12/+5	\$203 +14/+3  \$473 +12/+5
<b>WINDOW, POWER</b>  (04) And Power Door Locks, Front and Rear Doors, Left and Right, Includes Express Down Feature REQS: Code 16WLE or 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16196 CAB  (02) And Power Door Locks, Left and Right Doors, Includes Express Down Feature REQS: Code 16WLE or 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM N/A: Code 16WSG and 16WSJ CAB INTERIOR TRIM : Code 16196 CAB	16WJV  16WJU	\$647 +10/0  \$367 +5/0	\$647 +10/0  \$367 +5/0
<b>WINDSHIELD</b>  Heated, Single Piece REQS: Code 16SDL or 16SDU MIRRORS N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16VSL	\$632 +59/+3	\$632 +59/+3
<b>WINDSHIELD WIPER BLADES</b>  Snow Type	16XWJ	\$26 +2/0	\$26 +2/0
<b>WHEELS, FRONT</b>  DISC; 19.5" Painted Steel, 10-Stud (225mm BC) Hub-Piloted, Flanged Nut, Metric Mount, 6.00 DC Rims; With Steel Hubs REQS: Code 28DAU(std) WHEELS, REAR AVAIL: Code 29AAU TIRE VALVE CAP  DISC; 19.5" Polished Aluminum; 10-Stud (225MM BC) Hub Piloted, Flanged Nut, Metric Mount, 6.00 DC Rims; With Steel Hubs N/A: Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS NOTE: Aluminum Wheels not Painted or Coated	27DAU  27DAV	STD  \$506 -40/0	STD  \$506 -40/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>WHEELS, REAR</b>			
DISC; 19.5" Painted Steel, 10-Stud (225mm BC) Hub-Piloted, Flanged Nut, Metric Mount, 6.00 DC Rims; With Steel Hubs AVAIL: Code 29AAU TIRE VALVE CAP	28DAU	STD	STD
DISC; 19.5" Polished Aluminum Outer Wheel, With Steel Inner Wheel, 10-Stud (225MM BC) Hub Piloted, Flanged Nut, Metric Mount, 6.00 DC Rims; With Steel Hubs REQS: Code 27DAV WHEELS, FRONT N/A: Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS NOTE: Polished Surface Outside Dual Only : Aluminum Wheels not Painted or Coated	28DAV	\$631 0/-40	\$631 0/-40
<b>WHEEL, SPARE, DISC</b>			
19.5" Painted Steel, 10 Stud (225MM BC) Hub Piloted, Flange Nut, Metric Mount, 6.00DC Rim	26DRR	\$135 0/+54	\$135 0/+54
<b>PAINT IDENTITY, FRONT WHEELS</b>			
<i>Accuride</i>			
Disc Front Wheels; With Vendor Applied (PKWHT21) White Powder Coat Paint REQS: Code 27DAU(std) WHEELS, FRONT	29PAR	\$24 0/0	\$24 0/0
Disc Front Wheels; With Vendor Applied (PKGRY21) Gray Powder Coat Paint REQS: Code 27DAU(std) WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAW	\$24 0/0	\$24 0/0
Disc Wheels; With Vendor Applied (PKBLK21) Black Powder Coat Paint REQS: Code 27DAU(std) WHEELS, FRONT	29PBA	\$24 0/0	\$24 0/0
<b>PAINT IDENTITY, REAR WHEELS</b>			
<i>Accuride</i>			
Disc Rear Wheels; With Vendor Applied (PKWHT21) White Powder Coat Paint REQS: Code 28DAU(std) WHEELS, REAR N/A: Code 10632 PAINT IDENTITY, PT-2	29PAS	\$48 0/0	\$48 0/0
Disc Rear Wheels; With Vendor Applied (PKGRY21) Gray Powder Coat Paint REQS: Code 28DAU(std) WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAX	\$48 0/0	\$48 0/0
Disc Wheels; With Vendor Applied (PKBLK21) Black Powder Coat Paint REQS: Code 28DAU(std) WHEELS, REAR	29PBB	\$48 0/0	\$48 0/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>TIRE, SPARE</b>  Equal to Model Standard NOTE: NOTE: Only One Spare Tire per Truck Ordered. Order Must Reflect Number of Tires Required (Including Spare). 10-Digit Tire Code and Spare Rim/Wheel Code Must be Specified.	29007	\$356 0/+63	\$356 0/+63
<b>TIRE VALVE CAP</b>  Flo-Thru Design REQS: Code 27DAV WHEELS, FRONT REQS: Code 28DAV WHEELS, REAR  <b>Alligaro</b>  - V2B - Flo-Thru Design	29ACD	\$24 0/0	\$24 0/0
<b>WHEEL BEARING, FRONT, LUBE</b>  <b>EmGard</b>  - 50W - Synthetic Oil REQS: Code 29SAE WHEEL SEALS, FRONT	29WLA	\$25 0/0	\$25 0/0
<b>WHEEL SEALS, FRONT</b>  <b>Chicago Rawhide</b>  - Nitrile - for Oil Lubricated Wheel Bearings	29SAE	\$31 0/0	\$31 0/0
<b>PAINT, CAB</b>  Single Color for 2,3 or 4-Tone Special Schematics N/A: Code 10060(std), 10208, 10209, 10211, 10212, 10214, 10216, 10220, 10221 and 10222 PAINT SCHEMATIC, PT-1	35100	N/C 0/0	N/C 0/0
Two-Tone, With 1-2 Breaks on Cab. N/A: Code 10060(std), 10208, 10209, 10211, 10212, 10214, 10216, 10220, 10221 and 10222 PAINT SCHEMATIC, PT-1	35200	\$158 0/0	\$158 0/0
Two-Tone, With 3-4 Breaks on Cab N/A: Code 10060(std), 10208, 10209, 10211, 10212, 10214, 10216, 10220, 10221 and 10222 PAINT SCHEMATIC, PT-1	35216	\$219 0/0	\$219 0/0
Two-Tone, With 5 & Up Breaks on Cab N/A: Code 10060(std), 10208, 10209, 10211, 10212, 10214, 10216, 10220, 10221 and 10222 PAINT SCHEMATIC, PT-1	35248	\$279 0/0	\$279 0/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	CODE	MODEL/SUGGESTED LIST PRICE/WEIGHT	
		NOTE: WEIGHTS - FRONT/REAR	
		TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>PAINT HOOD, CONVENTIONAL CAB</b>			
Two-Tone, with 1-2 Breaks on Hood.	35207	\$158 0/0	\$158 0/0
Two-Tone, with 3-4 Breaks on Hood.	35223	\$219 0/0	\$219 0/0
Solid Color for 2, 3, or 4-Tone Special Schematics	35107	N/C 0/0	N/C 0/0
<b>WARRANTY</b>			
TerraStar Standard 36 Month/36,000 Miles	40038	N/C 0/0	N/C 0/0
<b>SERVICES, TOWING</b>			
To 24-Month/Unlimited Mileage; Service Call to the Vehicle or Towing to the Nearest International Dealership for a Non-Drivable Unit in Conjunction with an International Warrantable Failure; \$275 (USA) Maximum Benefit per Incident	40JYW	\$420	\$420
To 24-Month/Unlimited Mileage; Service Call to the Vehicle or Towing to the Nearest International Dealership for a Non-Drivable Unit in Conjunction with an International Warrantable Failure; \$550 (USA) Maximum Benefit per Incident	40JZA	\$600	\$600
To 36-Month/Unlimited Mileage; Service Call to the Vehicle or Towing to the Nearest International Dealership for a Non-Drivable Unit in Conjunction with an International Warrantable Failure; \$275 (USA) Maximum Benefit per Incident	40JYX	\$630	\$630
To 36-Month/Unlimited Mileage; Service Call to the Vehicle or Towing to the Nearest International Dealership for a Non-Drivable Unit in Conjunction with an International Warrantable Failure; \$550 (USA) Maximum Benefit per Incident	40JZB	\$900	\$900
To 48-Month/Unlimited Mileage; Service Call to the Vehicle or Towing to the Nearest International Dealership for a Non-Drivable Unit in Conjunction with an International Warrantable Failure; \$275 (USA) Maximum Benefit per Incident	40JYY	\$770	\$770
To 48-Month/Unlimited Mileage; Service Call to the Vehicle or Towing to the Nearest International Dealership for a Non-Drivable Unit in Conjunction with an International Warrantable Failure; \$550 (USA) Maximum Benefit per Incident	40JZC	\$1,100	\$1,100
To 60-Month/Unlimited Mileage; Service Call to the Vehicle or Towing to the Nearest International Dealership for a Non-Drivable Unit in Conjunction with an International Warrantable Failure; \$275 (USA) Maximum Benefit per Incident	40JYZ	\$980	\$980



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SERVICES, TOWING</b> (CONTINUED)			
To 60-Month/Unlimited Mileage; Service Call to the Vehicle or Towing to the Nearest International Dealership for a Non-Drivable Unit in Conjunction with an International Warrantable Failure; \$550 (USA) Maximum Benefit per Incident	40JZD	\$1,400	\$1,400
<b>SRV CONT, EXT AFTERTREATMENT</b>			
To 36-Month/175,000 Miles (280,000 km), 6,300 Hours; Aftertreatment Coverage for MaxxFORCE DT, MaxxFORCE 7, MaxxFORCE 9 and MaxxFORCE 10 N/A: SRV CONTRACT, EXT ENGINE	40KCM	\$800	\$800
To 36-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxFORCE DT, MaxxFORCE 7, MaxxFORCE 9 and MaxxFORCE 10 N/A: SRV CONTRACT, EXT ENGINE	40KCN	\$900	\$900
To 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxFORCE DT, MaxxFORCE 7, MaxxFORCE 9 and MaxxFORCE 10 N/A: SRV CONTRACT, EXT ENGINE	40KCP	\$1,800	\$1,800
To 48-Month/125,000 Miles (200,000 km), 4,500 Hours; Aftertreatment Coverage for MaxxFORCE DT, MaxxFORCE 7, MaxxFORCE 9 and MaxxFORCE 10 N/A: SRV CONTRACT, EXT ENGINE	40KCR	\$600	\$600
To 48-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxFORCE DT, MaxxFORCE 7, MaxxFORCE 9 and MaxxFORCE 10 N/A: SRV CONTRACT, EXT ENGINE	40KCS	\$800	\$800
To 48-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxFORCE DT, MaxxFORCE 7, MaxxFORCE 9 and MaxxFORCE 10 N/A: SRV CONTRACT, EXT ENGINE	40KCT	\$1,200	\$1,200
To 48-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxFORCE DT, MaxxFORCE 7, MaxxFORCE 9 and MaxxFORCE 10 N/A: SRV CONTRACT, EXT ENGINE	40KCU	\$1,600	\$1,600
To 48-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxFORCE DT, MaxxFORCE 7, MaxxFORCE 9 and MaxxFORCE 10 N/A: SRV CONTRACT, EXT ENGINE	40KCV	\$2,000	\$2,000
To 60-Month/125,000 Miles (200,000 km), 4,500 Hours; Aftertreatment Coverage for MaxxFORCE DT, MaxxFORCE 7, MaxxFORCE 9 and MaxxFORCE 10 N/A: SRV CONTRACT, EXT ENGINE	40KCW	\$800	\$800
To 60-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxFORCE DT, MaxxFORCE 7 and MaxxFORCE 9 REQS: Code 40GXT, 40GXU, 40GXV or 40GXW SRV CONTRACT, EXT ENGINE	40HYP	\$1,100	\$1,100



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SRV CONT, EXT AFTERTREATMENT (CONTINUED)</b>			
To 60-Month/175,000 Miles (280,000 km), 6,300 Hours; Aftertreatment Coverage for MaxxFoRce DT, MaxxFoRce 7, MaxxFoRce 9 and MaxxFoRce 10 N/A: SRV CONTRACT, EXT ENGINE	40KCX	\$1,200	\$1,200
To 60-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxFoRce DT, MaxxFoRce 7 and MaxxFoRce 9 REQS: Code 40GXV or 40GXW SRV CONTRACT, EXT ENGINE	40HYR	\$1,500	\$1,500
To 60-Month/225,000 Miles (360,000 km), 8,100 Hours; Aftertreatment Coverage for MaxxFoRce DT, MaxxFoRce 7, MaxxFoRce 9 and MaxxFoRce 10 N/A: SRV CONTRACT, EXT ENGINE	40KCY	\$1,700	\$1,700
To 60-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxFoRce DT, MaxxFoRce 7 and MaxxFoRce 9 REQS: Code 40GXW SRV CONTRACT, EXT ENGINE	40HYS	\$2,000	\$2,000
To 60-Month/275,000 Miles (440,000 km), 9,900 Hours; Aftertreatment Coverage for MaxxFoRce DT, MaxxFoRce 7, MaxxFoRce 9 and MaxxFoRce 10 N/A: SRV CONTRACT, EXT ENGINE	40KCZ	\$2,200	\$2,200
To 60-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxFoRce DT, MaxxFoRce 7 and MaxxFoRce 9 N/A: SRV CONTRACT, EXT ENGINE	40HYT	\$2,500	\$2,500
To 72-Month/100,000 Miles (160,000 km), 3,600 Hours; Aftertreatment Coverage for MaxxFoRce DT, MaxxFoRce 7, MaxxFoRce 9 and MaxxFoRce 10 N/A: SRV CONTRACT, EXT ENGINE	40KDA	\$1,200	\$1,200
To 72-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxFoRce DT, MaxxFoRce 7, MaxxFoRce 9 and MaxxFoRce 10 N/A: SRV CONTRACT, EXT ENGINE	40KDB	\$1,400	\$1,400
To 72-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxFoRce DT, MaxxFoRce 7, MaxxFoRce 9 and MaxxFoRce 10 N/A: SRV CONTRACT, EXT ENGINE	40KDC	\$1,800	\$1,800
To 84-Month/100,000 Miles (160,000 km), 3,600 Hours; Aftertreatment Coverage for MaxxFoRce DT, MaxxFoRce 7, MaxxFoRce 9 and MaxxFoRce 10 N/A: SRV CONTRACT, EXT ENGINE	40KDD	\$1,600	\$1,600
To 84-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxFoRce DT, MaxxFoRce 7, MaxxFoRce 9 and MaxxFoRce 10 N/A: SRV CONTRACT, EXT ENGINE	40KDE	\$1,800	\$1,800



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SRV CONT, EXT AFTERTREATMENT (CONTINUED)</b>  To 84-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxFer DT, MaxxFer 7, MaxxFer 9 and MaxxFer 10 N/A: SRV CONTRACT, EXT ENGINE	40KDG	\$2,200	\$2,200
<b>SRV CONTRACT, EXT COOLING SYS</b>  To 36-Month/100,000 Miles (160,000 km)	40JWC	N/A	\$140
To 36-Month/150,000 Miles (240,000 km)	40JWD	N/A	\$160
To 36-Month/200,000 Miles (320,000 km)	40JWE	N/A	\$220
To 36-Month/50,000 Miles (80,000 km)	40JWB	N/A	\$120
To 48-Month/100,000 Miles (160,000 km)	40JWT	N/A	\$220
To 48-Month/150,000 Miles (240,000 km)	40JWU	N/A	\$280
To 48-Month/200,000 Miles (320,000 km)	40JWV	N/A	\$400
To 48-Month/50,000 Miles (80,000 km)	40JWG	N/A	\$180
To 60-Month/100,000 Miles (160,000 km)	40JWX	N/A	\$280
To 60-Month/150,000 Miles (240,000 km)	40KBH	N/A	\$360
To 60-Month/200,000 Miles (320,000 km)	40KBJ	N/A	\$480
To 60-Month/250,000 Miles (400,000 km)	40KBK	N/A	\$620
To 60-Month/50,000 Miles (80,000 km)	40JWW	N/A	\$240
<b>SRV CONTRACT, EXT ENGINE</b>  To 48-Month/200,000 Miles (320,000 km), 7200 Hours; Includes Engine, Engine Electronics, and Injectors; for MaxxFer 7 Engines N/A: SRV CONT, EXT AFTERTREATMENT  To 48-Month/200,000 Miles (320,000 km), 7200 Hours; Includes Engine, Engine Electronics, Excludes Injectors; for MaxxFer 7 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40GXP	\$1,400	\$1,400
	40GYW	\$1,180	\$1,180



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SRV CONTRACT, EXT ENGINE</b> (CONTINUED)			
To 60-Month/100,000 Miles (160,000 km), 3600 Hours; Includes Engine, Engine Electronics, and Injectors; for MaxxFORCE 7 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40GXR	\$700	\$700
To 60-Month/100,000 Miles (160,000 km), 3600 Hours; Includes Engine, Engine Electronics, Excludes Injectors; for MaxxFORCE 7 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40GYX	\$600	\$600
To 60-Month/125,000 Miles (200,000 km), 4500 Hours; Includes Engine, Engine Electronics, and Injectors; for MaxxFORCE 7 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40GXS	\$900	\$900
To 60-Month/125,000 Miles (200,000 km), 4500 Hours; Includes Engine, Engine Electronics, Excludes Injectors; for MaxxFORCE 7 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40GY Y	\$760	\$760
To 60-Month/150,000 Miles (240,000 km), 5400 Hours; Includes Engine, Engine Electronics, and Injectors; for MaxxFORCE 7 Engines AVAIL: Code 40HYP SRV CONT, EXT AFTERTREATMENT	40GXT	\$1,100	\$1,100
To 60-Month/150,000 Miles (240,000 km), 5400 Hours; Includes Engine, Engine Electronics, Excludes Injectors; for MaxxFORCE 7 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40GYZ	\$920	\$920
To 60-Month/175,000 Miles (280,000 km), 6300 Hours; Includes Engine, Engine Electronics, and Injectors; for MaxxFORCE 7 Engines AVAIL: Code 40HYP SRV CONT, EXT AFTERTREATMENT	40GXU	\$1,560	\$1,560
To 60-Month/175,000 Miles (280,000 km), 6300 Hours; Includes Engine, Engine Electronics, Excludes Injectors; for MaxxFORCE 7 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40GZA	\$1,320	\$1,320
To 60-Month/200,000 Miles (320,000 km), 7200 Hours; Includes Engine, Engine Electronics, and Injectors; for MaxxFORCE 7 Engines AVAIL: Code 40HYP and 40HYR SRV CONT, EXT AFTERTREATMENT	40GXV	\$2,000	\$2,000
To 60-Month/200,000 Miles (320,000 km), 7200 Hours; Includes Engine, Engine Electronics, Excludes Injectors; for MaxxFORCE 7 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40GZB	\$1,680	\$1,680
To 60-Month/250,000 Miles (400,000 km), 9000 Hours; Includes Engine, Engine Electronics, and Injectors; for MaxxFORCE 7 Engines AVAIL: Code 40HYP, 40HYR and 40HYS SRV CONT, EXT AFTERTREATMENT	40GXW	\$2,900	\$2,900



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SRV CONTRACT, EXT ENGINE (CONTINUED)</b>  To 60-Month/250,000 Miles (400,000 km), 9000 Hours; Includes Engine, Engine Electronics, Excludes Injectors; for MaxxForce 7 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40GZC	\$2,440	\$2,440
<b>SRV CONTRACT, EXT MAJOR COMP</b>  To 36-Month/100,000 Miles (160,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JWM	N/A	\$460
To 36-Month/150,000 Miles (240,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JWP	N/A	\$580
To 36-Month/200,000 Miles (320,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JWR	N/A	\$760
To 36-Month/50,000 Miles (80,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JWN	N/A	\$380
To 48-Month/100,000 Miles (160,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JWY	N/A	\$760
To 48-Month/150,000 Miles (240,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JWZ	N/A	\$920
To 48-Month/200,000 Miles (320,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JXA	N/A	\$1,380
To 48-Month/50,000 Miles (80,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JWS	N/A	\$420



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SRV CONTRACT, EXT MAJOR COMP</b> (CONTINUED)			
To 60-Month/100,000 Miles (160,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JXC	N/A	\$1,280
To 60-Month/150,000 Miles (240,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JXD	N/A	\$1,680
To 60-Month/200,000 Miles (320,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JXE	N/A	\$2,320
To 60-Month/250,000 Miles (400,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JXG	N/A	\$3,040
To 60-Month/50,000 Miles (80,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions	40JXB	N/A	\$960
<b>SRV CONTRACT, EXT VEH COVERAGE</b>			
To 36-Month/ 100,000 Miles (160,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40CNM	N/A	\$1,700
To 36-Month/ 150,000 Miles (240,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40CNT	N/A	\$2,100
To 36-Month/50,000 Miles (80,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40JVK	N/A	\$1,380
To 48-Month/ 150,000 Miles (240,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40CNV	N/A	\$3,440
To 48-Month/ 200,000 Miles (320,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40CNW	N/A	\$5,020



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)</b>			
To 48-Month/100,000 Miles (160,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DPT	\$800 0/0	\$800 0/0
To 48-Month/100,000 Miles (160,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40JVM	N/A	\$2,780
To 48-Month/125,000 Miles (200,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DPU	\$1,260 0/0	\$1,260 0/0
To 48-Month/150,000 Miles (240,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DPV	\$1,760 0/0	\$1,760 0/0
To 48-Month/175,000 Miles (280,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DPW	\$2,320 0/0	\$2,320 0/0
To 48-Month/200,000 Miles (320,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DPX	\$2,960 0/0	\$2,960 0/0
To 48-Month/225,000 Miles (360,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DPY	\$3,720 0/0	\$3,720 0/0
To 48-Month/250,000 Miles (400,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DPZ	\$4,580 0/0	\$4,580 0/0
To 48-Month/50,000 Miles (80,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DPR	\$240 0/0	\$240 0/0
To 48-Month/50,000 Miles (80,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40JVL	N/A	\$2,260
To 48-Month/75,000 Miles (120,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DPS	\$460 0/0	\$460 0/0

TERRASTAR SFA 4x2  
TERRASTAR SFA 4x4  
PLM-282 REVISION NO. 28C  
Printed in the United States of America

SECTION 072  
PAGE 072-66

PRICES EFFECTIVE 07/12/2013  
SUBJECT TO CHANGE WITHOUT NOTICE  
All Taxes Extra, When Applicable



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)</b>			
To 60-Month/ 150,000 Miles (240,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40CNX	N/A	\$4,420
To 60-Month/ 200,000 Miles (320,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40CNS	N/A	\$6,020
To 60-Month/100,000 Miles (160,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DRC	\$880 0/0	\$880 0/0
To 60-Month/100,000 Miles (160,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40JVP	N/A	\$3,580
To 60-Month/125,000 Miles (200,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DRD	\$1,260 0/0	\$1,260 0/0
To 60-Month/150,000 Miles (240,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DRE	\$1,860 0/0	\$1,860 0/0
To 60-Month/175,000 Miles (280,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DRG	\$2,540 0/0	\$2,540 0/0
To 60-Month/200,000 Miles (320,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DRH	\$3,300 0/0	\$3,300 0/0
To 60-Month/225,000 Miles (360,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DRJ	\$4,140 0/0	\$4,140 0/0
To 60-Month/250,000 Miles (400,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40DRK	\$5,080 0/0	\$5,080 0/0
To 60-Month/250,000 Miles (400,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less	40JVR	N/A	\$7,620



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)</b>  To 60-Month/50,000 Miles (80,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less  To 60-Month/50,000 Miles (80,000 km), Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less  To 60-Month/75,000 Miles (120,000 km); Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less  To 36-Month/ 200,000 Miles (320,000 km), for Use with Manual Transmission, Covers 100% Parts and Labor, Excludes Extending Warranty for Engine and Allison Transmission	40DRA    40JVN    40DRB    40CNU	\$280 0/0  N/A  \$480 0/0  N/A	\$280 0/0  \$2,900  \$480 0/0  \$2,800
<b>BDY INTG, REMOTE POWER MODULE</b>  (02) Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp. Total per Power Module (Includes 2 Switch Packs With Latched Switches) N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID  Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 1 Switch Pack With Latched Switches) N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16SBA BUNK, LOWER  Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp. Total (Includes 1 Switch Pack With Latched Switches) N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID	60AAB    60AAG    60AAA	\$1,150 0/0  \$575  \$575 0/0	\$1,150 0/0  N/A  \$575 0/0
<b>BDY INTG, DASH IND. LT RED</b>  (1) for Optional Usage Customer to Program  (2) for Optional Usage Customer to Program  (3) for Optional Usage Customer to Program  (6) for Optional Usage Customer to Program	60AJR  60AJS  60AJT  60AJU	\$98 0/0  \$116 0/0  \$133 0/0  \$266 0/0	\$98 0/0  \$116 0/0  \$133 0/0  \$266 0/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>BDY INTG, DASH IND. LT GREEN</b>			
(1) for Optional Usage Customer to Program	60AJV	\$98 0/0	\$98 0/0
(2) for Optional Usage Customer to Program	60AJW	\$116 0/0	\$116 0/0
(3) for Optional Usage Customer to Program	60AJX	\$133 0/0	\$133 0/0
(6) for Optional Usage Customer to Program	60AJY	\$266 0/0	\$266 0/0
<b>BDY INTG, DASH IND. LT YELLOW</b>			
(1) for Optional Usage Customer to Program	60AJZ	\$98 0/0	\$98 0/0
(2) for Optional Usage Customer to Program	60AKA	\$116 0/0	\$116 0/0
(3) for Optional Usage Customer to Program	60AKB	\$133 0/0	\$133 0/0
(6) for Optional Usage Customer to Program	60AKC	\$266 0/0	\$266 0/0
<b>BDY INTG, HEADLIGHTS, WIG WAG</b>			
High Beam Wig Wag With Park Brake Interlock, Park Brake Disables High Beam Wig Wag, Enables Low Beam Wig Wag	60AKL	\$268 0/0	\$268 0/0
High Beam Wig Wag With Park Brake Interlock, Park Brake Disables Wig Wag	60AKK	\$268 0/0	\$268 0/0
<b>BDY INTG, INDICATOR LIGHTS</b> NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE			
(02) 1 for Gate Open and 1 for Rear Alert, Includes Audible Alarm, Programmable Mode for Various Switch Action (requires 2 Remote Power Module inputs) REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4 REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2 N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID	60AJC	\$83 0/0	\$83 0/0
(02) 1 for Body Up, 1 for Gate Open, Includes Audible Alarm, Programmable Mode for Various Switch Actions. (Requires 2 Remote Power Module Inputs) REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4 REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2  (SEE NEXT PAGE)	60AJK	\$83 0/0	\$83 0/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<p><b>BDY INTG, INDICATOR LIGHTS (SEE PREV PAGE)</b> NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID</p> <p>(02) 1 for Boom Out of Stow, 1 for Outriggers Deployed, Includes Audible Alarm and Interlock to Parking Brake, Programmable Mode for Various Switch Actions (requires 2 Remote Power Module inputs) REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4 REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2 N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID</p>	<p>60AJK</p> <p>60AJD</p>	<p></p> <p>\$83      0/0</p>	<p></p> <p>\$83      0/0</p>
<p><b>BDY INTG, I/O EXPANSION HARNESS</b> - for Diamond Logic Bullder - In-Cab wire harness (DLB) program only, Includes a harness with five blunt cut wires routed on lower left of instrument panel. Two ground active inputs and two (.5Amp) relay drivers outputs are provided N/A: Code 60ACX BDY INTG, THEFT DETERRENT SYS AVAIL: Code 60ABD BDY INTG, REMOTE START/STOP</p>	<p>60ACW</p>	<p>\$71      +1/0</p>	<p>\$71      +1/0</p>
<p><b>BDY INTG, PTO ACCOMMODATION</b> NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>for Electric over Air, Clutched PTO Engagement and Disengagement, Does not include Air Solenoid, With Latched Switch Mounted on Dash, Includes Audible Alarm and Indicator Light in Gauge Cluster (requires 1 Remote Power Module Input &amp; 1 Output) REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4 REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2 N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED - for TERRASTAR SFA 4x2</p> <p>for Electric over Hydraulic PTO, Does Not Include Solenoids, With Latched Switch Mounted on Dash Includes Audible Alarm and Indicator Light in Gauge Cluster (Requires 1 Remote Power Module input &amp; 1 output) REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4 REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2  (SEE NEXT PAGE)</p>	<p>60ABL</p> <p>60ABE</p>	<p>N/C      0/0</p> <p>N/C      0/0</p>	<p>N/C      0/0</p> <p>N/C      0/0</p>



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR				
	CODE	TERRASTAR SFA 4x2		TERRASTAR SFA 4x4	
<p><b>BDY INTG, PTO ACCOMMODATION (SEE PREV PAGE)</b> NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED - for TERRASTAR SFA 4x2</p> <p>Accommodation for Electric over Air, Non Clutched PTO Engagement and Disengagement, Does not Include Air Solenoid, With Momentary Switch Mounted on Dash, Includes Audible Alarm and Indicator Light in Gauge Cluster (requires 1 Remote Input Power Module Input &amp; 1 Output) REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4 REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2</p> <p>N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED - for TERRASTAR SFA 4x2</p> <p>for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, With Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : BDY INTG, SWITCH, INTERLOCKED : Code 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS - for TERRASTAR SFA 4x4 : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS - for TERRASTAR SFA 4x2 : Code 13XAA PTO CONTROL, DASH MOUNTED - for TERRASTAR SFA 4x2</p> <p>for Monitoring Cable Shift Engaged PTO, With Indicator Light and Audible Alarm in Gauge Cluster (requires 1 Remote Power Module input) REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4 REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2</p> <p>N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED - for TERRASTAR SFA 4x2</p>	60ABE				
	60ABK	N/C	0/0	N/C	0/0
	60AKG	\$148	0/0	\$148	0/0
	60ABA	N/C	0/0	N/C	0/0



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
	CODE	TERRASTAR SFA 4x2		TERRASTAR SFA 4x4
<b>BDY INTG, REMOTE START/STOP</b>  To Start and Stop Vehicle Engine N/A: Code 16VSL WINDSHIELD : Code 08THJ AUXILIARY HARNESS : Code 08WEE SWITCH, AIR HORN, PASSENGER : Code 60ACW BDY INTG,I/O EXPANSION HARNESS  To Start and Stop Vehicle Engine, Will Start Emergency Pump Motor, Programmable Time Intervals N/A: Code 16VSL WINDSHIELD : Code 08THJ AUXILIARY HARNESS : Code 08WEE SWITCH, AIR HORN, PASSENGER	60ABC	\$563	0/0	\$563 0/0
	60ABD	\$563	0/0	\$563 0/0
<b>BDY INTG, RPM I/O HARNESS</b>  Includes a Harness with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with one RPM REQS: Code 60AAA BDY INTG, REMOTE POWER MODULE  Includes Two Harnesses with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with Two RPM REQS: Code 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2	60ABM	\$40	0/0	\$40 0/0
	60ABN	\$62	0/0	\$62 0/0
<b>BDY INTG, SWITCH DUAL OUTPUT</b> NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE  2 Position Latched Rocker, Backlit, with "ON" Indicator Mounted on Dash, for 1; Auxiliary Load 40 amp Maximum; Power Available Only in "Ignition" or "Accessory" Position; Controls 2 Remote Power Modules (requires 2 Remote Power Module outputs) REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4 REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2 N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID	60ACE	N/C	0/0	N/C 0/0
	60ACH	N/C	0/0	N/C 0/0
<b>BDY INTG, SWITCH, INTERLOCKED</b> NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE  (02) 2 Position Latched Rockers, Backlit, with "ON" Indicator Mtd on Dash, for 2; Auxiliary Load each 20 amp Maximum; Outputs will Disengage when Vehicle Exceeds 30 MPH, Programmable; Power Available Only in "Ignition" or "Accessory" Position (requires 2 Remote Power Module outputs) REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2 N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID	60ACH	N/C	0/0	N/C 0/0





## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR				
	CODE	TERRASTAR SFA 4x2		TERRASTAR SFA 4x4	
<p><b>BDY INTG, THROTTLE CONTROL</b> NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>Accommodation for Single Customer Mounted External Engine Speed Control Switch, Programmable Mode for Various Switch Actions and Engine Speed Control Option; Useable Only While Vehicle is Stopped and the Park Brake is Applied (requires 1 Remote Power Module input) INCLS: NOTE: Default Parameters: Input is 12 Volts = Engine goes into First Preset Speed; Input is Open = No Change; Input is Ground = Engine Returns to Idle REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4 REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2 REQS: Code 12VXU THROTTLE, HAND CONTROL, when in combination with Code 12NVE ENGINE, DIESEL N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID</p> <p>Accommodation for Single Customer Mounted Momentary Switch, for Refuse Applications, Programmable Mode Various Switch Actions, Useable Only While Vehicle is Stopped and the Park Brake is Applied (requires 1 Remote Power Module input) INCLS: NOTE: Default Parameters: Input is 12 Volts = Engine goes into First Preset Speed as Long as Ground is Present; Input is Open = Engine Returns to Idle REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4 REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2 REQS: Code 12VXU THROTTLE, HAND CONTROL, when in combination with Code 12NVE ENGINE, DIESEL N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID</p> <p>Accommodation for On Demand Engine Speed for Single Customer Mounted Pressure Switch, Programmable Mode for Various Switch Actions, Useable Only While Vehicle is Stopped and the Park Brake is Applied (requires 1 Remote Power Module input) INCLS: NOTE: Default Parameters: Input is Ground = Engine goes into First Preset Speed as Long as Ground is Present (On-Demand); Input is Open = Engine Returns to Idle REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4 REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2 REQS: Code 12VXU THROTTLE, HAND CONTROL, when in combination with Code 12NVE ENGINE, DIESEL N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID</p>	60AJA	N/C	0/0	N/C	0/0
	60AJJ	N/C	0/0	N/C	0/0
	60AJE	\$83	0/0	\$83	0/0

TERRASTAR SFA 4x2  
TERRASTAR SFA 4x4  
PLM-282 REVISION NO. 28C  
Printed in the United States of America

SECTION 072  
PAGE 072-74

PRICES EFFECTIVE 07/12/2013  
SUBJECT TO CHANGE WITHOUT NOTICE  
All Taxes Extra, When Applicable



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<p><b>BDY INTG, THROTTLE CONTROL (CONTINUED)</b> NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>for Dual Function Input, for Utility Applications, Remote Throttle Control When Engine is Running, &amp; Activating Output for Emergency Power When the Engine is Not Engaged; Useable Only When Vehicle is Stopped and Park Brake is Applied (requires 1 Remote Power Module input &amp; output)</p> <p>REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4</p> <p>REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2</p> <p>REQS: Code 12VXU THROTTLE, HAND CONTROL, when in combination with Code 12NVE ENGINE, DIESEL</p> <p>N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID</p>	60AJH	\$83 0/0	\$83 0/0
<p>Accommodation for Single Customer Mounted External Engine Speed Control Switch, for Utility Applications, Programmable Mode for Various Switch Actions and Engine Speed Control Option, Only with Vehicle Stopped and Park Brake is Applied (requires 1 Remote Power Module input)</p> <p>INCLS: NOTE: Default Parameters: Input is Momentary Ground = Engine Speed Toggles Between Preset Speed and Idle each Time the Input is Grounded</p> <p>REQS: Code 60AAA or 60AAB BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x4</p> <p>REQS: Code 60AAA, 60AAB or 60AAG BDY INTG, REMOTE POWER MODULE - for TERRASTAR SFA 4x2</p> <p>REQS: Code 12VXU THROTTLE, HAND CONTROL, when in combination with Code 12NVE ENGINE, DIESEL</p> <p>N/A: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID</p>	60AJG	\$83 0/0	\$83 0/0
<p><b>INTEGRATED BODY</b></p> <p>Dump Body, Requires 84" CA; Body to be Installed at TSC</p> <p>Landscape Body, Requires 84" CA; Body to be Installed at TSC</p> <p>Service Body, Requires 84" CA; Body to be Installed at TSC</p> <p>Flatbed/Stake Body, Requires 84" CA; Body to be Installed at TSC</p> <p>Flatbed Gooseneck Body, Requires 84" CA; Body to be Installed at TSC</p>	60KKP 60KKR 60KKS 60KKU 60KKT	N/C N/C N/C N/C N/C	N/C N/A N/A N/A N/A



## TERRASTAR SFA 4x2 AND TERRASTAR SFA 4x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	TERRASTAR SFA 4x2	TERRASTAR SFA 4x4
<b>TIRES</b>			
225/70R19.5 12-PR LR-F XZE	7629448853	STD	STD
<i>Continental Tire</i>			
225/70R19.5 14-PR LR-G HDR	7779445408	\$35 -1	N/A
<i>Michelin</i>			
225/70R19.5 12-PR LR-F XZE	7629443253	\$109 -2	\$109 -2
<i>Bridgestone</i>			
225/70R19.5 12-PR LR-F M729F	7709449040	\$86 +4	\$86 +4
225/70R19.5 12-PR LR-F R250F	7709449047	\$36CR 0	N/A
<i>Goodyear</i>			
225/70R19.5 12-PR LR-F G647 RSS	7709440101	N/A	\$131 -1
225/70R19.5 12-PR LR-F G622 RSD	7709448102	N/A	\$138 0
225/70R19.5 14-PR LR-G G647 RSS	7779440101	\$134 +1	\$134 +1
225/70R19.5 14-PR LR-G G622 RSD	7779448102	\$137 +1	\$137 +1
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			