



MISSOURI DEPARTMENT OF TRANSPORTATION  
 GENERAL SERVICES DIVISION  
 FLEET SECTION

**NOTIFICATION OF STATEWIDE CONTRACT**

**CONTRACT TITLE:** Light Duty Automotive ¾ and above vehicles.

**CURRENT CONTRACT PERIOD:** 2009 Model Year

**BUYER INFORMATION:** [Jerry Dunn](#)  
[573-526-7932](tel:573-526-7932)  
[jerry.dunn@modot.mo.gov](mailto:jerry.dunn@modot.mo.gov)

<b>RENEWAL INFORMATION</b>	Bid prices should be firm for purchase until the end of the 2009 model year. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.
----------------------------	---

ALL PURCHASES MADE UNDER THIS CONTRACT MUST BE FOR **PUBLIC USE ONLY**.  
 PURCHASES FOR PERSONAL USE BY PUBLIC EMPLOYEES OR OFFICIALS ARE PROHIBITED.

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	371295326	Gem City Ford Lincoln Mercury 5101 Broadway Quincy IL 62305 800-647-5475 Danny Schwartz <a href="mailto:bpn@gemcityford.com">bpn@gemcityford.com</a>	All	Yes
3-080919HD	430918670	Joe Machens Ford 1911 West Worley Columbia MO 65203 573-445-4411 Ext. 119 Steve Veltrop Jr. <a href="mailto:sveltropjr@machens.com">sveltropjr@machens.com</a>		



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	431545793	Lou Fusz Ford # 2 Caprice Dr. Chesterfield MO 63005 636-532-9955 Andy Eldridge <a href="mailto:andyeldridge@fusz.com">andyeldridge@fusz.com</a>	All	Yes
3-080918HD	430834994	Dave Sinclair Ford Inc 7466 S. Lindbergh St. Louis MO 63125 314-892-2600 Les Williams <a href="mailto:lwilliams@davesinclair.com">lwilliams@davesinclair.com</a>	All	Yes
3-080919HD	480582387	Shawnee Mission Ford 11501 W. Shawnee Mission Pkwy . Shawnee KS 66203-0179 913-248-2287 Jay Cooper <a href="mailto:Jay.cooper@shawneemissionford.com">Jay.cooper@shawneemissionford.com</a>	All	Yes
3-080919HD	480674662	Midway truck Center Inc. 7601 NE. 38 <sup>th</sup> Street Kansas City MO 64161 816-455-3000 Debi Jones <a href="mailto:djones@midwaytrucks.com">djones@midwaytrucks.com</a>	All	Yes
3-080919HD	440527460	Putnam Chevrolet 500 W. Buchanan California MO 65018 Derek VanLoo 573-796-2131 <a href="mailto:derekvanloo@putnamchevrolet.com">derekvanloo@putnamchevrolet.com</a>	All	Yes
3-080919HD	431327002	Don Brown Chevrolet 2244 Kingshighway St. Louis MO 63110 Dave Helterbrand 314-772-1400 <a href="mailto:dave@donbrownchevrolet.com">dave@donbrownchevrolet.com</a>	All	Yes
3-080919HD	730945947	Carter Chevrolet Agency LLC 214 W. Oklahoma Ave. Okarche OK 73762 Susie Clements 405-263-1137 / 800-343-5484 <a href="mailto:sclements@carterchev.biz">sclements@carterchev.biz</a>	All	Yes



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	203942879	Don Brown Automotive Group 3300 S. Kingshighway St. Louis MO 63139 Dave Helterbrand 314-772-1400 <a href="mailto:dave@donbrownchevrolet.com">dave@donbrownchevrolet.com</a>	All	Yes
3-080919HD	431289357	West Brothers #3 North Service Rd. Sullivan MO 63080 John Schaefferkoetter 888-468-3178 <a href="mailto:johns@westbrothers.com">johns@westbrothers.com</a>	All	Yes
3-080919HD	43126283	Lou Fusz Dodge 3480 Highway K O'Fallon MO 63368 Rick David 636-442-8100 <a href="mailto:rickdavid@fusz.com">rickdavid@fusz.com</a>	All	Yes
3-080919HD	431057804	Southtown Dodge 7127 S. Lindbergh St. Louis MO 63125 Wayne Cunningham 314-487-1010 <a href="mailto:bussinesslink@southtowndodge.com">bussinesslink@southtowndodge.com</a>	All	Yes
3-080919HD	431618228	Kieth Beck Auto Group 16877 Hwy. 5 Boonville MO 65233 Ken Carey 660-882-8800 <a href="mailto:ken@keithbeckautogroup.com">ken@keithbeckautogroup.com</a>	All	Yes
3-080919HD	730751281	Johnsons of Kingfisher 1801 S. Main St. Fingfisher OK 73750 Mike Johnson 405-375-5718 <a href="mailto:johnsonkgfr@aol.com">johnsonkgfr@aol.com</a>	All	yes



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Gem City**

**ITEM # 10 - New standard equipped 2009 Model 15000 LB. GVWR Chassis-Cab LWB With DRW**

**MAKE/MODEL: Ford f450**

**PRICE : \$ 30250.00**

**Last Order Date 3/20/09**

**All units bid must contain the following options.**

- Standard minimum V8 diesel engine with the highest cooling capacity (Size 6.4L) Horsepower 325)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225/70/19.5)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**Fuel Capacity 40 gal**

**Oil Capacity 15 qt**

**GVWR 16500**

**OPTIONAL EQUIPMENT PRICES, Item # 10**

**Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.**

**Option 10A. Mounted 12' platform body meeting Specification E1320**

**EACH \$ 3540.00      MAKE Knap      MODEL PVMX 123C**

**Option 10B. Mounted 11' platform dump body meeting Specification E1327**

**EACH \$ 5770.00      MAKE Knap      MODEL PVMX 113C**

**Option 10C.      Permanently installed bulkhead to fit truck application (minimum requirement to top      of cab)**

**EACH \$780.00**

**Option 10D.      Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ 6120 Diesel / Gas \$ 6080.00**



Option 10E. Mounted standard utility tool body. Acceptable makes and models are:

**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Knapeheide 6132D54J , Stahl CHALLENGER II 132VVD-54  
Reading CLASSIC II 132A DW Omaha 132D54V  
RKI L84DW94

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 5965.00 MAKE Knap MODEL 6132D54J**

Option 10F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments

**EACH \$ 1540.00**

Option 10G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

**EACH \$ 570.00**

Option 10H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

**EACH \$ 926.00**

Option 10I. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area

**EACH \$ 3350.00**

Option 10J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

**EACH \$ 2588.00**

Option 10K. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

**EACH \$ 995.00**

Option 10L. Raise Telescopic Roof to get 36” clearance for the above option

**EACH \$ 880.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

- Option 10M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers  
**EACH \$ 430.00**
- Option 10N. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission  
**EACH \$ -1200.00 Deduct**
- Option 10O. Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 450.00**
- Option 10P. Exterior color to be Federal Standard #595B “Highway  
**N/C for the Cab Chassis / Knap Bed \$ 400.00**
- Option 10Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)  
**N/A**
- Option 10R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)  
**EACH \$ -5300.00 Deduct      SIZE 6.8L V10      HORSEPOWER 362**
- Option 10S. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)  
**N/A**
- Option 10T. Automatic transmission power take-off provision  
**EACH \$ 210.00**
- Option 10U. Snowplow package  
**EACH \$ 75.00**
- Option 10V. Crew cab in lieu of regular cab      GVWR 16500  
**EACH \$ 3100.00**
- Option 10W. Extended cab in lieu of regular cab      GVWR 16500  
**EACH \$ 2500.00**
- Option 10X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)  
**EACH \$ 275.00**
- Option 10Y. Four wheel drive      GVWR 16500  
**EACH \$ 3350.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

**Option 10Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

**EACH \$ 8500.00 Diesel / Gas \$8450.00**

**Option 10AA. Provide hydraulics and controls for dump hoist only**

**EACH \$ 672.00**

**Option 10BB. Optional Rear Axle Ratio            Axle Ratio 4.88**

**EACH \$ 50.00**

**Option 10CC. Limited Slip Rear Axle. Axle Ratio 4.30 /4.88**

**EACH \$ 300.00**

**Option 10DD. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

**EACH \$ 750.00**

**Option 10EE. Electric Trailer Brake Controller**

**EACH \$ 175.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%***

**Delivery will be made 90-120 days after receipt of order**



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Joe Machens Ford**

**ITEM # 10 - New standard equipped 2009 Model 15000 LB. GVWR Chassis-Cab LWB With DRW**

**MAKE/MODEL: Ford F450**

**PRICE : \$ 30607.00**

**Last Order Date 3/20/09**

**All units bid must contain the following options.**

- Standard minimum V8 diesel engine with the highest cooling capacity (Size 6.4L) Horsepower 325)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225/70R/19.5G)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**Fuel Capacity 40 gal      Oil Capacity 15 qt      GVWR 16500**

**OPTIONAL EQUIPMENT PRICES, Item # 10**

**Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.**

**Option 10A. Mounted 12' platform body meeting Specification E1320**

**EACH \$ 3540.00      MAKE Knap      MODEL PVMX 123**

**Option 10B. Mounted 11' platform dump body meeting Specification E1327**

**EACH \$ 5770.00      MAKE Knap      MODEL PVMX 113**

**Option 10C.      Permanently installed bulkhead to fit truck application (minimum requirement to top      of cab)**

**EACH \$ 780.00**

**Option 10D.      Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ 6120.00 Diesel / \$ 6080.00 Gas 6.8 V10**



Option 10E. Mounted standard utility tool body. Acceptable makes and models are:

**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Knapeheide 6132D54J , Stahl CHALLENGER II 132VVD-54  
Reading CLASSIC II 132A DW Omaha 132D54V  
RKI L84DW94

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$5965.00 MAKE Knap MODEL 6132D54J**

Option 10F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments

**EACH \$1540.00**

Option 10G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

**EACH \$ 570.00**

Option 10H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

**EACH \$ 926.00**

Option 10I. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area

**EACH \$ 3350.00**

Option 10J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

**EACH \$ 2588.00**

Option 10K. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

**EACH \$ 995.00**

Option 10L. Raise Telescopic Roof to get 36” clearance for the above option

**EACH \$ 880.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

- Option 10M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers  
**EACH \$ 430.00**
- Option 10N. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission  
**EACH \$ -1192.00 Deduct**
- Option 10O. Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 450.00 Knap.**
- Option 10P. Exterior color to be Federal Standard #595B “Highway  
**N/A**
- Option 10Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)  
**N/A**
- Option 10R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)  
**EACH \$- 5331.00 Deduct      SIZE 6.8 L      HORSEPOWER 362**
- Option 10S. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)  
**N/A**
- Option 10T. Automatic transmission power take-off provision  
**EACH \$250.00**
- Option 10U. Snowplow package  
**EACH \$ 3795.00 Prep only Includes 4 X 4**
- Option 10V. Crew cab in lieu of regular cab      GVWR 16500  
**EACH \$ 3470.00**
- Option 10W. Extended cab in lieu of regular cab      GVWR 16500  
**EACH \$2295.00**
- Option 10X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)  
**EACH \$ 370.00**
- Option 10Y. Four wheel drive      GVWR16500  
**EACH \$ 3710.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Option 10Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

**EACH \$ 8500.00 Diesel / Gas 6.8L \$8450.00**

Option 10AA. Provide hydraulics and controls for dump hoist only

**EACH \$672.00**

Option 10BB. Optional Rear Axle Ratio                      Axle Ratio 4.88

**EACH \$ 50.00**

Option 10CC. Limited Slip Rear Axle.                      Axle Ratio 4.88 Limited slip

**EACH \$ 360.00**

Option 10DD. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

**EACH \$750.00**

Option 10EE. Electric Trailer Brake Controller

**EACH \$ 230.00 Ford Motor Co / \$175.00 from Knap**

**Notes:**

Additional options available contact fleet buyer for complete list.

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 5%*

Delivery will be made 120-150 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Lou Fusz Ford**

**ITEM # 10 - New standard equipped 2009 Model 15000 LB. GVWR Chassis-Cab LWB With DRW**

**MAKE/MODEL: Ford f450**

**PRICE : \$ 29994.00**

**Last Order Date 3/20/09**

**All units bid must contain the following options.**

- Standard minimum V8 diesel engine with the highest cooling capacity (Size 6.4L) Horsepower 350)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size \_\_\_\_\_)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_ GVWR 16500**

**OPTIONAL EQUIPMENT PRICES, Item # 10**

**Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.**

**Option 10A. Mounted 12' platform body meeting Specification E1320**

**EACH \$3540.00 MAKE Knap**

**Option 10B. Mounted 11' platform dump body meeting Specification E1327**

**EACH \$5770.00**

**Option 10C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 780.00**

**Option 10D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ 6330.00**



Option 10E. Mounted standard utility tool body. Acceptable makes and models are:

**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Knapeheide 6132D54J , Stahl CHALLENGER II 132VVD-54  
Reading CLASSIC II 132A DW Omaha 132D54V  
RKI L84DW94

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 5965.00 MAKE \_Knap**

Option 10F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments

**EACH \$ 1540.00**

Option 10G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

**EACH \$ 570.00**

Option 10H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

**EACH \$ 926.00**

Option 10I. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area

**EACH \$ 3350.00**

Option 10J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

**EACH \$ 2588.00**

Option 10K. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

**EACH \$ 995.00**

Option 10L. Raise Telescopic Roof to get 36” clearance for the above option

**EACH \$ 880.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

- Option 10M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers  
**EACH \$ 430.00**
- Option 10N. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission  
**EACH \$ -1187.00 Deduct**
- Option 10O. Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 450.00**
- Option 10P. Exterior color to be Federal Standard #595B “Highway  
**EACH \$ 400.00**
- Option 10Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)  
**N/A**
- Option 10R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)  
**EACH \$ -4987.00 Deduct      SIZE 6.8      HORSEPOWER 362**
- Option 10S. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)  
**N/A**
- Option 10T. Automatic transmission power take-off provision  
**EACH \$ 250.00 / Diesel only**
- Option 10U. Snowplow package  
**EACH \$ 85.00**
- Option 10V. Crew cab in lieu of regular cab  
**EACH \$ 3495.00**
- Option 10W. Extended cab in lieu of regular cab  
**EACH \$ 2280.00**
- Option 10X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)  
**EACH \$ 370.00**
- Option 10Y. Four wheel drive  
**EACH \$ 3710.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

**Option 10Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

**EACH \$ 8500.00**

**Option 10AA. Provide hydraulics and controls for dump hoist only**

**EACH \$ 678.00**

**Option 10BB. Optional Rear Axle Ratio**

**N/A**

**Option 10CC. Limited Slip Rear Axle.**

**EACH \$ 350.00**

**Option 10DD. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

**EACH \$ 750.00**

**Option 10EE. Electric Trailer Brake Controller**

**EACH \$ 250.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%***

**Delivery will be made 90-120 days after receipt of order**



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Dave Sinclair Ford**

**ITEM # 10 - New standard equipped 2009 Model 15000 LB. GVWR Chassis-Cab LWB With DRW**

**MAKE/MODEL: Ford F450**

**PRICE : \$ 29783.00**

**Last Order Date 3/20/09**

**All units bid must contain the following options.**

- Standard minimum V8 diesel engine with the highest cooling capacity (Size 6.4L) Horsepower 325)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size 225/70R/19.5G)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**Fuel Capacity 40 gal**

**Oil Capacity 15 qt**

**GVWR 16500**

**OPTIONAL EQUIPMENT PRICES, Item # 10**

**Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.**

**Option 10A. Mounted 12' platform body meeting Specification E1320**

**EACH \$ 3450.00 MAKE Knap**

**Option 10B. Mounted 11' platform dump body meeting Specification E1327**

**EACH \$ 5770.00 MAKE Knap**

**Option 10C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 780.00**

**Option 10D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ 6120.00 Diesel / Gas 5.4 \$6330.00 9AS / Gas 6.8L \$6080.00 9AS**

**Option 10E. Mounted standard utility tool body. Acceptable makes and models are:**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Knapeheide 6132D54J ,                      Stahl CHALLENGER II 132VVD-54  
Reading CLASSIC II 132A DW   Omaha 132D54V  
RKI L84DW94

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$5965.00                      MAKE Knap                      MODEL 6132D54J**

Option 10F.      Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments

**EACH \$ 1540.00**

Option 10G.      Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf            and dividers in one of the horizontal compartments

**EACH \$570.00**

Option 10H.      One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

**EACH \$ 926.00**

Option 10I.      Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area

**EACH \$ 3350.00**

Option 10J.      Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

**EACH \$ 2588.00**

Option 10K.      Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

**EACH \$ 995.00**

Option 10L.      Raise Telescopic Roof to get 36” clearance for the above option

**EACH \$ 880.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

- Option 10M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers  
**EACH \$ 430.00**
- Option 10N. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission  
**EACH \$ -1237.00 Deduct**
- Option 10O. Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 450.00**
- Option 10P. Exterior color to be Federal Standard #595B “Highway  
**Included on the Chassis / add \$400.00 for Knap body**
- Option 10Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)  
**N/A**
- Option 10R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)  
**EACH \$ -5331.00 Deduct      SIZE 6.8 L      HORSEPOWER 362**
- Option 10S. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)  
**N/A**
- Option 10T. Automatic transmission power take-off provision  
**EACH \$ 208.00**
- Option 10U. Snowplow package  
**EACH \$ 71.00**
- Option 10V. Crew cab in lieu of regular cab      GVWR 16500  
**EACH \$ 3123.00**
- Option 10W. Extended cab in lieu of regular cab      GVWR16500  
**EACH \$ 2066.00**
- Option 10X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)  
**EACH \$ 266.00 / \$307.00 Extended & Crew Cab\_**
- Option 10Y. Four wheel drive      GVWR 16500  
**EACH \$ 3168.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Option 10Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

**EACH \$ 8500.00 Diesel / Gas \$8450.00**

Option 10AA. Provide hydraulics and controls for dump hoist only

**EACH \$ 672.00 Electric**

Option 10BB. Optional Rear Axle Ratio                      Axle Ratio 4.88

**EACH \$ 42.00**

Option 10CC. Limited Slip Rear Axle.                      Axle Ratio 4.30 or 4.88

**EACH \$ 299.00**

Option 10DD. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

**EACH \$ 750.00**

Option 10EE. Electric Trailer Brake Controller

**EACH \$ 191.00**

**Notes:**

Additional options available contact fleet buyer for complete list.

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%*

Delivery will be made 90-150 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Shawnee Mission Ford**

**ITEM # 10 - New standard equipped 2009 Model 15000 LB. GVWR Chassis-Cab LWB With DRW**

**MAKE/MODEL: Ford F450**

**PRICE : \$ 29781.00**

**Last Order Date 3/20/09**

**All units bid must contain the following options.**

- Standard minimum V8 diesel engine with the highest cooling capacity (Size 16500) Horsepower325)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size\_225/70R/19.5)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**Fuel Capacity 40 gal      Oil Capacity 15 qt      GVWR 16500**

**OPTIONAL EQUIPMENT PRICES, Item # 10**

**Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.**

**Option 10A. Mounted 12' platform body meeting Specification E1320**

**EACH \$ 3840.00      MAKE Knap**

**Option 10B. Mounted 11' platform dump body meeting Specification E1327**

**EACH \$ 6070.00      MAKE Knap**

**Option 10C.      Permanently installed bulkhead to fit truck application (minimum requirement to top      of cab)**

**EACH \$ 880.00**

**Option 10D.      Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ 6420.00**



Option 10E. Mounted standard utility tool body. Acceptable makes and models are:

**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Knapeheide 6132D54J , Stahl CHALLENGER II 132VVD-54  
Reading CLASSIC II 132A DW Omaha 132D54V  
RKI L84DW94

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 6265.00 MAKE Knap**

Option 10F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments

**EACH \$1640.00**

Option 10G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

**EACH \$ 670.00**

Option 10H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

**EACH \$ 1026.00**

Option 10I. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area

**EACH \$ 3850.00**

Option 10J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

**EACH \$ 2888.00**

Option 10K. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

**EACH \$ 1095.00**

Option 10L. Raise Telescopic Roof to get 36” clearance for the above option

**EACH \$ 980.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

- Option 10M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers  
**EACH \$ 480.00**
- Option 10N. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission  
**EACH \$- 800.00 Deduct**
- Option 10O. Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$500.00**
- Option 10P. Exterior color to be Federal Standard #595B “Highway  
**N/C for the cab chassis \$400.00 for Knap body**
- Option 10Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)  
**N/A**
- Option 10R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)  
**EACH \$ -4500.00      SIZE 6.8L V10   HORSEPOWER 362**
- Option 10S. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)  
**N/A**
- Option 10T. Automatic transmission power take-off provision  
**EACH \$ 208.00**
- Option 10U. Snowplow package  
**EACH \$ 71.00**
- Option 10V. Crew cab in lieu of regular cab      GVWR 16500  
**EACH \$ 3019.00**
- Option 10W. Extended cab in lieu of regular cab      GVWR 16500  
**EACH \$ 2007.00**
- Option 10X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)  
**EACH \$ 266.00 Regular Cab / Super Cab or Crew Cab \$307.00**
- Option 10Y. Four wheel drive      GVWR 16500  
**EACH \$ 3500.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

**Option 10Z.** Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

**EACH \$ 9000.00**

**Option 10AA.** Provide hydraulics and controls for dump hoist only

**EACH \$ 772.00 In lieu of 10D and 10Z**

**Option 10BB.** Optional Rear Axle Ratio            Axle Ratio 4.88 Diesel / 5.38 Gas

**EACH \$ 50.00**

**Option 10CC.** Limited Slip Rear Axle. Axle Ratio 4.30 Diesel / 4.88 Diesel or Gas / Gas 5.38

**EACH \$ 299.00**

**Option 10DD.** Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

**EACH \$ 850.00**

**Option 10EE.** Electric Trailer Brake Controller

**EACH \$ 191.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%***

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Midway Ford Truck Center**

**ITEM # 10 - New standard equipped 2009 Model 15000 LB. GVWR Chassis-Cab LWB With DRW**

**MAKE/MODEL: F450**

**PRICE : \$ 30691.00**

**Last Order Date 3/20/09**

**All units bid must contain the following options.**

- Standard minimum V8 diesel engine with the highest cooling capacity (Size 6.4L V8) Horsepower 350)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225/19.5)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**Fuel Capacity 40 gal**

**Oil Capacity 15 qt**

**GVWR 16500**

**OPTIONAL EQUIPMENT PRICES, Item # 10**

**Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.**

**Option 10A. Mounted 12' platform body meeting Specification E1320**

**EACH \$ 3530.00 MAKE Knap**

**Option 10B. Mounted 11' platform dump body meeting Specification E1327**

**EACH \$5760.00 MAKE Knap**

**Option 10C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 770.00**

**Option 10D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ 6110.00 Diesel / V-10 Gas \$ 6070.00 / 5.4L Gas \$ 6360.00**

**Option 10E. Mounted standard utility tool body. Acceptable makes and models are:**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Knapeheide 6132D54J ,                      Stahl CHALLENGER II 132VVD-54  
Reading CLASSIC II 132A DW   Omaha 132D54V  
RKI L84DW94

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 5955.00                      MAKE Knap                      MODEL 6132D54J**

Option 10F.      Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments

**EACH \$ 1530.00**

Option 10G.      Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf            and dividers in one of the horizontal compartments

**EACH \$ 560.00**

Option 10H.      One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

**EACH \$ 916.00**

Option 10I.      Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area

**EACH \$ 3340.00**

Option 10J.      Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

**EACH \$ 2578.00**

Option 10K.      Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

**EACH \$ 985.00**

Option 10L.      Raise Telescopic Roof to get 36” clearance for the above option

**EACH \$ 870.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

- Option 10M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers  
**EACH \$ 420.00**
- Option 10N. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission  
**EACH \$ -999.00 Deduct**
- Option 10O. Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 440.00**
- Option 10P. Exterior color to be Federal Standard #595B “Highway  
**EACH \$ 390.00**
- Option 10Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)  
**N/A**
- Option 10R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)  
**EACH \$ -3999.00 Deduct      SIZE V10 6.8L      HORSEPOWER 352**
- Option 10S. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)  
**N/A**
- Option 10T. Automatic transmission power take-off provision  
**EACH \$ 218.00**
- Option 10U. Snowplow package  
**EACH 3576.00 must be 4 X 4**
- Option 10V. Crew cab in lieu of regular cab      GVWR 16500  
**EACH \$ 3241.00**
- Option 10W. Extended cab in lieu of regular cab      GVWR 16500  
**EACH \$ 2184.00**
- Option 10X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)  
**EACH \$286.00**
- Option 10Y. Four wheel drive      GVWR 16500  
**EACH \$ 3576.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Option 10Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

**EACH \$ 8490.00 Diesel / Gas \$ 8440.00**

Option 10AA. Provide hydraulics and controls for dump hoist only

**EACH \$ 662.00**

Option 10BB. Optional Rear Axle Ratio                      Axle Ratio 4.30

**Included**

Option 10CC. Limited Slip Rear Axle.                      Axle Ratio 4.30/5.38/4.88

**EACH \$ 320.00**

Option 10DD. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

**EACH \$ 750.00**

Option 10EE. Electric Trailer Brake Controller

**EACH \$ 165.00**

**Notes:**

Additional options available contact fleet buyer for complete list.

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 12%*

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Putnam Chevrolet**

**ITEM # 10 - New standard equipped 2009 Model 15000 LB. GVWR Chassis-Cab LWB With DRW**

**MAKE/MODEL: Chevrolet 4500**

**PRICE : \$ 32282.00**

**All units bid must contain the following options.**

- Standard minimum V8 diesel engine with the highest cooling capacity (Size 6.6L) Horsepower 300)
- Manufacturer's standard rear end axle ratio (Ratio: 4.88)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size\_225/70R/19.5F)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**Fuel Capacity 40 gal      Oil Capacity 10 qt      GVWR 16500**

**OPTIONAL EQUIPMENT PRICES, Item # 10**

**Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.**

**Option 10A. Mounted 12' platform body meeting Specification E1320**

**EACH \$ 3540.00      MAKE Knap      MODEL PVMX**

**Option 10B. Mounted 11' platform dump body meeting Specification E1327**

**EACH \$ 5770.00      MAKE TBEI      MODEL DU-9**

**Option 10C.      Permanently installed bulkhead to fit truck application (minimum requirement to top      of cab)**

**EACH \$ 850.00**

**Option 10D.      Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ 6070.00**

**Option 10E.      Mounted standard utility tool body. Acceptable makes and models are:**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Knapeheide 6132D54J ,                      Stahl CHALLENGER II 132VVD-54  
Reading CLASSIC II 132A DW   Omaha 132D54V  
RKI L84DW94

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 5965.00                      MAKE Knap**

Option 10F.      Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments

**EACH \$ 1540.00**

Option 10G.      Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf                      and dividers in one of the horizontal compartments

**EACH \$ 570.00**

Option 10H.      One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

**EACH \$ 926.00**

Option 10I.      Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area

**EACH \$ 3350.00**

Option 10J.      Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

**EACH \$ 2588.00**

Option 10K.      Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

**EACH \$ 995.00**

Option 10L.      Raise Telescopic Roof to get 36” clearance for the above option

**EACH \$ 880.00**





**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Option 10Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

**EACH \$ 8450.00**

Option 10AA. Provide hydraulics and controls for dump hoist only

**EACH \$ 672.00**

Option 10BB. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_

**N/C**

Option 10CC. Limited Slip Rear Axle. Axle Ratio Any

**EACH \$ 374.00**

Option 10DD. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

**EACH \$ 750.00**

Option 10EE. Electric Trailer Brake Controller

**EACH \$ 175.00**

**Notes:**

Additional options available contact fleet buyer for complete list.

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%*

Delivery will be made 120-150 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Carter Chevrolet**

**ITEM # 10 - New standard equipped 2009 Model 15000 LB. GVWR Chassis-Cab LWB With DRW**

**MAKE/MODEL: Chevrolet 4500**

**PRICE : \$ 32470.00**

**All units bid must contain the following options.**

- Standard minimum V8 diesel engine with the highest cooling capacity (Size 6.6L) Horsepower 330)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size\_225/70R/19.5F)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**Fuel Capacity 40 gal**

**Oil Capacity 15 qt**

**GVWR 15000**

**OPTIONAL EQUIPMENT PRICES, Item # 10**

**Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.**

**Option 10A. Mounted 12' platform body meeting Specification E1320**

**EACH \$ 2760.00      MAKE Omaha      MODEL PHD6**

**Option 10B. Mounted 11' platform dump body meeting Specification E1327**

**EACH \$ 4420.00      MAKE Omaha      MODEL PHD6**

**Option 10C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 780.00**

**Option 10D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ 5620.00**



Option 10E. Mounted standard utility tool body. Acceptable makes and models are:

**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

Knapeheide 6132D54J , Stahl CHALLENGER II 132VVD-54  
Reading CLASSIC II 132A DW Omaha 132D54V  
RKI L84DW94

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 5270.00 MAKE Stahl MODEL 132VVD54**

Option 10F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments

**EACH \$ 1451.00**

Option 10G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

**EACH \$ 520.00**

Option 10H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

**EACH \$920.00**

Option 10I. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area

**EACH \$ 3160.00**

Option 10J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

**EACH \$ 1400.00**

Option 10K. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

**EACH \$ 925.00**

Option 10L. Raise Telescopic Roof to get 36” clearance for the above option

**EACH \$ 875.00 requires 10J**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

- Option 10M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers  
**EACH \$ 743.00**
- Option 10N. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission  
**N/A**
- Option 10O. Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 410.00**
- Option 10P. Exterior color to be Federal Standard #595B “Highway  
**EACH \$ 519.00**
- Option 10Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)  
**EACH \$ 380.00                      SIZE 6.6l                      HORSEPOWER 330**
- Option 10R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)  
**EACH \$ -6324.00 Deduct                      SIZE 8.1L                      HORSEPOWER 325**
- Option 10S. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)  
**N/A**
- Option 10T. Automatic transmission power take-off provision  
**Standard**
- Option 10U. Snowplow package  
**EACH \$ 755.00**
- Option 10V. Crew cab in lieu of regular cab    GVWR 15000  
**EACH \$ 3890.00**
- Option 10W. Extended cab in lieu of regular cab                      GVWR\_\_\_\_\_   
**N/A**
- Option 10X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)  
**Standard**
- Option 10Y. Four wheel drive                      GVWR 17500  
**EACH \$ 5890.00**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

**Option 10Z.** Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

**N/A**

**Option 10AA.** Provide hydraulics and controls for dump hoist only

**EACH \$ 2272.00**

**Option 10BB.** Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_

**N/C**

**Option 10CC.** Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_

**EACH \$ 490.00**

**Option 10DD.** Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

**EACH \$ 640.00**

**Option 10EE.** Electric Trailer Brake Controller

**EACH \$ 280.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%***

Delivery will be made 90 days after receipt of order