



**MISSOURI DEPARTMENT OF TRANSPORTATION
 GENERAL SERVICES DIVISION
 FLEET SECTION**

NOTIFICATION OF STATEWIDE CONTRACT

CONTRACT TITLE: Light Duty Automotive ¾ and above vehicles.

CURRENT CONTRACT PERIOD: 2009 Model Year

BUYER INFORMATION: [Jerry Dunn](mailto:jerry.dunn@modot.mo.gov)
 573-526-7932
jerry.dunn@modot.mo.gov

RENEWAL INFORMATION	Bid prices should be firm for purchase until the end of the 2009 model year. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.
----------------------------	---

**ALL PURCHASES MADE UNDER THIS CONTRACT MUST BE FOR PUBLIC USE ONLY.
 PURCHASES FOR PERSONAL USE BY PUBLIC EMPLOYEES OR OFFICIALS ARE PROHIBITED.**

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	371295326	Gem City Ford Lincoln Mercury 5101 Broadway Quincy IL 62305 800-647-5475 Danny Schwartz bpn@gemcityford.com	All	Yes
3-080919HD	430918670	Joe Machens Ford 1911 West Worley Columbia MO 65203 573-445-4411 Ext. 119 Steve Veltrop Jr. sveltropjr@machens.com		



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	431545793	Lou Fusz Ford # 2 Caprice Dr. Chesterfield MO 63005 636-532-9955 Andy Eldridge andyeldridge@fusz.com	All	Yes
3-080918HD	430834994	Dave Sinclair Ford Inc 7466 S. Lindbergh St. Louis MO 63125 314-892-2600 Les Williams lwilliams@davesinclair.com	All	Yes
3-080919HD	480582387	Shawnee Mission Ford 11501 W. Shawnee Mission Pkwy . Shawnee KS 66203-0179 913-248-2287 Jay Cooper Jay.cooper@shawneemissionford.com	All	Yes
3-080919HD	480674662	Midway truck Center Inc. 7601 NE. 38 th Street Kansas City MO 64161 816-455-3000 Debi Jones djones@midwaytrucks.com	All	Yes
3-080919HD	440527460	Putnam Chevrolet 500 W. Buchanan California MO 65018 Derek VanLoo 573-796-2131 derekvanloo@putnamchevrolet.com	All	Yes
3-080919HD	431327002	Don Brown Chevrolet 2244 Kingshighway St. Louis MO 63110 Dave Helterbrand 314-772-1400 dave@donbrownchevrolet.com	All	Yes
3-080919HD	730945947	Carter Chevrolet Agency LLC 214 W. Oklahoma Ave. Okarche OK 73762 Susie Clements 405-263-1137 / 800-343-5484 sclements@carterchev.biz	All	Yes



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	203942879	Don Brown Automotive Group 3300 S. Kingshighway St. Louis MO 63139 Dave Helterbrand 314-772-1400 dave@donbrownchevrolet.com	All	Yes
3-080919HD	431289357	West Brothers #3 North Service Rd. Sullivan MO 63080 John Schaefferkoetter 888-468-3178 johns@westbrothers.com	All	Yes
3-080919HD	43126283	Lou Fusz Dodge 3480 Highway K O'Fallon MO 63368 Rick David 636-442-8100 rickdavid@fusz.com	All	Yes
3-080919HD	431057804	Southtown Dodge 7127 S. Lindbergh St. Louis MO 63125 Wayne Cunningham 314-487-1010 bussinesslink@southtowndodge.com	All	Yes
3-080919HD	431618228	Kieth Beck Auto Group 16877 Hwy. 5 Boonville MO 65233 Ken Carey 660-882-8800 ken@keithbeckautogroup.com	All	Yes
3-080919HD	730751281	Johnsons of Kingfisher 1801 S. Main St. Fingfisher OK 73750 Mike Johnson 405-375-5718 johnsonkgfr@aol.com	All	yes



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Gem City Ford

ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW

MAKE/MODEL: Ford F550

PRICE: \$ 30100.00

Last Order Date 3/20/09

All units bid must contain the following options.

- Standard, diesel engine with the highest cooling capacity (Size 6.4L) Horsepower 325)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirror
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225/70R/19.5)
- Rubber flooring
- Heavy duty all weather floor mats
- Minimum GVWR. 17,500 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 40 gal

Oil Capacity 15 qt

GVWR 17950

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 12A. Mounted 12' platform body meeting Specification E1320

EACH \$ 3540.00 MAKE Knap MODEL) PVMX123C

Option 12B. Mounted 11' platform dump body meeting Specification E1327

EACH \$ 5770.00 MAKE Knap MODEL PVMX113C

Option 12C. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$6120.00 Diesel / Gas \$6080.00

Option 12D. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12E. Mounted standard utility tool body. Acceptable makes and models are:

Knapheide 6132D54J	Stahl CHALLENGER II 132 VVD-54
Reading CLASSIC II 132A DW	RKI L84DW94
Omaha 132D54V	

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 12F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of three shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$570.00

Option 12H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 12I. Minimum 25” high panel extension cover with minimum 42” locking rear doors Which will provide a minimum 48” interior height for storage and work area

EACH \$ 3350.00

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 12K. Raise Telescopic Roof to get 36” clearance for the above option

EACH \$ 880.00

Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

EACH \$ 995.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

- Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment
EACH \$ 430.00
- Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ -1200.00 Deduct
- Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug
EACH \$ 450.00
- Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”
EACH \$ 400.00 Bed
- Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$ -5300.00 Deduct SIZE6.8L V10 HORSEPOWER 362
- Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
N/A
- Option 12T. Automatic transmission power take-off provision
EACH \$ 210.00
- Option 12U. Snowplow package
EACH \$ 75.00
- Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 275.00
- Option 12W. Four wheel drive GVWR 17950
EACH \$ 3000.00
- Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)
EACH \$ 875.00 Wheelbase 165 CA 84 19500 GVWR



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8500.00 Diesel / Gas \$8450.00

Option 12Z. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 12AA. Optional Rear Axle Ratio Axle Ratio 4.88

EACH \$ 50.00

Option 12BB. Limited Slip Rear Axle. Axle Ratio 4.30 / 4.88

EACH \$ 300.00

Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 750.00

Option 12DD. Electric Trailer Brake Controller

EACH \$ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Joe Machens Ford

ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW

MAKE/MODEL: Ford F550

PRICE: \$ 30421.00 Last Order Date 3/20/09

All units bid must contain the following options.

- Standard, diesel engine with the highest cooling capacity (Size 6.4) Horsepower 325)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirror
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225/70R/19.5)
- Rubber flooring
- Heavy duty all weather floor mats
- Minimum GVWR. 17,500 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 40 gal Oil Capacity 15 qt GVWR 17950

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- Option 12A. **Mounted 12' platform body meeting Specification E1320**
EACH \$ 3540.00 MAKE Knap MODEL) PVMX123
- Option 12B. **Mounted 11' platform dump body meeting Specification E1327**
EACH \$ 5770.00 MAKE Knap MODEL PVMX113
- Option 12C. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**
EACH \$ 6120.00 Diesel / 6.8L V10 \$6080.00 /5.4L V8 \$6330.00
- Option 12D. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$ 780.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12E. Mounted standard utility tool body. Acceptable makes and models are:

Knapheide 6132D54J	Stahl CHALLENGER II 132 VVD-54
Reading CLASSIC II 132A DW	RKI L84DW94
Omaha 132D54V	

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 12F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of three shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 12H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 12I. Minimum 25” high panel extension cover with minimum 42” locking rear doors Which will provide a minimum 48” interior height for storage and work area

EACH \$ 3350.00

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 12K. Raise Telescopic Roof to get 36” clearance for the above option

EACH \$ 880.00

Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

EACH \$ 995.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

- Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment
EACH \$ 430.00
- Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ -1192.00 Deduct
- Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug
EACH \$ 450.00 Knap
- Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”
N/A
- Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$ -5331.00 Deduct SIZE 6.8L V10 HORSEPOWER 362
- Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
N/A
- Option 12T. Automatic transmission power take-off provision
EACH \$ 250.00
- Option 12U. Snowplow package
EACH \$ 3795.00 Includes 4WD Prep only
- Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 370.00
- Option 12W. Four wheel drive GVWR17950
EACH \$ 3710.00
- Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)
EACH \$ 1050.00 Wheelbase165 CA 84



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8500.00 Diesel / 6.8L V10 \$8450.00

Option 12Z. Provide hydraulics and controls for dump hoist only

EACH \$ _672.00

Option 12AA. Optional Rear Axle Ratio

N/A

Option 12BB. Limited Slip Rear Axle. Axle Ratio 4.88

EACH \$ 360.00

Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 750.00

Option 12DD. Electric Trailer Brake Controller

EACH \$ 230.00 Ford Motor / Knap \$175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 5%

Delivery will be made 120-150 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Lou Fusz ford

ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW

MAKE/MODEL: Ford F550

PRICE: \$ 29936.00

Last Order Date 3/20/09

All units bid must contain the following options.

- Standard, diesel engine with the highest cooling capacity (Size____) Horsepower____)
- Manufacturer's standard rear end axle ratio (Ratio: _____)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirror
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size_____)
- Rubber flooring
- Heavy duty all weather floor mats
- Minimum GVWR. 17,500 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity _____ Oil Capacity _____ GVWR _____

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- Option 12A. Mounted 12' platform body meeting Specification E1320**
EACH \$ 3540.00 MAKE Knap
- Option 12B. Mounted 11' platform dump body meeting Specification E1327**
EACH \$5770.00 MAKE Knap
- Option 12C. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**
EACH \$ 6330.00
- Option 12D. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$ 780.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12E. Mounted standard utility tool body. Acceptable makes and models are:

Knapeheide 6132D54J	Stahl CHALLENGER II 132 VVD-54
Reading CLASSIC II 132A DW	RKI L84DW94
Omaha 132D54V	

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132

Option 12F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of three shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 12H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 12I. Minimum 25" high panel extension cover with minimum 42" locking rear doors Which will provide a minimum 48" interior height for storage and work area

EACH \$ 3350.00

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 12K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 880.0

Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)



EACH \$ 995.00

OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment

EACH \$ 430.00

Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission

EACH \$ -286.00 Deduct

Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug

EACH \$ 450.00

Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”

EACH \$ 400.00

Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)

N/A

Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

EACH \$-4986.00 Deduct SIZE6.8L HORSEPOWER 362

Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

N/A

Option 12T. Automatic transmission power take-off provision

EACH \$ 250.00

Option 12U. Snowplow package

EACH \$ 85.00

Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 370.00

Option 12W. Four wheel drive GVWR_____

EACH \$ 3310.00

Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)

**EACH \$ 440.00 Wheelbase 165 CA 84
EACH \$ 440.00 Wheelbase 141 CA 60**



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 850.00

Option 12Z. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 12AA. Optional Rear Axle Ratio Axle Ratio _____

N/A

Option 12BB. Limited Slip Rear Axle. Axle Ratio _____

EACH \$ 350.00

Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 750.00

Option 12DD. Electric Trailer Brake Controller

EACH \$ 250.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Shawnee Mission ford

ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW

MAKE/MODEL: Ford F550

PRICE: \$ 29595.00

Last Order Date 3/20/09

All units bid must contain the following options.

- Standard, diesel engine with the highest cooling capacity (Size6.4L) Horsepower325)
- Manufacturer's standard rear end axle ratio (Ratio:4.30)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirror
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225/70R/19.5)
- Rubber flooring
- Heavy duty all weather floor mats
- Minimum GVWR. 17,500 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 40 gal Oil Capacity 15 qt GVWR 17950

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- Option 12A. Mounted 12' platform body meeting Specification E1320**
EACH \$ 3840.00 MAKE Knap

- Option 12B. Mounted 11' platform dump body meeting Specification E1327**
EACH \$ 6070.00 MAKE Knap

- Option 12C. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**
EACH \$ 6420.00

- Option 12D. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$ 880.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12E. Mounted standard utility tool body. Acceptable makes and models are:

Knapeheide 6132D54J	Stahl CHALLENGER II 132 VVD-54
Reading CLASSIC II 132A DW	RKI L84DW94
Omaha 132D54V	

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 6265.00 (MAKE) Knap (MODEL) 6132054J

Option 12F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of three shelves and dividers in one of the full height vertical compartments

EACH \$ 1640.00

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 670.00

Option 12H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 1026.00

Option 12I. Minimum 25" high panel extension cover with minimum 42" locking rear doors Which will provide a minimum 48" interior height for storage and work area

EACH \$ 3850.00

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2888.00

Option 12K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 980.00

Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)



EACH \$ 1095.00

OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment

EACH \$ 480.00

Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission

EACH \$ -800.00 Deduct

Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug

EACH \$ 500.00

Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”

N/C add \$450.00 for body

Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)

N/A

Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

EACH \$-5000.00 Decuct SIZE 6.8L V10 HORSEPOWER 362

Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

N/A

Option 12T. Automatic transmission power take-off provision

EACH \$ 208.00

Option 12U. Snowplow package

EACH \$ 71.00

Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 266.00

Option 12W. Four wheel drive GVWR 17950

EACH \$ 3500.00

Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)

**EACH \$ 872.00 Diesel Requires 4.88 limited slip / price includes 4.88 Limited slip
EACH \$664.00 Gas**



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 9000.00

Option 12Z. Provide hydraulics and controls for dump hoist only

EACH \$ 772.00 In lieu of 12C or 12Y

Option 12AA. Optional Rear Axle Ratio Axle Ratio 4.88 Diesel / 5.38 Gas

EACH \$ 50.00

Option 12BB. Limited Slip Rear Axle. Axle Ratio 4.30 Diesel / 4.88 Diesel or / Gas 5.38

EACH \$ 299.00

Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 850.00

Option 12DD. Electric Trailer Brake Controller

EACH \$191.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount100%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Midway Ford Truck

ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW

MAKE/MODEL: Ford F550

PRICE: \$ 30504.00

Last Order Date 3/20/09

All units bid must contain the following options.

- Standard, diesel engine with the highest cooling capacity (Size 6.4) Horsepower 350)
- Manufacturer's standard rear end axle ratio (Ratio:4.30)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirror
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225/19.5)
- Rubber flooring
- Heavy duty all weather floor mats
- Minimum GVWR. 17,500 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 40 gal Oil Capacity 15 qt GVWR 17950

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- Option 12A. Mounted 12' platform body meeting Specification E1320**
EACH \$ 3530.00 MAKE Knap

- Option 12B. Mounted 11' platform dump body meeting Specification E1327**
EACH \$ 5760.00 MAKE Knap

- Option 12C. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**
EACH \$ 6110.00 Diesel / \$ 6070.00 V-10 / 5.4L \$ 6360.00

- Option 12D. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$ 770.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12E. Mounted standard utility tool body. Acceptable makes and models are:

Knapeheide 6132D54J	Stahl CHALLENGER II 132 VVD-54
Reading CLASSIC II 132A DW	RKI L84DW94
Omaha 132D54V	

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$5955.00_ (MAKE) Knap (MODEL) 6132D54J

Option 12F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of three shelves and dividers in one of the full height vertical compartments

EACH \$ 1530.00

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 560.00

Option 12H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

EACH \$ 916.00

Option 12I. Minimum 25” high panel extension cover with minimum 42” locking rear doors Which will provide a minimum 48” interior height for storage and work area

EACH \$ 3340.00

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2578.00

Option 12K. Raise Telescopic Roof to get 36” clearance for the above option

EACH \$ 870.00

Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)



EACH \$ 985.00

OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment

EACH \$ 430.00

Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission

EACH \$ -999.00 Deduct

Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug

EACH \$ 440.00

Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”

EACH \$ 390.00

Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)

N/A

Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

EACH \$ -3999.00 Deduct SIZE V10 6.8 HORSEPOWER 352

Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

N/A

Option 12T. Automatic transmission power take-off provision

EACH \$ 218.00

Option 12U. Snowplow package

EACH \$ 3644.00 Must be 4WD

Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 286.00

Option 12W. Four wheel drive GVWR 17950

EACH \$ 3576.00

Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)

EACH \$ 859.00 Wheelbase 165 CA 84 GVWR 19500



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8490.00 Diesel / Gas\$8440.00

Option 12Z. Provide hydraulics and controls for dump hoist only

EACH \$ 662.00

Option 12AA. Optional Rear Axle Ratio

EACH \$ N/C Axle Ratio 4.88

EACH \$50.00 Axle Ratio 5.38

Option 12BB. Limited Slip Rear Axle. Axle Ratio 4.30/ 4.88/5.38

EACH \$320.00

Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 740.00

Option 12DD. Electric Trailer Brake Controller

EACH \$ 165.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 12%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Putnam Chevrolet

ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW

MAKE/MODEL: Chevrolet 4500

PRICE: \$ 32896.00

All units bid must contain the following options.

- Standard, diesel engine with the highest cooling capacity (Size 6.6L) Horsepower 300)
- Manufacturer's standard rear end axle ratio (Ratio: 4.78)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirror
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225/70R/19.5F)
- Rubber flooring
- Heavy duty all weather floor mats
- Minimum GVWR. 17,500 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 40 gal Oil Capacity 10 qt GVWR 17500

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- Option 12A. Mounted 12' platform body meeting Specification E1320**
EACH \$ 3540.00 MAKE Knap MODEL) PVMX
- Option 12B. Mounted 11' platform dump body meeting Specification E1327**
EACH \$ 5770.00 MAKE TBEI MODEL PVMX
- Option 12C. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**
EACH \$ 6070.00
- Option 12D. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$ 850.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12E. Mounted standard utility tool body. Acceptable makes and models are:

Knapeheide 6132D54J	Stahl CHALLENGER II 132 VVD-54
Reading CLASSIC II 132A DW	RKI L84DW94
Omaha 132D54V	

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 12F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of three shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 12H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 12I. Minimum 25" high panel extension cover with minimum 42" locking rear doors Which will provide a minimum 48" interior height for storage and work area

EACH \$ 3350.00

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 12K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 880.00

Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)



EACH \$ 995.00

OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment

EACH \$ 430.00

Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission

N/A

Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug

EACH \$ 450.00

Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”

EACH \$ 662.00

Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)

EACH \$ 380.00 SIZE 6.6L HORSEPOWER 330

Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

EACH \$ -6214.00 Deduct SIZE 8.1L HORSEPOWER 325

Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

N/A

Option 12T. Automatic transmission power take-off provision

EACH \$ 206.00

Option 12U. Snowplow package

EACH \$ 755.00

Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)

Included

Option 12W. Four wheel drive GVWR 17500

EACH \$ 6797.00

Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)

EACH \$ 5202.00 Wheelbase 152 CA84 Model 5500



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8450.00

Option 12Z. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 12AA. Optional Rear Axle Ratio Axle Ratio 4.56 and 4.30

N/C

Option 12BB. Limited Slip Rear Axle. Axle Ratio Any

EACH \$ 374.00

Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$750.00

Option 12DD. Electric Trailer Brake Controller

EACH \$ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 120-150 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Carter Chevrolet

ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW

MAKE/MODEL: Chevrolet 4500

PRICE: \$32784.00

All units bid must contain the following options.

- Standard, diesel engine with the highest cooling capacity (Size6.6L Horsepower 300)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirror
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size_225/70R/19.5)
- Rubber flooring
- Heavy duty all weather floor mats
- Minimum GVWR. 17,500 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 40

Oil Capacity 15

GVWR 17500

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 12A. Mounted 12' platform body meeting Specification E1320

EACH \$ 2760.00 MAKE Omaha MODEL) PHD6

Option 12B. Mounted 11' platform dump body meeting Specification E1327

EACH \$ 4420.00 MAKE Omaha MODEL PHD6

Option 12C. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 5620.00

Option 12D. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12E. Mounted standard utility tool body. Acceptable makes and models are:

Knapeheide 6132D54J	Stahl CHALLENGER II 132 VVD-54
Reading CLASSIC II 132A DW	RKI L84DW94
Omaha 132D54V	

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess. *Submit descriptive literature and specifications showing exact service body you propose to furnish.*

EACH \$ 5270.00 (MAKE) Stahl (MODEL) 132VVD54

Option 12F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of three shelves and dividers in one of the full height vertical compartments

EACH \$ 1451.00

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 520.00

Option 12H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 920.00

Option 12I. Minimum 25" high panel extension cover with minimum 42" locking rear doors Which will provide a minimum 48" interior height for storage and work area

EACH \$ 3160.00

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$1400.00

Option 12K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$\$ 875.00 Requires option 12J

Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)



EACH \$ 925.00

OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment

EACH \$ 743.00

Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission

N/A

Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug

EACH \$ 410.00

Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”

EACH \$ 519.00

Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)

EACH \$ 380.00 SIZE 6.6L HORSEPOWER 330

Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

EACH \$ -6324.00 Deduct SIZE 8.1L HORSEPOWER 325

Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

N/A

Option 12T. Automatic transmission power take-off provision

Standard

Option 12U. Snowplow package

EACH \$ 755.00

Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)

Standard

Option 12W. Four wheel drive GVWR17500

EACH \$ 5890.00

Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)

EACH \$ 4234.00 Wheelbase152 CA 84



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

N/A

Option 12Z. Provide hydraulics and controls for dump hoist only

EACH \$ 2272.00

Option 12AA. Optional Rear Axle Ratio

N/C

Option 12BB. Limited Slip Rear Axle.

EACH \$ 490.00

Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 640.00

Option 12DD. Electric Trailer Brake Controller

EACH \$ 280.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 90 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: West Brothers

ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW

MAKE/MODEL: Dodge 5500

PRICE: \$28555.00

All units bid must contain the following options.

- Standard, diesel engine with the highest cooling capacity (Size 6.7) Horsepower 305)
- Manufacturer's standard rear end axle ratio (Ratio:4.44)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirror
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size19.5)
- Rubber flooring
- Heavy duty all weather floor mats
- Minimum GVWR. 17,500 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 52 gal Oil Capacity 12 qt GVWR 19500

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- Option 12A. Mounted 12' platform body meeting Specification E1320**
EACH \$ 3540.00 MAKE Knap

- Option 12B. Mounted 11' platform dump body meeting Specification E1327**
EACH \$ 5770.00 MAKE Knap

- Option 12C. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**
EACH \$ 5700.00

- Option 12D. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$ 780.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12E. Mounted standard utility tool body. Acceptable makes and models are:

Knapeheide 6132D54J	Stahl CHALLENGER II 132 VVD-54
Reading CLASSIC II 132A DW	RKI L84DW94
Omaha 132D54V	

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 12F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of three shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 12H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 12I. Minimum 25” high panel extension cover with minimum 42” locking rear doors Which will provide a minimum 48” interior height for storage and work area

EACH \$ 3350.00

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 12K. Raise Telescopic Roof to get 36” clearance for the above option

EACH \$ 880.00

Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)



EACH \$ 995.00

OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment

EACH \$ 430.00

Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission

EACH \$ -2020.00 Deduct

Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug

EACH \$ 450.00 by Knap

Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”

EACH \$ 308 for chassis min. order of 5 add \$400.00 for body

Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)

N/A

Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

N/A

Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

N/A

Option 12T. Automatic transmission power take-off provision

EACH \$ 172.00

Option 12U. Snowplow package

EACH \$ 128.00

Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 431.00

Option 12W. Four wheel drive GVWR19500

EACH \$ 3049.00

Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)

Included Wheelbase 168 CA 84



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8100.00

Option 12Z. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 12AA. Optional Rear Axle Ratio

N/B

Option 12BB. Limited Slip Rear Axle. Axle Ratio _____

Included

Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 750.00

Option 12DD. Electric Trailer Brake Controller

EACH \$ 175.00 By Knap

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 2%

Delivery will be made 60 -90 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Lou Fusz Dodge

ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW

MAKE/MODEL: Dodge 5500

PRICE: \$ 28636.00

All units bid must contain the following options.

- Standard, diesel engine with the highest cooling capacity (Size 6.7L) Horsepower305)
- Manufacturer's standard rear end axle ratio (Ratio: 4.44)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirror
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (SizeP225/70R/19.5)
- Rubber flooring
- Heavy duty all weather floor mats
- Minimum GVWR. 17,500 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 52 gal Oil Capacity 12 qt GVWR 19500

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- Option 12A. **Mounted 12' platform body meeting Specification E1320**
EACH \$ 3540.00 MAKE Knap
- Option 12B. **Mounted 11' platform dump body meeting Specification E1327**
EACH \$ 5770.00 MAKE Knap
- Option 12C. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**
EACH \$ 5700.00
- Option 12D. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$ 780.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12E. Mounted standard utility tool body. Acceptable makes and models are:

Knapeheide 6132D54J	Stahl CHALLENGER II 132 VVD-54
Reading CLASSIC II 132A DW	RKI L84DW94
Omaha 132D54V	

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 12F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of three shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 12H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 12I. Minimum 25” high panel extension cover with minimum 42” locking rear doors Which will provide a minimum 48” interior height for storage and work area

EACH \$ 3350.00

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 12K. Raise Telescopic Roof to get 36” clearance for the above option

EACH \$ 880.00

Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)



EACH \$ 995.00

OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment

EACH \$ 430.00

Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission

EACH \$ -2020.00 Deduct

Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug

EACH \$ 450.00

Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”

N/A

Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)

N/A

Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

N/A

Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

N/A

Option 12T. Automatic transmission power take-off provision

EACH \$ 195.00

Option 12U. Snowplow package

EACH \$ 145.00

Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 545.00

Option 12W. Four wheel drive GVWR 19500

EACH \$ 3545.00

Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)

N/C Wheelbase165.5 CA 84



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8020.00

Option 12Z. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 12AA. Optional Rear Axle Ratio

N/A

Option 12BB. Limited Slip Rear Axle. Axle Ratio _____

EACH \$325.00

Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 750.00

Option 12DD. Electric Trailer Brake Controller

EACH \$ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Southtown Dodge

ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW

MAKE/MODEL: Dodge 5500

PRICE: \$ 27336.00

All units bid must contain the following options.

- Standard, diesel engine with the highest cooling capacity (Size6.7) Horsepower350)
- Manufacturer's standard rear end axle ratio (Ratio: 4.88)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirror
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225/70R/19.5F)
- Rubber flooring
- Heavy duty all weather floor mats
- Minimum GVWR. 17,500 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 52 gal Oil Capacity 12 qt GVWR 19500

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- Option 12A. **Mounted 12' platform body meeting Specification E1320**
EACH \$ 3540.00 MAKE Knap
- Option 12B. **Mounted 11' platform dump body meeting Specification E1327**
EACH \$ 5770.00 MAKE Knap
- Option 12C. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**
EACH \$ 5700.00 Diesel
- Option 12D. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$780.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12E. Mounted standard utility tool body. Acceptable makes and models are:

Knapeheide 6132D54J	Stahl CHALLENGER II 132 VVD-54
Reading CLASSIC II 132A DW	RKI L84DW94
Omaha 132D54V	

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 12F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of three shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 12H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 12I. Minimum 25” high panel extension cover with minimum 42” locking rear doors Which will provide a minimum 48” interior height for storage and work area

EACH \$ 3350.00

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 12K. Raise Telescopic Roof to get 36” clearance for the above option

EACH \$880.00

Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)



EACH \$ 995.00

OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment

EACH \$430.00

Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission

EACH \$ -2768.00 Deduct

Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug

EACH \$ 450.00

Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”

EACH \$308 Cab Chassis Min of 5 to order add 400 for the Knap body

Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)

N/A

Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

N/A

Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

N/A

Option 12T. Automatic transmission power take-off provision

EACH \$ 172.00

Option 12U. Snowplow package

EACH \$ 128.00

Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 628.00

Option 12W. Four wheel drive GVWR19500

EACH \$ 3427.00

Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)

Included Wheelbase168 CA 84



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8100.00

Option 12Z. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 12AA. Optional Rear Axle Ratio

N/A

Option 12BB. Limited Slip Rear Axle. Axle Ratio All

EACH \$ 286.00

Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 750.00

Option 12DD. Electric Trailer Brake Controller

EACH \$ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount Dealer cost

Delivery will be made 90-180 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Johnsons of Kingfisher

ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW

MAKE/MODEL: Dodge 5500

PRICE: \$ 30350.00

All units bid must contain the following options.

- Standard, diesel engine with the highest cooling capacity (Size6.7L) Horsepower306)
- Manufacturer's standard rear end axle ratio (Ratio: 4.88)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirror
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size_225/70R/19.5)
- Rubber flooring
- Heavy duty all weather floor mats
- Minimum GVWR. 17,500 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 52 gal Oil Capacity 10 qt_ GVWR 19000

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 12A. Mounted 12' platform body meeting Specification E1320

EACH \$ 2760.00 MAKE Omaha MODEL) PHD6

Option 12B. Mounted 11' platform dump body meeting Specification E1327

EACH \$ 4420.00 MAKE Omaha MODEL PHD6

Option 12C. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 5620.00

Option 12D. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 790.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12E. Mounted standard utility tool body. Acceptable makes and models are:

Knapeheide 6132D54J	Stahl CHALLENGER II 132 VVD-54
Reading CLASSIC II 132A DW	RKI L84DW94
Omaha 132D54V	

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5270.00 (MAKE) Stahl (MODEL) 132WD54

Option 12F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of three shelves and dividers in one of the full height vertical compartments

EACH \$ 1451.00

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 520.00

Option 12H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 920.00

Option 12I. Minimum 25" high panel extension cover with minimum 42" locking rear doors Which will provide a minimum 48" interior height for storage and work area

EACH \$ 3160.00

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 1400.00

Option 12K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 875.00 Requires Option 12J

Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

EACH \$ 925.00



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

- Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment
EACH \$ 743.00
- Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ -1500.00 Deduct
- Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug
EACH \$ 435.00
- Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”
N/A
- Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
N/A
- Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
N/A
- Option 12T. Automatic transmission power take-off provision
EACH \$ 272.00
- Option 12U. Snowplow package
EACH \$ 312.00
- Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 490.00
- Option 12W. Four wheel drive GVWR19000
EACH \$ 3557.00
- Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)
Included Wheelbase 168 CA 84



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

N/A

Option 12Z. Provide hydraulics and controls for dump hoist only

EACH \$ 2272.00

Option 12AA. Optional Rear Axle Ratio

N/A

Option 12BB. Limited Slip Rear Axle. Axle Ratio _____

EACH \$ 325.00

Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 640.00

Option 12DD. Electric Trailer Brake Controller

EACH \$ 305.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount N/A%

Delivery will be made 90 days after receipt of order