



MISSOURI DEPARTMENT OF TRANSPORTATION  
 GENERAL SERVICES DIVISION  
 FLEET SECTION

**NOTIFICATION OF STATEWIDE CONTRACT**

**CONTRACT TITLE:** Light Duty Automotive ¾ and above vehicles.

**CURRENT CONTRACT PERIOD:** 2009 Model Year

**BUYER INFORMATION:** [Jerry Dunn](mailto:jerry.dunn@modot.mo.gov)  
 573-526-7932  
[jerry.dunn@modot.mo.gov](mailto:jerry.dunn@modot.mo.gov)

<b>RENEWAL INFORMATION</b>	Bid prices should be firm for purchase until the end of the 2009 model year. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.
----------------------------	---

ALL PURCHASES MADE UNDER THIS CONTRACT MUST BE FOR **PUBLIC USE ONLY**.  
 PURCHASES FOR PERSONAL USE BY PUBLIC EMPLOYEES OR OFFICIALS ARE PROHIBITED.

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	371295326	Gem City Ford Lincoln Mercury 5101 Broadway Quincy IL 62305 800-647-5475 Danny Schwartz <a href="mailto:bpn@gemcityford.com">bpn@gemcityford.com</a>	All	Yes
3-080919HD	430918670	Joe Machens Ford 1911 West Worley Columbia MO 65203 573-445-4411 Ext. 119 Steve Veltrop Jr. <a href="mailto:sveltropjr@machens.com">sveltropjr@machens.com</a>		



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	431545793	Lou Fusz Ford # 2 Caprice Dr. Chesterfield MO 63005 636-532-9955 Andy Eldridge <a href="mailto:andyeldridge@fusz.com">andyeldridge@fusz.com</a>	All	Yes
3-080918HD	430834994	Dave Sinclair Ford Inc 7466 S. Lindbergh St. Louis MO 63125 314-892-2600 Les Williams <a href="mailto:lwilliams@davesinclair.com">lwilliams@davesinclair.com</a>	All	Yes
3-080919HD	480582387	Shawnee Mission Ford 11501 W. Shawnee Mission Pkwy . Shawnee KS 66203-0179 913-248-2287 Jay Cooper <a href="mailto:Jay.cooper@shawneemissionford.com">Jay.cooper@shawneemissionford.com</a>	All	Yes
3-080919HD	480674662	Midway truck Center Inc. 7601 NE. 38 <sup>th</sup> Street Kansas City MO 64161 816-455-3000 Debi Jones <a href="mailto:djones@midwaytrucks.com">djones@midwaytrucks.com</a>	All	Yes
3-080919HD	440527460	Putnam Chevrolet 500 W. Buchanan California MO 65018 Derek VanLoo 573-796-2131 <a href="mailto:derekvanloo@putnamchevrolet.com">derekvanloo@putnamchevrolet.com</a>	All	Yes
3-080919HD	431327002	Don Brown Chevrolet 2244 Kingshighway St. Louis MO 63110 Dave Helterbrand 314-772-1400 <a href="mailto:dave@donbrownchevrolet.com">dave@donbrownchevrolet.com</a>	All	Yes
3-080919HD	730945947	Carter Chevrolet Agency LLC 214 W. Oklahoma Ave. Okarche OK 73762 Susie Clements 405-263-1137 / 800-343-5484 <a href="mailto:sclements@carterchev.biz">sclements@carterchev.biz</a>	All	Yes



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	203942879	Don Brown Automotive Group 3300 S. Kingshighway St. Louis MO 63139 Dave Helterbrand 314-772-1400 <a href="mailto:dave@donbrownchevrolet.com">dave@donbrownchevrolet.com</a>	All	Yes
3-080919HD	431289357	West Brothers #3 North Service Rd. Sullivan MO 63080 John Schaefferkoetter 888-468-3178 <a href="mailto:johns@westbrothers.com">johns@westbrothers.com</a>	All	Yes
3-080919HD	43126283	Lou Fusz Dodge 3480 Highway K O'Fallon MO 63368 Rick David 636-442-8100 <a href="mailto:rickdavid@fusz.com">rickdavid@fusz.com</a>	All	Yes
3-080919HD	431057804	Southtown Dodge 7127 S. Lindbergh St. Louis MO 63125 Wayne Cunningham 314-487-1010 <a href="mailto:bussinesslink@southtowndodge.com">bussinesslink@southtowndodge.com</a>	All	Yes
3-080919HD	431618228	Kieth Beck Auto Group 16877 Hwy. 5 Boonville MO 65233 Ken Carey 660-882-8800 <a href="mailto:ken@keithbeckautogroup.com">ken@keithbeckautogroup.com</a>	All	Yes
3-080919HD	730751281	Johnsons of Kingfisher 1801 S. Main St. Fingfisher OK 73750 Mike Johnson 405-375-5718 <a href="mailto:johnsonkgfr@aol.com">johnsonkgfr@aol.com</a>	All	yes



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Gem City Ford**

**Item – 3 - New standard equipped 2009 Model ¾ Ton Extended Cab Chassis-Cabs SRW with 56 Cab to Axle.**

**MAKE/MODEL: Ford F250**

**PRICE: \$19528.00**

**Last Order Date 3/20/09**

**EQUIPMENT INCLUDED IN PRICE:**

- Standard V8 minimum gasoline engine (Size 5.4L Horsepower 300)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4 or 5 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufactures standard all season, plus full size spare and wheel Size 245/75/17)
- Minimum 8,800 GVWR
- Brakes, 4 wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty All Weather rubber removable floor mats
- Back up alarm
- Vinyl seats

**Fuel Capacity 38 gal**

**Oil Capacity 7qt**

**GVWR 9200**

**AVAILABLE OPTIONS:**

**Option 3A. Mounted 8’ platform body meeting Specification E1320**

**EACH \$ 2530.00 MAKE Knap MODEL PVMX 93**

**Option 3B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 434.00**

**Option 3C. Mounted standard utility tool body.**

**Acceptable makes and models are:**

**Knapeheide 696J,  
Reading Classic II 98A S.W.  
Omaha 96V**

**Stahl CHALLENGER II 96VVS.48.5  
RKI L5680,  
RKI L5780 (for Dodge).**

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 4184.00 MAKE Knap MODEL 696J**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

- Option 3D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft  
**EACH \$ 1400.00**
- Option 3E. Four-Wheel Drive GVWR 9400  
**EACH \$ 2800.00**
- Option 3F. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission  
**EACH \$ -1200.00 Deduct**
- Option 3G. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$450.00**
- Option 3H. Exterior color to be Federal Standard #595B "Highway Yellow"  
**EACH \$ N/C for cab chassis Note \$300.00 for Knap body**
- Option 3I. Alternate gasoline engine (state size and horsepower)  
**EACH \$ 520.00 \_ SIZE 6.8L HORSEPOWER 362**
- Option 3J. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower)  
**EACH \$ 5800.00 SIZE6.4L HORSEPOWER 350**
- Option 3K. Alternate diesel engine (state size and horsepower)  
**N/A**
- Option 3L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)  
**EACH \$ 275.00**
- Option 3M. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase)  
**EACH \$ 200.00 Wheelbase 172" CA 56" GVWR 9400**
- Option 3O. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_  
**N/A**
- Option 3P. Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_  
**EACH \$ 300.00**
- Option 3Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper.  
**EACH \$ 560.00**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

**Option 3R      Electric Trailer Brake Controller**

**EACH \$ 175.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%***

**Delivery will be made 90-120 days after receipt of order.**



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Lou Fusz Frod**

**Item – 3 - New standard equipped 2009 Model ¾ Ton Extended Cab Chassis-Cabs SRW with 56 Cab to Axle.**

**MAKE/MODEL: Ford F250**

**PRICE: 19475.00**

**Last Order Date 3/20/09**

**EQUIPMENT INCLUDED IN PRICE:**

- Standard V8 minimum gasoline engine (Size 5.4 Horsepower 300)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4 or 5 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufactures standard all season, plus full size spare and wheel Size\_\_\_\_\_)
- Minimum 8,800 GVWR
- Brakes, 4 wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty All Weather rubber removable floor mats
- Back up alarm
- Vinyl seats

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_ GVWR 9200**

**AVAILABLE OPTIONS:**

**Option 3A. Mounted 8’ platform body meeting Specification E1320**

**EACH \$ 2530.00 MAKE Knap**

**Option 3B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 434.00**

**Option 3C. Mounted standard utility tool body.**

**Acceptable makes and models are:**

- |                                    |                                       |
|------------------------------------|---------------------------------------|
| <b>Knapeheide 696J,</b>            | <b>Stahl CHALLENGER II 96VVS.48.5</b> |
| <b>Reading Classic II 98A S.W.</b> | <b>RKI L5680,</b>                     |
| <b>Omaha 96V</b>                   | <b>RKI L5780 (for Dodge).</b>         |

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 4184.00 MAKE Knap MODEL 696J**



OPTIONAL EQUIPMENT PRICES, Item # 3 continued

- Option 3D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft  
**EACH \$ 1400.00**
- Option 3E. Four-Wheel Drive GVWR \_\_\_\_\_  
**EACH \$ 2975.00**
- Option 3F. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission  
**EACH \$ -1197.00 Deduct**
- Option 3G. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 450.00**
- Option 3H. Exterior color to be Federal Standard #595B “Highway Yellow”  
**EACH \$ 300.00**
- Option 3I. Alternate gasoline engine (state size and horsepower)  
**N/A**
- Option 3J. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower)  
**EACH \$ 6895.00      SIZE 6.4      HORSEPOWER 350**
- Option 3K. Alternate diesel engine (state size and horsepower)  
**N/A**
- Option 3L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)  
**EACH \$ 370.00**
- Option 3M. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase)  
**EACH \$ 3540.00      Wheelbase 156” CA 40”**  
**EACH \$ 3680.00      Wheelbase 172” CA 56”**
- Option 3O. Optional Rear Axle Ratio  
**N/A**
- Option 3P. Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_  
**EACH \$ 300.00**
- Option 3Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper.



**EACH \$ 560.00**

**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

**Option 3R      Electric Trailer Brake Controller**

**EACH \$ 230.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%***

**Delivery will be made 90-120 days after receipt of order.**



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

---

**Contract Number: 3-080919HD**

**Vendor: Dave Sinclair Ford**

**Item – 3 - New standard equipped 2009 Model ¾ Ton Extended Cab Chassis-Cabs SRW with 56 Cab to Axle.**

**MAKE/MODEL: Ford F250**

**PRICE: \$ 19206.00    Last Order Date 3/20/09**

**EQUIPMENT INCLUDED IN PRICE:**

- Standard V8 minimum gasoline engine (Size 5.4L Horsepower 300)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4 or 5 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufactures standard all season, plus full size spare and wheel Size 245/75R/17E)
- Minimum 8,800 GVWR
- Brakes, 4 wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty All Weather rubber removable floor mats
- Back up alarm
- Vinyl seats

**Fuel Capacity 38 gal    Oil Capacity 7qt    GVWR 9200**

**AVAILABLE OPTIONS:**

**Option 3A.    Mounted 8’ platform body meeting Specification E1320**

**EACH \$ 2530.00    MAKE Knap**

**Option 3B.    Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 434.00**

**Option 3C.    Mounted standard utility tool body.**

**Acceptable makes and models are:**

- |                                    |                                       |
|------------------------------------|---------------------------------------|
| <b>Knapeheide 696J,</b>            | <b>Stahl CHALLENGER II 96VVS.48.5</b> |
| <b>Reading Classic II 98A S.W.</b> | <b>RKI L5680,</b>                     |
| <b>Omaha 96V</b>                   | <b>RKI L5780 (for Dodge).</b>         |

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 4184.00    MAKE Knap    MODEL 696J**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

- Option 3D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft  
**EACH \$ 1400.00**
- Option 3E. Four-Wheel Drive GVWR 94000  
**EACH \$ 2678.00**
- Option 3F. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission  
**EACH \$ -1192.00 Deduct**
- Option 3G. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 450.00**
- Option 3H. Exterior color to be Federal Standard #595B “Highway Yellow”  
**EACH N/C for chassis Note \$300.00 for the Knap. body**
- Option 3I. Alternate gasoline engine (state size and horsepower)  
**EACH \$ 498.00 SIZE 6.8L HORSEPOWER 362**
- Option 3J. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower)  
**EACH \$ 5723.00 SIZE 6.4L HORSEPOWER 350**
- Option 3K. Alternate diesel engine (state size and horsepower)  
**N/A**
- Option 3L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)  
**EACH \$307.00**
- Option 3M. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase)  
**EACH \$ 1224.00 Wheelbase 172” CA 56” GVWR 9400**
- Option 3O. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_  
**N/A**
- Option 3P. Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_  
**EACH \$ 291.00**
- Option 3Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper.  
**EACH \$ 560.00**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

**Option 3R      Electric Trailer Brake Controller**

**EACH \$ 191.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%***

**Delivery will be made 90-150 days after receipt of order.**



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Shawnee Mission Ford**

**Item – 3 - New standard equipped 2009 Model ¾ Ton Extended Cab Chassis-Cabs SRW with 56 Cab to Axle.**

**MAKE/MODEL: Ford F250**

**PRICE: \$ 19132.00**

**Last Order Date 3/20/09**

**EQUIPMENT INCLUDED IN PRICE:**

- Standard V8 minimum gasoline engine (Size 5.4 Horsepower 300)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4 or 5 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufactures standard all season, plus full size spare and wheel Size (LT245/75R/17)
- Minimum 8,800 GVWR
- Brakes, 4 wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty All Weather rubber removable floor mats
- Back up alarm
- Vinyl seats

**Fuel Capacity 38      Oil Capacity 7qt      GVWR 9200**

**AVAILABLE OPTIONS:**

**Option 3A.      Mounted 8’ platform body meeting Specification E1320**  
**EACH \$ 2730.00      MAKE Knap**

**Option 3B.      Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**  
**EACH \$ 484.00**

**Option 3C.      Mounted standard utility tool body.**

**Acceptable makes and models are:**

- |                                    |                                       |
|------------------------------------|---------------------------------------|
| <b>Knapeheide 696J,</b>            | <b>Stahl CHALLENGER II 96VVS.48.5</b> |
| <b>Reading Classic II 98A S.W.</b> | <b>RKI L5680,</b>                     |
| <b>Omaha 96V</b>                   | <b>RKI L5780 (for Dodge).</b>         |

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 4384.00      MAKE Knap      MODEL 696J**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

- Option 3D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft  
**EACH \$ 1500.00**
- Option 3E. Four-Wheel Drive GVWR 9400  
**EACH \$ 2800.00**
- Option 3F. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission  
**EACH \$ - 800 Deduct**
- Option 3G. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 500.00**
- Option 3H. Exterior color to be Federal Standard #595B "Highway Yellow"  
**N/C for cab chassis/ Note Knap body \$350.00**
- Option 3I. Alternate gasoline engine (state size and horsepower)  
**N/A**
- Option 3J. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower)  
**EACH \$ 5723.00 SIZE 6.4L V-8 HORSEPOWER 350**
- Option 3K. Alternate diesel engine (state size and horsepower)  
**N/A**
- Option 3L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)  
**EACH \$ 307.00**
- Option 3M. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase)  
**EACH \$ 147.00 Wheelbase 172" CA 56" GVWR 9400**
- Option 3O. Optional Rear Axle Ratio  
**N/B**
- Option 3P. Limited Slip Rear Axle. Axle Ratio 3.55 Diesel, 3.73 Gas, 4.10 gas  
**EACH \$ 291.00**
- Option 3Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper.  
**EACH \$ 600.00**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

Option 3R      Electric Trailer Brake Controller

**EACH \$ 191.00**

**Notes:**

Additional options available contact fleet buyer for complete list.

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%*

Delivery will be made days after receipt of order.



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Midway Ford**

**Item – 3 - New standard equipped 2009 Model ¾ Ton Extended Cab Chassis-Cabs SRW with 56 Cab to Axle.**

**MAKE/MODEL: Ford F250**

**PRICE: \$ 25915.00**

**Last Order Date 3/20/09**

**EQUIPMENT INCLUDED IN PRICE:**

- Standard V8 minimum gasoline engine (Size\_5.4 Horsepower 300)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4 or 5 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufactures standard all season, plus full size spare and wheel Size LT245/17)
- Minimum 8,800 GVWR
- Brakes, 4 wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty All Weather rubber removable floor mats
- Back up alarm
- Vinyl seats

**Fuel Capacity 38 \_\_\_\_\_ Oil Capacity 7qt GVWR 8800**

**AVAILABLE OPTIONS:**

**Option 3A. Mounted 8’ platform body meeting Specification E1320**

**EACH \$ 2520.00 MAKE Knap**

**Option 3B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 424.00**

**Option 3C. Mounted standard utility tool body.**

**Acceptable makes and models are:**

- |                                    |                                       |
|------------------------------------|---------------------------------------|
| <b>Knapeheide 696J,</b>            | <b>Stahl CHALLENGER II 96VVS.48.5</b> |
| <b>Reading Classic II 98A S.W.</b> | <b>RKI L5680,</b>                     |
| <b>Omaha 96V</b>                   | <b>RKI L5780 (for Dodge).</b>         |

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 4174.00 MAKE Knap MODEL 696J**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

- Option 3D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft  
**EACH \$ 1390.00**
- Option 3E. Four-Wheel Drive GVWR 9000  
**EACH \$ 2936.00**
- Option 3F. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission  
**EACH \$ 999.00 Deduct**
- Option 3G. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$440.00**
- Option 3H. Exterior color to be Federal Standard #595B “Highway Yellow”  
**EACH \$ 290.00**
- Option 3I. Alternate gasoline engine (state size and horsepower)  
**EACH \$ 530.00      SIZE V10 6.8      HORSEPOWER 362**
- Option 3J. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower)  
**EACH \$ 5923.00      SIZEV8 6.4L      HORSEPOWER 350**
- Option 3K. Alternate diesel engine (state size and horsepower)  
**N/A**
- Option 3L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)  
**EACH \$ 327.00**
- Option 3M. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase)  
**EACH \$ 1383.00      Wheelbase 172” CA 56”      GVWR 10,000**
- Option 3O. Optional Rear Axle Ratio Axle Ratio 3.55/ 4.10  
**N/C**
- Option 3P. Limited Slip Rear Axle. Axle Ratio 3.55  
**EACH \$ 275.00**
- Option 3Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper.  
**EACH \$ 550.00**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

**Option 3R      Electric Trailer Brake Controller**

**EACH \$ 165.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 12%***

**Delivery will be made 90-120 days after receipt of order.**



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Putnam Chevrolet**

**Item – 3 - New standard equipped 2009 Model ¾ Ton Extended Cab Chassis-Cabs SRW with 56 Cab to Axle.**

**MAKE/MODEL: Chevrolet Silverado 2500**

**PRICE: \$ 19739.00**

**EQUIPMENT INCLUDED IN PRICE:**

- Standard V8 minimum gasoline engine (Size 6.0L Horsepower 360)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4 or 5 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufactures standard all season, plus full size spare and wheel Size LT245/75/R16)
- Minimum 8,800 GVWR
- Brakes, 4 wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty All Weather rubber removable floor mats
- Back up alarm
- Vinyl seats

**Fuel Capacity 34 gal**

**Oil Capacity 6qt**

**GVWR 9200**

**AVAILABLE OPTIONS:**

**Option 3A. Mounted 8’ platform body meeting Specification E1320**

**EACH \$ 2530.00 MAKE Knap MODEL PVMX**

**Option 3B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 434.00**

**Option 3C. Mounted standard utility tool body.**

**Acceptable makes and models are:**

**Knapeheide 696J,  
Reading Classic II 98A S.W.  
Omaha 96V**

**Stahl CHALLENGER II 96VVS.48.5  
RKI L5680,  
RKI L5780 (for Dodge).**

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 4184.00 MAKE Knap MODEL 696J**



OPTIONAL EQUIPMENT PRICES, Item # 3 continued

- Option 3D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft  
**EACH \$ 1400.00**
- Option 3E. Four-Wheel Drive GVWR 9200  
**EACH \$ 2686.00**
- Option 3F. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission  
 N/A
- Option 3G. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 450.00**
- Option 3H. Exterior color to be Federal Standard #595B “Highway Yellow”  
**EACH \$ 547.00**
- Option 3I. Alternate gasoline engine (state size and horsepower)  
 N/A
- Option 3J. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower)  
**EACH \$ 6587.00 SIZE 6.6L HORSEPOWER 365**
- Option 3K. Alternate diesel engine (state size and horsepower)  
 N/A
- Option 3L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)  
**EACH \$ 416.00 Extended Cab \$ 448.00 Crew Cab**
- Option 3M. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase)  
**EACH \$ 1397.00 Wheelbase 153” CA 40” GVWR 9200**  
**EACH \$1589.00 Wheelbase167” CA 56” GVWR 9200**
- Option 3O. Optional Rear Axle Ratio Axle Ratio 4.10  
**EACH \$ 90.00**
- Option 3P. Limited Slip Rear Axle. Axle Ratio 3.73 or 4.10  
**EACH \$ 290.00**
- Option 3Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper.  
**EACH \$ 560.00**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

**Option 3R      Electric Trailer Brake Controller**

**EACH \$ 180.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%***

**Delivery will be made 90-120 days after receipt of order.**



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Carter Chevrolet**

**Item – 3 - New standard equipped 2009 Model ¾ Ton Extended Cab Chassis-Cabs SRW with 56 Cab to Axle.**

**MAKE/MODEL: Chevrolet Silverado 2500**

**PRICE: \$ 20250.00**

**EQUIPMENT INCLUDED IN PRICE:**

- Standard V8 minimum gasoline engine (Size\_6.0 L Horsepower360 )
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4 or 5 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufactures standard all season, plus full size spare and wheel Size 245/75/R/16E)
- Minimum 8,800 GVWR
- Brakes, 4 wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty All Weather rubber removable floor mats
- Back up alarm
- Vinyl seats

**Fuel Capacity 34 gal**

**Oil Capacity 6qt**

**GVWR 9200**

**AVAILABLE OPTIONS:**

**Option 3A. Mounted 8’ platform body meeting Specification E1320**

**EACH \$ 2269.00 MAKE Omaha MODEL PHD6**

**Option 3B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 680.00**

**Option 3C. Mounted standard utility tool body.**

**Acceptable makes and models are:**

**Knapeheide 696J,  
Reading Classic II 98A S.W.  
Omaha 96V**

**Stahl CHALLENGER II 96VVS.48.5  
RKI L5680,  
RKI L5780 (for Dodge).**

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 3740.00 MAKE Stahl MODEL 96VVS - 48.5**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

- Option 3D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft  
**EACH \$ 1236.00**
- Option 3E. Four-Wheel Drive           GVWR 9200  
**EACH \$ 2670.00**
- Option 3F. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission  
**N/A**
- Option 3G. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 270.00**
- Option 3H. Exterior color to be Federal Standard #595B “Highway Yellow”  
**EACH \$ 384.00**
- Option 3I. Alternate gasoline engine (state size and horsepower)  
**N/A**
- Option 3J. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower)  
**EACH \$ 6716.00           SIZE 6.6L           HORSEPOWER 365**
- Option 3K. Alternate diesel engine (state size and horsepower)  
**N/A**
- Option 3L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)  
**EACH \$ 275.00**
- Option 3M. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase)  
**EACH \$ 1840.00           Wheelbase 167” CA 56”           GVWR 9200**
- Option 3O. Optional Rear Axle Ratio           Axle Ratio 4.10  
**EACH \$ 110.00**
- Option 3P. Limited Slip Rear Axle.           Axle Ratio 3.73  
**EACH \$ 110.00**
- Option 3Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper.  
**EACH \$ 420.00**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

**Option 3R      Electric Trailer Brake Controller**

**EACH \$ 170.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%***

**Delivery will be made 60-90 days after receipt of order.**



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: West Brothers**

**Item – 3 - New standard equipped 2009 Model ¾ Ton Extended Cab Chassis-Cabs SRW with 56 Cab to Axle.**

**MAKE/MODEL: Dodge Ram Quad Cab 2500**

**PRICE: \$ 18048.00**

**EQUIPMENT INCLUDED IN PRICE:**

- Standard V8 minimum gasoline engine (Size\_5.7 Horsepower330)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4 or 5 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufactures standard all season, plus full size spare and wheel Size 17”)
- Minimum 8,800 GVWR
- Brakes, 4 wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty All Weather rubber removable floor mats
- Back up alarm
- Vinyl seats

**Fuel Capacity 35 gal    Oil Capacity 6qt    GVWR 8800**

**AVAILABLE OPTIONS:**

**Option 3A.    Mounted 8’ platform body meeting Specification E1320**

**EACH \$ 2530.00    MAKE Knap**

**Option 3B.    Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 434.00**

**Option 3C.    Mounted standard utility tool body.**

**Acceptable makes and models are:**

- |                                    |                                       |
|------------------------------------|---------------------------------------|
| <b>Knapeheide 696J,</b>            | <b>Stahl CHALLENGER II 96VVS.48.5</b> |
| <b>Reading Classic II 98A S.W.</b> | <b>RKI L5680,</b>                     |
| <b>Omaha 96V</b>                   | <b>RKI L5780 (for Dodge).</b>         |

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 4184.00    MAKE Knap    MODEL 696J**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

- Option 3D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft  
**EACH \$ 1400.00**
- Option 3E. Four-Wheel Drive           GVWR 8800  
**EACH \$ 2515.00**
- Option 3F. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission  
**N/A**
- Option 3G. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 335.00**
- Option 3H. Exterior color to be Federal Standard #595B “Highway Yellow”  
**EACH \$ 350 for the chassis only min. order 5 units Note \$300.00 for the Knap body**
- Option 3I. Alternate gasoline engine (state size and horsepower)  
**N/A**
- Option 3J. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower)  
**N/A**
- Option 3K. Alternate diesel engine (state size and horsepower)  
**N/A**
- Option 3L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)  
**N/A**
- Option 3M. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase)  
**N/B**
- Option 3O. Optional Rear Axle Ratio           Axle Ratio 4.10  
**EACH \$ 330.00**
- Option 3P. Limited Slip Rear Axle.           Axle Ratio 3.73  
**Include**
- Option 3Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper.  
**EACH \$ 560.00**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

**Option 3R      Electric Trailer Brake Controller**

**EACH \$ 175.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 2%***

**Delivery will be made 90-120 days after receipt of order.**



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Southtown Dodge**

**Item – 3 - New standard equipped 2009 Model ¾ Ton Extended Cab Chassis-Cabs SRW with 56 Cab to Axle.**

**MAKE/MODEL: Dodge Ram 2500**

**PRICE: \$17433.00**

**EQUIPMENT INCLUDED IN PRICE:**

- Standard V8 minimum gasoline engine (Size 5.7L Horsepower 330)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4 or 5 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufactures standard all season, plus full size spare and wheel Size LT235/80R/17E)
- Minimum 8,800 GVWR
- Brakes, 4 wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty All Weather rubber removable floor mats
- Back up alarm
- Vinyl seats

**Fuel Capacity 35 gal**

**Oil Capacity 7qt**

**GVWR\_9000**

**AVAILABLE OPTIONS:**

**Option 3A. Mounted 8’ platform body meeting Specification E1320**

**EACH \$ 2530.00 MAKE Knap.**

**Option 3B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 434.00**

**Option 3C. Mounted standard utility tool body.**

**Acceptable makes and models are:**

**Knapeheide 696J,  
Reading Classic II 98A S.W.  
Omaha 96V**

**Stahl CHALLENGER II 96VVS.48.5  
RKI L5680,  
RKI L5780 (for Dodge).**

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 4184.00 MAKE Knap MODEL 696J**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

- Option 3D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft  
**EACH \$ 1400.00**
- Option 3E. Four-Wheel Drive GVWR 9000  
**EACH \$ 2798.00**
- Option 3F. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission  
**N/A**
- Option 3G. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 450.00**
- Option 3H. Exterior color to be Federal Standard #595B “Highway Yellow”  
**EACH \$ 308.00 chassis only min of 5 vehicles; Note Knap body \$300.00**
- Option 3I. Alternate gasoline engine (state size and horsepower)  
**N/A**
- Option 3J. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower)  
**EACH \$ 6615.00 SIZE 6.7L HORSEPOWER 350**
- Option 3K. Alternate diesel engine (state size and horsepower)  
**N/A**
- Option 3L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)  
**EACH \$ 701.00**
- Option 3M. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase)  
**N/A**
- Option 3O. Optional Rear Axle Ratio Axle Ratio 4.10  
**EACH \$ 50.00**
- Option 3P. Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_  
**Included**
- Option 3Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper.  
**EACH \$ 560.00**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

**Option 3R      Electric Trailer Brake Controller**

**EACH \$ 175.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount dealer cost***

**Delivery will be made 90-180 days after receipt of order.**



**Light Duty Vehicles Three Quarter Ton and Above  
(Statewide)  
Multiple Award**

**Contract Number: 3-080919HD**

**Vendor: Johnsons of Kingfisher**

**Item – 3 - New standard equipped 2009 Model ¾ Ton Extended Cab Chassis-Cabs SRW with 56 Cab to Axle.**

**MAKE/MODEL: Dodge Ram 2500**

**PRICE: \$17580.00**

**EQUIPMENT INCLUDED IN PRICE:**

- Standard V8 minimum gasoline engine (Size 5.7L Horsepower 330)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4 or 5 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufactures standard all season, plus full size spare and wheel Size LT265/70R/17E)
- Minimum 8,800 GVWR
- Brakes, 4 wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty All Weather rubber removable floor mats
- Back up alarm
- Vinyl seats

**Fuel Capacity 35 gal**

**Oil Capacity 7qt**

**GVWR 8800**

**AVAILABLE OPTIONS:**

**Option 3A. Mounted 8’ platform body meeting Specification E1320**

**EACH \$ 2269.00 MAKE Omaha MODEL PHDL**

**Option 3B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ 680.00**

**Option 3C. Mounted standard utility tool body.**

**Acceptable makes and models are:**

**Knapeheide 696J,  
Reading Classic II 98A S.W.  
Omaha 96V**

**Stahl CHALLENGER II 96VVS.48.5  
RKI L5680,  
RKI L5780 (for Dodge).**

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ 3740.00 MAKE Stahl MODEL 96VVS**



OPTIONAL EQUIPMENT PRICES, Item # 3 continued

- Option 3D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft  
**EACH \$ 1236.00**
- Option 3E. Four-Wheel Drive GVWR 9000  
**EACH \$ 2700.00**
- Option 3F. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission  
**EACH \$-343.00 Deduct Note requires option 3J**
- Option 3G. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
**EACH \$ 270.00**
- Option 3H. Exterior color to be Federal Standard #595B “Highway Yellow”  
**N/A**
- Option 3I. Alternate gasoline engine (state size and horsepower)  
**N/A**
- Option 3J. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower)  
**EACH \$ 6210.00 SIZE 6.7L HORSEPOWER 305**
- Option 3K. Alternate diesel engine (state size and horsepower)  
**N/A**
- Option 3L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)  
**EACH \$ 275.00**
- Option 3M. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase)  
**N/A**
- Option 3O. Optional Rear Axle Ratio Axle Ratio 4.10  
**EACH \$ 90.00 Note Requires option 3P**
- Option 3P. Limited Slip Rear Axle. Axle Ratio 3.73  
**EACH \$ 310.00**
- Option 3Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper.  
**EACH \$ 420.00**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

**Option 3R      Electric Trailer Brake Controller**

**EACH \$ 170.00**

**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - 8 %***

**Delivery will be made 90-120 days after receipt of order.**