



MISSOURI DEPARTMENT OF TRANSPORTATION
 GENERAL SERVICES DIVISION
 FLEET SECTION

NOTIFICATION OF STATEWIDE CONTRACT

CONTRACT TITLE: 2009 Dodge 4500 and 5500 Light Duty Vehicles

CURRENT CONTRACT PERIOD:

BUYER INFORMATION: Jerry Dunn
 573-526-7932
jerry.dunn@modot.mo.gov

RENEWAL INFORMATION	Bid prices should be firm for purchase until end of the 2009 model year. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.
----------------------------	---

ALL PURCHASES MADE UNDER THIS CONTRACT MUST BE FOR **PUBLIC USE ONLY**.
 PURCHASES FOR PERSONAL USE BY PUBLIC EMPLOYEES OR OFFICIALS ARE PROHIBITED.

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-081121	4312893570	West Brothers Chrysler Inc #3 North service Rd. Sullivan MO 63080 888-468-3178 or 573-205-3825 johns@westbrothers.com John Schaefferkoetter		
3-081121	431057804	South County Dodge Chrysler Jeep 7127 S. Linbergh Blvd St/ Louis MO 63125 314 - 487-1010 bussinesslink@southcountyautos.com Terry Brandt		



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-081121	431206283	Lou Fusz Dodge Company		
		3480 Highway K		
		O'Fallon MO. 63368		
		636-442-8130		
		Rick David		
		rickdavid@fusz.com		



**4500 and 5500 Dodge Light Duty Vehicles (Statewide)
Multiple Award**

Contract Number: 3-081121

Vendor: West Brothers

Item – 3 New standard equipped 2009 Model 17, 500 LB. GVWR Chassis-Cab SWB With DRW.
ACCEPTABLE MAKES AND MODELS:

MAKE/MODEL: Dodge Ram 5500

PRICE: \$28383.00

EQUIPMENT INCLUDED IN PRICE:

- Standard diesel engine with the highest cooling capacity (Size 6.7) Horsepower 305)
- Manufacturer’s standard rear end axle ratio (Ratio: 4.44)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size 225/70R/19.50)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 52 Gal. Oil Capacity 12 Qt. GVWR 18750

AVAILABLE OPTIONS

Option 3A. Mounted 9’ platform body meeting Specification E1320

EACH \$ 2629.00 MAKE Knap

Option 3B. Mounted 9’ platform dump body meeting Specification E1327

EACH \$ 5220.00 MAKE Knap

Option 3C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 3D. Mounted 9’ dump body meeting Specification E1335

EACH \$ 6340.00

Option 3E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 5700.00



OPTIONAL EQUIPMENT PRICES, Item # 3 – Continued

Option 3F. Mounted standard utility tool body. Acceptable makes and models are:

Knapheide 6108D54J, Stahl CHALLENGER II 108VVD- 54
Reading CLASSIC II 108A DW Omaha 108D54V
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH \$ 5085.00 (MAKE) Knap (MODEL) 6108D54J

Option 3G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 3H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 3I. One full-length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 791.00

Option 3J. One double- bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 430.00

Option 3K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 2650.00

Option 3L. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 1515.00

Option 3M Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 570.00



OPTIONAL EQUIPMENT PRICES, Item # 3 – Continued

- Option 3N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)
EACH \$ 995.00
- Option 3O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ -2020.00
- Option 3P. Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 450.00
- Option 3Q. Exterior color to be Federal Standard #595B “Highway Yellow”
EACH \$ 658.00 \$ 308 for chassis and \$350 for Knap body min order qty. of 5
- Option 3R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 3S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
N/A
- Option 3T. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)
N/A
- Option 3U. Automatic transmission power take-off provision
EACH \$ 172.00
- Option 3V. Snowplow package
EACH \$128.00
- Option 3W. Crew cab(Quad cab 164” Wheelbase) in lieu of regular cab **GVWR 19500**
EACH \$ 1982.00
- Option 3X. Extended cab in lieu of regular cab
N/A
- Option 3Y. 2 Factory cab steps. (one on drivers side, one on passenger side)
EACH \$ 431.00
- Option 3Z. .Four-wheel drive **GVWR_18750**
EACH \$ 3049.00



OPTIONAL EQUIPMENT PRICES, Item # 3 – Continued

Option 3AA. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8100.00

Option 3BB. Provide hydraulics and controls for dump hoist only

EACH \$672.00

Option 3CC. Optional Rear Axle Ratio

N/A

Option 3DD. Limited Slip Rear Axle. Axle Ratio 4.44

EACH \$ Included

Option 3EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 648.00

Option 3FF. Electric Trailer Brake Controller

EACH \$ 175.00 By Knap

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 2%

Delivery will be made approximately 90-120 days after receipt of order.



**4500 and 5500 Dodge Light Duty Vehicles (Statewide)
Multiple Award**

Contract Number: 3-081121

Vendor: Southtown Dodge

Item – 3 New standard equipped **2009 Model 17, 500 LB. GVWR Chassis-Cab SWB With DRW.**
ACCEPTABLE MAKES AND MODELS:

MAKE/MODEL: Dodge Ram 5500

PRICE: \$27170.00

EQUIPMENT INCLUDED IN PRICE:

- Standard diesel engine with the highest cooling capacity (Size 6.7) Horsepower 305)
- Manufacturer’s standard rear end axle ratio (Ratio: 4.44)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size 225/70R/19.50)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 52 Gal. Oil Capacity 12 Qt. GVWR 18750

AVAILABLE OPTIONS

Option 3A. Mounted 9’ platform body meeting Specification E1320

EACH \$ 2629.00 MAKE Knap

Option 3B. Mounted 9’ platform dump body meeting Specification E1327

EACH \$ 5220.00 MAKE Knap

Option 3C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 3D. Mounted 9’ dump body meeting Specification E1335

EACH \$ 6340.00

Option 3E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 5650.00 Gas \$5700.00 diesel



OPTIONAL EQUIPMENT PRICES, Item # 3 – Continued

Option 3F. Mounted standard utility tool body. Acceptable makes and models are:

Knapheide 6108D54J, Stahl CHALLENGER II 108VVD- 54
Reading CLASSIC II 108A DW Omaha 108D54V
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH \$ 5085.00 (MAKE) Knap

Option 3G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 3H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 3I. One full-length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 791.00

Option 3J. One double- bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 430.00

Option 3K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 2650.00

Option 3L. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 1515.00

Option 3M. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$570.00



OPTIONAL EQUIPMENT PRICES, Item # 3 – Continued

Option 3AA. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8020.00 Gas \$8100.00 Diesel

Option 3BB. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 3CC. Optional Rear Axle Ratio

N/A

Option 3DD. Limited Slip Rear Axle. Axle Ratio All

EACH \$ 286.00

Option 3EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 600.00

Option 3FF. Electric Trailer Brake Controller

EACH \$ 175.00

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount Dealer Cost

Delivery will be made approximately 90-180.00 days after receipt of order.



**4500 and 5500 Dodge Light Duty Vehicles (Statewide)
Multiple Award**

Contract Number: 3-081121

Vendor: Lou Fusz Dodge

Item – 3 New standard equipped 2009 Model 17, 500 LB. GVWR Chassis-Cab SWB With DRW.
ACCEPTABLE MAKES AND MODELS:

MAKE/MODEL: Dodge Ram 5500

PRICE: \$28774.00

EQUIPMENT INCLUDED IN PRICE:

- Standard diesel engine with the highest cooling capacity (Size 6.7) Horsepower 305)
- Manufacturer’s standard rear end axle ratio (Ratio: 4.44)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size 225/70R/19.50)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

Fuel Capacity 52 Gal. Oil Capacity 12 Qt. GVWR 18750

AVAILABLE OPTIONS

- Option 3A. Mounted 9’ platform body meeting Specification E1320**
EACH \$ 2629.00 MAKE Knap MODEL PVMX 93C
- Option 3B. Mounted 9’ platform dump body meeting Specification E1327**
EACH \$ 5220.00 MAKE Knap MODEL PVMXT 93C w/Rugby HR540 Hoist
- Option 3C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$ 780.00
- Option 3D. Mounted 9’ dump body meeting Specification E1335**
EACH \$ 6340.00
- Option 3E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**
EACH \$ 5700.00



OPTIONAL EQUIPMENT PRICES, Item # 3 – Continued

Option 3F. Mounted standard utility tool body. Acceptable makes and models are:

Knapheide 6108D54J, Stahl CHALLENGER II 108VVD- 54
Reading CLASSIC II 108A DW Omaha 108D54V
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH \$ 5085.00 (MAKE) Knap (MODEL) 6108D54J

Option 3G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 3H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 3I. One full-length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 3J. One double- bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 430.00 Location TBD at time of order

Option 3K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 2650.00

Option 3L. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$1515.00

Option 3M Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 570.00



OPTIONAL EQUIPMENT PRICES, Item # 3 – Continued

- Option 3N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)
EACH \$ 995.00
- Option 3O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ -2020.00 Deduct
- Option 3P. Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 450.00
- Option 3Q. Exterior color to be Federal Standard #595B “Highway Yellow”
No Bid
- Option 3R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
No Bid
- Option 3S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
No Bid
- Option 3T. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)
No Bid
- Option 3U. Automatic transmission power take-off provision
EACH \$ 195.00
- Option 3V. Snowplow package
EACH \$ 145.00
- Option 3W. Crew cab (Quad Cab 4 Door) in lieu of regular cab GVWR 18750
EACH \$ 2740.00
- Option 3X. Extended cab in lieu of regular cab
No Bid
- Option 3Y. 2 Factory cab steps. (one on drivers side, one on passenger side)
EACH \$ 545.00 for 2 door regular cab
- Option 3Z. .Four-wheel drive GVWR 18750
EACH \$ 3985.00



OPTIONAL EQUIPMENT PRICES, Item # 3 – Continued

Option 3AA. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8100.00

Option 3BB. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00 electric / hydraulics for hoist only ILO central hydraulics systems

Option 3CC. Optional Rear Axle Ratio Axle Ratio 4.88

EACH \$ 100.00

Option 3DD. Limited Slip Rear Axle. Axle Ratio 4.44

EACH \$ 325.00

Option 3EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$648.00

Option 3FF. Electric Trailer Brake Controller

EACH \$ 175.00

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 5%

Delivery will be made approximately 90-120 days after receipt of order.