MISSOURI DEPARTMENT OF TRANSPORTATION
GENERAL SERVICES DIVISION
FLEET SECTION

NOTIFICATION OF STATEWIDE CONTRACT

CONTRACT TITLE: Light Duty Automotive ¾ and above vehicles.

CURRENT CONTRACT PERIOD: 2009 Model Year

BUYER INFORMATION: **Jerry Dunn**
573-526-7932
jerry.dunn.@modot.mo.gov

RENEWAL INFORMATION	Bid prices should be firm for purchase until the end of the 2009 model year. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.

ALL PURCHASES MADE UNDER THIS CONTRACT MUST BE FOR **PUBLIC USE ONLY.**
PURCHASES FOR PERSONAL USE BY PUBLIC EMPLOYEES OR OFFICIALS ARE PROHIBITED.

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCURE -MENT
3-080919HD	371295326	Gem City Ford Lincoln Mercury	All	Yes
		5101 Broadway		
		Quincy IL 62305		
		800-647-5475		
		Danny Schwartz		
		bpn@gemcityford.com		
3-080919HD	430918670	Joe Machens Ford		
		1911 West Worley		
		Columbia MO 65203		
		573-445-4411 Ext. 119		
		Steve Veltrop Jr.		
		sveltropjr@machens.com		

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCURE -MENT
3-080919HD	431545793	Lou Fusz Ford	All	Yes
		# 2 Caprice Dr.		
		Chesterfield MO 63005		
		636-532-9955		
		Andy Eldridge		
		andyeldridge@fusz.com		
3-080918HD	430834994	Dave Sinclair Ford Inc	All	Yes
		7466 S. Lindbergh		
		St. Louis MO 63125		
		314-892-2600		
		Les Williams		
		lwilliams@davesinclair.com		
3-080919HD	480582387	Shawnee Mission Ford	All	Yes
		11501 W. Shawnee Mission Pkwy .		
		Shawnee KS 66203-0179		
		913-248-2287		
		Jay Cooper		
		Jay.cooper@shawneemissionford.com		
3-080919HD	480674662	Midway truck Center Inc.	All	Yes
		7601 NE. 38th Street		
		Kansas City MO 64161		
		816-455-3000		
		Debi Jones		
		djones@midwaytrucks.com		
3-080919HD	440527460	Putnam Chevrolet	All	Yes
		500 W. Buchanan		
		California MO 65018		
		Derek VanLoo		
		573-796-2131		
		derekvanloo@putnamchevrolet.com		
3-080919HD	431327002	Don Brown Chevrolet	All	Yes
		2244 Kingshighway		
		St. Louis MO 63110		
		Dave Helterbrand		
		314-772-1400		
		dave@donbrownchevrolet.com		
3-080919HD	730945947	Carter Chevrolet Agency LLC	All	Yes
		214 W. Oklahoma Ave.		
		Okarche OK 73762		
		Susie Clements 405-263-1137 / 800-343-5484		
		sclements@carterchev.biz		

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCURE -MENT
3-080919HD	203942879	Don Brown Automotive Group	All	Yes
		3300 S. Kingshighway		
		St. Louis MO 63139		
		Dave Helterbrand		
		314-772-1400		
		dave@donbrownchevrolet.com		
3-080919HD	431289357	West Brothers	All	Yes
		#3 North Service Rd.		
		Sullivan MO 63080		
		John Schaefferkoetter		
		888-468-3178		
		johns@westbrothers.com		
3-080919HD	43126283	Lou Fusz Dodge	All	Yes
		3480 Highway K		
		O'Fallon MO 63368		
		Rick David		
		636-442-8100		
		rickdavid@fusz.com		
3-080919HD	431057804	Southtown Dodge	All	Yes
		7127 S. Lindbergh		
		St. Louis MO 63125		
		Wayne Cunningham		
		314-487-1010		
		bussinesslink@southtowndodge.com		
3-080919HD	431618228	Kieth Beck Auto Group	All	Yes
		16877 Hwy. 5		
		Boonville MO 65233		
		Ken Carey		
		660-882-8800		
		ken@keithbeckautogroup.com		
3-080919HD	730751281	Johnsons of Kingfisher	All	yes
		1801 S. Main St.		
		Fingfisher OK 73750		
		Mike Johnson		
		405-375-5718		
		johnsonkgfr@aol.com		

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: Gem City Ford**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Ford F350** ***PRICE: $ 24217.00*** **Last Order Date 3/20/09**

EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size 6.4 L Horsepower 350)
manufacturer's standard rear end axle ratio (Ratio: 3.73)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size 245/75/17)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity 40gal **Oil Capacity 15 qt** **GVWR 13000**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2629.00 MAKE Knap MODEL PVMX 93

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 780.00

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $ 5220.00 MAKE Knap MODEL PVMX 93

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6340.00 MAKE Knap MODEL PVMX 93

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $ 6120.00 Diesel Note $6080.00 for Gas 6.8L V10. If requesting option 4T add another $250.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 5085.00 MAKE Knap MODEL 6108D54J

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1540.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $ 570.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side comt The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment**

EACH $ 791.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 430.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 2650.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $ 1515.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $ 570.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $ 995.00

Option 4O. **Four-wheel drive GVWR 13000**

EACH $ 2800.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

EACH $ -1200.00 Deduct

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $ 450.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

EACH $ 350.00 Note Knap body

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T. **Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ - 5700.00 SIZE 5.4L HORSEPOWER 300

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ 5300.00 Deduct SIZE 6.8L V10 HORSEPOWER 362

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW) GVWR 10000**

EACH - $ 600 Deduct

Option 4W. **Snow plow package**

EACH $ 75.00

Option 4X. **Automatic transmission power take-off provision**

EACH $ 210.00

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $ 275.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

EACH $ 8500 Diesel Gas $8450.00

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $ 672.00

Option 4BB. **Optional Rear Axle Ratio**

N/A

Option 4CC. **Limited Slip Rear Axle Axle Ratio _____**

EACH $ 300.00

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 648.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90-120 days after receipt of order

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: Joe Machens**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Ford F350** ***PRICE: $ 24675.00*** **Last Order Date 3/20/09**

EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size 6.4L Horsepower 350)
Manufacturer's standard rear end axle ratio (Ratio: 3.73)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size LT245/75R/17E)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity 40 **Oil Capacity 15 qt** **GVWR 13000**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2629.00 MAKE Knap MODEL PVMX 93

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 780.00

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $5220.00 MAKE Knap MODEL PVMX 93

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6340.00 MAKE TEBI MODEL DU9

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $ 6120.00 Diesel Note Gas 6.8 V10 $6080.00 Gas 5.4L V8 $6330.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 5085.00 MAKE Knap MODEL 6108D54J

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1540.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $ 570.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment.**

EACH $ 791.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 430.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 2650.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $ 1515.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $570.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $ 995.00

Option 4O. **Four-wheel drive GVWR 13000**

EACH $ 2915.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

EACH $ -1192.00 Deduct

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $ 450.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

N/A

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T. **Standard gas engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -5611.00 Deduct SIZE 5.4L HORSEPOWER 300

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -5331.00 Deduct SIZE 6.8 V10 HORSEPOWER 362

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW) GVWR _____**

N/B

Option 4W. **Snow plow package**

EACH $ 3000.00 Note incudes four wheel dirve. For 4x4 prep only

Option 4X. **Automatic transmission power take-off provision**

EACH $250.00

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $320.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

EACH $ 8500 Diesel / Note 6.8 V10 gas $8450.00, 5.4L gas $8700.00

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $ 672.00

Option 4BB. **Optional Rear Axle Ratio**

N/A

Option 4CC. **Limited Slip Rear Axle Axle Ratio 4.10**

EACH $ 350.00

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 648.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $ 230.00 from Ford Motor Co. Note $175.00 from Kanp.

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 5%

Delivery will be made 90-120 days after receipt of order

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: Lou Fusz Ford**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Ford F350** ***PRICE: $ 24165.00*** **Last Order Date 3/20/09**

EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size 6.4 Horsepower 350)
Manufacturer's standard rear end axle ratio (Ratio: 3.73)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size_____)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity _____ **Oil Capacity _____** **GVWR _____**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2629.00 MAKE Knap

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 434.00

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $ 5220.00

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6340

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $ 6330.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 5085.00 MAKE Knap MODEL 6108D

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1540.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $ 570.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side comt The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment**

EACH $ 791.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 430.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 2650.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $ 1515.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $ 570.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $ 995.00

Option 4O. **Four-wheel drive GVWR _____**

EACH $ 2915.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

EACH $ -1197.00 Deduct

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $ 450.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

EACH $ 350.00

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T. **Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -4980.00 Deduct SIZE 6.8L HORSEPOWER 362

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -5643.00 Deduct SIZE 5.4L HORSEPOWER 300

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW) GVWR _____**

EACH $ -460 Deduct

Option 4W. **Snow plow package**

EACH $ 85.00

Option 4X. **Automatic transmission power take-off provision**

EACH $- 250.00 Deduct Note Diesel only

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $ 370.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

EACH $ 8500.00

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $ 672.00

Option 4BB. **Optional Rear Axle Ratio** **Axle Ratio _____**

N/A

Option 4CC. **Limited Slip Rear Axle** **Axle Ratio _____**

EACH $ 350.00

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 648.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $ 250.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8 %

Delivery will be made 90-120 days after receipt of order

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: Dave Sinclair**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Ford F350** ***PRICE: $ 23851.00*** **Last Order Date 3/20/09**

EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size6.4 L Horsepower 325)
Manufacturer's standard rear end axle ratio (Ratio: 3.73)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size LT 245/75R/17E)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity 40 gal **Oil Capacity 15 qt** **GVWR 13000**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2629.00 MAKE Knap

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 780.00

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $ 5220.00 MAKE Knap

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6340.00 MAKE Knap MODEL 3.6 cu. yd. no hydraulics

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $ 6120.00 Diesel / Note 5.4L gas $6330.00, 6.8 L Gas $6080.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 5085.00 MAKE Knap MODEL 6108D54J

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1540.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $ 570.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side comt The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment**

EACH $ 791.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 430.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 2650.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $ 1515.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $ 570.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $ 995.00

Option 4O. **Four-wheel drive GVWR 13000**

EACH $ 2624.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

EACH $ -1237.00 Deduct

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $ 450.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

Included

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T. **Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -5432.00 Deduct SIZE 6.8 L HORSEPOWER 362

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -5712.00 Deduct SIZE 5.4 L HORSEPOWER 300

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW) GVWR 10000**

EACH $ 490.00 Note Opt. 4VA $3098.00 E1320, Opt. 4VB $434 Bulk Head, 4VC N/B, 4VD N/B, 4V5F $4815, 4VK N/B

Option 4W. **Snow plow package**

EACH $ 71.00

Option 4X. **Automatic transmission power take-off provision**

EACH $ 208.00

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $ 266.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

EACH $ 8500.00 Diesel / Gas $8450.00

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $ 672.00

Option 4BB. **Optional Rear Axle Ratio** **Axle Ratio _____**

N/A

Option 4CC. **Limited Slip Rear Axle** **Axle Ratio 4.10**

EACH $ 291.00

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 648.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $ 191.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 90-150 days after receipt of order

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: Shawnee Mission Ford**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Ford F350** ***PRICE: $ 23799.00*** **Last Order Date 3/20/09**

EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size 6.4L Horsepower 350)
Manufacturer's standard rear end axle ratio (Ratio: 3.73)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (SizeLT245/75/R17)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity 40 gal **Oil Capacity 15 qt** **GVWR 13000**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2829.00 DRW MAKE Knap MODEL Platform 9'3" x 95.75"
EACH $ 3298.00 SRW MAKE Knap MODEL Platform 9'3" x 78.25"

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 830.00 DRW $ 484.00 SRW

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $ 5520.00 MAKE Knap

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6640.00 MAKE Knap

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $6420.00 Note add $300.00 for a Gas 5.4 L Engine this is a add on for the harmonic balancer.

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 5385.00 DRW MAKE Knap MODEL 6108D54
EACH $ 5115.00 SRW MAKE Knap MODEL 6108D

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1640.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $ 600.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment. The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment.**

EACH $ 840.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 500.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 2850.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $ 1616.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $ 630.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $ 1095.00

Option 4O. **Four-wheel drive GVWR 13000**

EACH $ 2800.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

EACH $ -800.00 Deduct

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $ 500.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

N/C for the cab chassis Note $ 400.00 for the body

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T. **Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -5000.00 Deduct SIZE 5.4L V-8 HORSEPOWER 300

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -4500.00 Deduct SIZE 6.8 L V10 HORSEPOWER 362

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW) GVWR 10000**

EACH $ 460.00

Option 4W. **Snow plow package**

EACH $ 71.00 Note 4x 4 only

Option 4X. **Automatic transmission power take-off provision**

EACH $ 208.00 Note Available on 6.4L Diesel and 6.8L V10 Gas

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $ 266.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

EACH $ 9000.00

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $ 772.00 Note ILO option 4E or 4Z

Option 4BB. **Optional Rear Axle Ratio** **Axle Ratio _____**

N/A

Option 4CC. **Limited Slip Rear Axle** **Axle Ratio 4.10**

EACH $ 291.00

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 748.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $ 191.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount10 %

Delivery will be made 90-120 days after receipt of order

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: Midway Ford**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Ford F350** ***PRICE: $ 24730.00*** **Last Order Date 3/20/09**

EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size6.4 V8 Horsepower 350)
Manufacturer's standard rear end axle ratio (Ratio: 3.73)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size LT245BWAS17)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity 40 gal **Oil Capacity 15 qt** **GVWR 13000**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2619 **MAKE Knap**

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 770.00

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $ 5210.00 **MAKE Knap**

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6330.00 **MAKE Knap**

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $ 6110.00 Diesel / Notes Gas V10 = $6070.00 / Gas 5.4L = $6360.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 5075.00 MAKE Knap MODEL 6108D54J

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1530.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $ 560.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side comt The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment**

EACH $ 781.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 420.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 2640.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $1505.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $ 560.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $ 985.00

Option 4O. **Four-wheel drive GVWR 13000**

EACH $ 2884.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

EACH $ -999 Deduct

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $ 440.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

EACH $ 340.00

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T **Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -3999.00 Deduct SIZE V10 6.8L HORSEPOWER 362

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -4699.00 Deduct SIZE V8 5.4L HORSEPOWER 300

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW) GVWR 10000**

EACH $ -350.00 Deduct

Option 4A $3088.00, 4VB $424.00, 4VC No Bid, 4VD No Bid, 4F5F $4805.00, 4VK N/B

Option 4W. **Snow plow package**

EACH $ 2769.00 Note must be 4x4

Option 4X. **Automatic transmission power take-off provision**

EACH $ 218.00

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $ 286.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

EACH $ $ 8490.00 Diesel / Note $8440.00 Gas

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $ 662.00

Option 4BB. **Optional Rear Axle Ratio** **Axle Ratio 4.10**

N/C

Option 4CC. **Limited Slip Rear Axle** **Axle Ratio 4.30**

EACH $ 50.00

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 638.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $ 165.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 12%

Delivery will be made 90-120 days after receipt of order

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: Putnam Chevrolet**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Chevrolet Silverado 3500** ***PRICE: $ 25239.00***

EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size6.6L Horsepower 365)
Manufacturer's standard rear end axle ratio (Ratio:3.73)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size LT225/75/R17)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity 50 gal **Oil Capacity 10 qt** **GVWR 11400**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2629.00 **MAKE Knap** **MODEL PVMX**

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 780.00

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $ 5220.00 **MAKE TBEI** **MODEL DU-9**

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6340.00 **MAKE TBEI** **MODEL DU-9**

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $ 5700.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 5085.00 MAKE Knap MODEL 6108D54J

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1540.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $ 570.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side comt The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment**

EACH $ 791.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 430.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 2650.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $ 1515.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $ 570.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $ 995.00

Option 4O. **Four-wheel drive GVWR 11400**

EACH $ 2686.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

N/A

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $ 450.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

EACH $ 597.00

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T. **Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $-5766.00 Deduct SIZE 6.0 L HORSEPOWER 360

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW)**

N/A

Option 4W. **Snow plow package**

EACH $ 256.00 Gas 4WD / $ 446.00 Diesel Note 4WD

Option 4X. **Automatic transmission power take-off provision**

Included with Diesel Note N/A with Gas

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $ 365.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

EACH $ 8100.00

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $ 672.00

Option 4BB. **Optional Rear Axle Ratio** **Axle Ratio 3.73**

N/A Note only available with gas engine

Option 4CC. **Limited Slip Rear Axle** **Axle Ratio 3.73 or 4.10**

EACH $ 290.00

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 648.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $ 180.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90-120 days after receipt of order

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: Carter Chevrolet**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Chevrolet Silverado 3500** ***PRICE: $ 25450.00***

EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size6.6L Horsepower 365)
Manufacturer's standard rear end axle ratio (Ratio: 3.73)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225/75R/17)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity 50 gal **Oil Capacity 10qt** **GVWR 11400**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2359.00 **MAKE Omaha** **MODEL PHD6**

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 780.00

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $ 4140.00 **MAKE Omaha** **MODEL PHD6**

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6230.00 **MAKE Rugby** **MODEL 72579**

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $ 5620.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 4407.00 MAKE Stahl or Knap MODEL 108VVD-54 or 6108D54J

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1451.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $ 520.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side comt The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment**

EACH $ 920.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 743.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 3160.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $ 1400.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $ 875.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $ 925.00

Option 4O. **Four-wheel drive GVWR 11400**

EACH $ 2686.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

N/A

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $ 341.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

EACH $ 463.00

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T. **Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $-5890.00 Deduct SIZE 6.0V8 HORSEPOWER 360

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW) GVWR _____**

N/A

Option 4W. **Snow plow package**

EACH $ 328.00 Note requires Option 4O and option 4T

Option 4X. **Automatic transmission power take-off provision**

N/C Note not available with option 4T

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $345.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

N/A

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $2272.00

Option 4BB. **Optional Rear Axle Ratio** **Axle Ratio 4.10**

EACH $ 110.00

Option 4CC. **Limited Slip Rear Axle** **Axle Ratio 3.73**

EACH $ 310.00

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 640.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $ 170.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 60-90 days after receipt of order

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: West Brothers**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Dodge Ram 3500** ***PRICE: $ 24843.00***
EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size6.7 Horsepower 305)
Manufacturer's standard rear end axle ratio (Ratio: 4.10)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size 19.5)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity 52 gal **Oil Capacity 12 qt** **GVWR 12500**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2629.00 MAKE Knap

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 780.00

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $ 5220.00 MAKE Knap

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6340.00 MAKE Knap

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $ 5700.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 5085.00 MAKE Knap MODEL 6108D54J

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1540.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $ 570.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side comt The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment**

EACH $ 791.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 430.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 2650.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $ 1515.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $ 570.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $ 995.00

Option 4O. **Four-wheel drive GVWR 12500**

EACH $ 2482.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

EACH $ - 2020 Deduct

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $ 450.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

EACH $ 308.00 for chassis Note add $300.00 for the Knap body

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T. **Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -6323 Deduct SIZE 5.7 HORSEPOWER 380

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW) GVWR 10200**

EACH $ -484.00 Deduct Note platform $3098.00, Bulkhead $434.00, Hoist NB

Option 4W. **Snow plow package**

N/A

Option 4X. **Automatic transmission power take-off provision**

EACH $172.00

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $ 480.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

EACH $8100.00

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $ 672.00

Option 4BB. **Optional Rear Axle Ratio** **Axle Ratio 3.42 or 3.73**

EACH $ 330.00

Option 4CC. **Limited Slip Rear Axle** **Axle Ratio 4.10**

Include

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 648.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 2%

Delivery will be made 90-120 days after receipt of order

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: Lou Fusz Dodge**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Dodge Ram 3500** ***PRICE: $ 25346.00***

EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size 6.7 Horsepower 305)
Manufacturer's standard rear end axle ratio (Ratio: 4.10)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (SizeLT235/80R/17E)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity 52 gal **Oil Capacity 12 qt** **GVWR 12500**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2629.00 **MAKE Knap**

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 780.00

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $ 5220.00 **MAKE Knap**

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6340.00 **MAKE Knap**

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $5700.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 5085.00 MAKE Knap MODEL 6108D54J

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1540.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $570.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side comt The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment**

EACH $ 791.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 430.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 2650.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $1515.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $ 570.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $ 995.00

Option 4O. **Four-wheel drive GVWR 12500**

EACH $ 2955.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

EACH $ -990.00 Deduct

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $450.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

N/A

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T. **Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW)**

N/A

Option 4W. **Snow plow package**

N/A

Option 4X. **Automatic transmission power take-off provision**

EACH $ 195.00

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $ 545.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

EACH $ 8100.00

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $ 672.00

Option 4BB. **Optional Rear Axle Ratio** **Axle Ratio 3.73**

EACH $ 50.00

Option 4CC. **Limited Slip Rear Axle** **Axle Ratio 3.73**

EACH $ 325.00

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 648.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 120 days after receipt of order

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: Southtown Dodge**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Dodge Ram 3500** ***PRICE:*** ***$ 24045.00***

EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size 6.7L Horsepower 350)
Manufacturer's standard rear end axle ratio (Ratio: 4.10)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (SizeLT235/80R/17E)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity 52 **Oil Capacity 12 qt** **GVWR 12500**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2629.00 MAKE Knap $ 3098.00 SRW MAKE Knap

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 780.00 $434.00 SRW

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $ 5220.00 MAKE Knap

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6340.00 MAKE Knap

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $ 5700.00 Diesel / $5600.00 Gas

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 5085.00 MAKE Knap

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1540.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $ 570.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side comt The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment**

EACH $ 791.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 430.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 2650.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $ 1515.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $ 570.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $995.00

Option 4O. **Four-wheel drive GVWR 12500**

EACH $2537.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

EACH $ -2020.00 Deduct

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $ 450.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

EACH $ 308 chassis only min of 5 units Note $350.00 for Knap Body

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T. **Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ - 6615.00 Deduct SIZE5.7 L HORSEPOWER 330

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW)**

EACH $- 480.00 Deduct

Option 4W. **Snow plow package**

N/A

Option 4X. **Automatic transmission power take-off provision**

EACH $172.00

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $ 628.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

EACH $8100.00 Diesel / $8020.00 Gas

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $ 672.00

Option 4BB. **Optional Rear Axle Ratio** **Axle Ratio 3.42 & 3.72**

EACH $ 50.00

Option 4CC. **Limited Slip Rear Axle** **Axle Ratio All**

EACH $ 286.00

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 648.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount dealer cost

Delivery will be made 90-180 days after receipt of order

Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award

Contract Number: 3-080919HD **Vendor: Johnsons of Kingfisher**

Item – 4 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 60" Cab to Axle.

MAKE/MODEL: **Dodge Ram 3500** ***PRICE: $ 26306.00***

EQUIPMENT INCLUDED IN PRICE:

Standard, minimum V8 diesel engine with the highest cooling capacity Size 6.7 L Horsepower 305)
manufacturer's standard rear end axle ratio (Ratio: 4.10)
4 speed automatic transmission
Air conditioning
LH & RH manual trailer-type mirrors
Tires:(4) manufacturer's standard all season, plus full size spare and wheel (SizeLT235/80R/17E)
Minimum GVWR 11,000 lb
Brakes, 4-wheel anti-lock braking system (ABS)
Speed control and tilt wheel
Rubber flooring
Heavy duty all weather rubber removable floor mats
Back up alarm
Vinyl seats

Fuel Capacity 52 gal **Oil Capacity 11qt** **GVWR 12500**

AVAILABLE OPTIONS:

Option 4A. **Mounted 9' platform body meeting Specification E1320**

EACH $ 2359.00 MAKE Omaha MODEL PHD6

Option 4B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

EACH $ 780.00

Option 4C. **Mounted 9' platform dump body meeting Specification E1327**

EACH $ 4140.00 MAKE Omaha MODEL PHD6

Option 4D. **Mounted 9' dump body meeting Specification E1335**

EACH $ 6230.00 MAKE Rugby MODEL 72579

Option 4E. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

EACH $ 5620.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4F. **Mounted standard utility tool body**

Acceptable makes and models are:

Knapeheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,
Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish

EACH $ 4407.00 MAKE Stahl MODEL 108VVD-54

Option 4G. **Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

EACH $ 1451.00

Option 4H. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

EACH $ 520.00

Option 4I. **One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side comt The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment**

EACH $ 920.00

Option 4J. **One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

EACH $ 743.00

Option 4K. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

EACH $ 3160.00

Option 4L. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

EACH $ 1400.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4M. **Raise Telescopic Roof to get 36" clearance for the above option**

EACH $ 875.00

Option 4N. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

EACH $ 925.00

Option 4O. **Four-wheel drive GVWR 12500**

EACH $ 2687.00

Option 4P. **Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

EACH $ -1251.00 Deduct Note N/A with option 4T

Option 4Q. **Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH $ 340.00

Option 4R. **Exterior color to be Federal Standard #595B "Highway Yellow"**

N/A

Option 4S. **Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4T. **Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

EACH $ -7035.00 Deduct SIZE 5.7L HORSEPOWER 330

Option 4U. **Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)**

N/A

Option 4V. **Single rear wheels (SRW) in lieu of dual rear wheels (DRW)**

EACH $ -1850.00 Deduct Note N/A with option 4T

Option 4W. **Snow plow package**

EACH $ 330.00 Note Requires option 4O

Option 4X. **Automatic transmission power take-off provision**

EACH $ 185.00

Option 4Y. **2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

EACH $ 345.00

OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4Z. **Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

N/A

Option 4AA. **Provide hydraulics and controls for dump hoist only**

EACH $ 2270.00

Option 4BB. **Optional Rear Axle Ratio** **Axle Ratio 3.73**

EACH $104.00

Option 4CC. **Limited Slip Rear Axle** **Axle Ratio 3.73 or 4.10**

EACH $ 310.00

Option 4DD. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

EACH $ 640.00

Option 4EE. **Electric Trailer Brake Controller**

EACH $ 380.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 90-120 days after receipt of order