



**MISSOURI DEPARTMENT OF TRANSPORTATION
 GENERAL SERVICES DIVISION
 FLEET SECTION**

NOTIFICATION OF STATEWIDE CONTRACT

CONTRACT TITLE: Light Duty Automotive ¾ and above vehicles.

CURRENT CONTRACT PERIOD: 2009 Model Year

BUYER INFORMATION: [Jerry Dunn](mailto:jerry.dunn@modot.mo.gov)
 573-526-7932
jerry.dunn@modot.mo.gov

RENEWAL INFORMATION	Bid prices should be firm for purchase until the end of the 2009 model year. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.
----------------------------	---

**ALL PURCHASES MADE UNDER THIS CONTRACT MUST BE FOR PUBLIC USE ONLY.
 PURCHASES FOR PERSONAL USE BY PUBLIC EMPLOYEES OR OFFICIALS ARE PROHIBITED.**

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	371295326	Gem City Ford Lincoln Mercury 5101 Broadway Quincy IL 62305 800-647-5475 Danny Schwartz bpn@gemcityford.com	All	Yes
3-080919HD	430918670	Joe Machens Ford 1911 West Worley Columbia MO 65203 573-445-4411 Ext. 119 Steve Veltrop Jr. sveltropjr@machens.com		



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	431545793	Lou Fusz Ford # 2 Caprice Dr. Chesterfield MO 63005 636-532-9955 Andy Eldridge andyeldridge@fusz.com	All	Yes
3-080918HD	430834994	Dave Sinclair Ford Inc 7466 S. Lindbergh St. Louis MO 63125 314-892-2600 Les Williams lwilliams@davesinclair.com	All	Yes
3-080919HD	480582387	Shawnee Mission Ford 11501 W. Shawnee Mission Pkwy . Shawnee KS 66203-0179 913-248-2287 Jay Cooper Jay.cooper@shawneemissionford.com	All	Yes
3-080919HD	480674662	Midway truck Center Inc. 7601 NE. 38 th Street Kansas City MO 64161 816-455-3000 Debi Jones djones@midwaytrucks.com	All	Yes
3-080919HD	440527460	Putnam Chevrolet 500 W. Buchanan California MO 65018 Derek VanLoo 573-796-2131 derekvanloo@putnamchevrolet.com	All	Yes
3-080919HD	431327002	Don Brown Chevrolet 2244 Kingshighway St. Louis MO 63110 Dave Helterbrand 314-772-1400 dave@donbrownchevrolet.com	All	Yes
3-080919HD	730945947	Carter Chevrolet Agency LLC 214 W. Oklahoma Ave. Okarche OK 73762 Susie Clements 405-263-1137 / 800-343-5484 sclements@chev.biz	All	Yes



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	203942879	Don Brown Automotive Group 3300 S. Kingshighway St. Louis MO 63139 Dave Helterbrand 314-772-1400 dave@donbrownchevrolet.com	All	Yes
3-080919HD	431289357	West Brothers #3 North Service Rd. Sullivan MO 63080 John Schaefferkoetter 888-468-3178 johns@westbrothers.com	All	Yes
3-080919HD	43126283	Lou Fusz Dodge 3480 Highway K O'Fallon MO 63368 Rick David 636-442-8100 rickdavid@fusz.com	All	Yes
3-080919HD	431057804	Southtown Dodge 7127 S. Lindbergh St. Louis MO 63125 Wayne Cunningham 314-487-1010 bussinesslink@southtowndodge.com	All	Yes
3-080919HD	431618228	Kieth Beck Auto Group 16877 Hwy. 5 Boonville MO 65233 Ken Carey 660-882-8800 ken@keithbeckautogroup.com	All	Yes
3-080919HD	730751281	Johnsons of Kingfisher 1801 S. Main St. Fingfisher OK 73750 Mike Johnson 405-375-5718 johnsonkgfr@aol.com	All	yes



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Gem City Ford

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Ford F350

PRICE: \$ 24520.00

Last Order Date 3/20/09

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 6.4L) Horsepower 350)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size 245/75/17)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity 40 gal

Oil Capacity 15 qt

GVWR 13000

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 5A. Mounted 11’ platform body meeting Specification E1320

EACH \$ 2970.00 MAKE Knap MODEL PVMX 113C

Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 5C. Mounted 11’ platform dump body meeting Specification E1327

EACH \$ 5770.00 (MAKE) Knap (MODEL) PVMX 113C

Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 6120.00 Diesel Note \$6080.00 for Gas and add \$250.00 for 5.4 Engine



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapheide 6132D54J Stahl CHALLENGER 132VVD-54
Reading CLASSIC II 132A DW RKI L84DW94
Omaha 132D54V

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3350.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 880.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 995.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 430.00
- Option 5N. Four-wheel drive GVWR 13000
EACH \$ 2800.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ 1200.00 Deduct
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 450.00
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
EACH \$ 400.00 Note for Knap body
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$ 5300.00 Deduct SIZE 6.8L V10 HORSEPOWER 362
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
N/A
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR _____
N/A
- Option 5V. Snowplow package
EACH \$ 75.00
- Option 5W. Automatic transmission power take off provision
EACH \$ 210.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$275.00
- Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
EACH \$ 8500.00 Diesel / Gas \$ 8450.00
- Option 5Z. Provide hydraulics and controls for dump hoist only
EACH \$ 672.00
- Option 5AA. Optional Rear Axle Ratio
N/A
- Option 5BB. Limited Slip Rear Axle. Axle Ratio 4.30
EACH \$ 50.00
- Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper
EACH \$ 750.00
- Option 5DD. Electric Trailer Brake Controller
EACH \$ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080912HD

Vendor: Joe Machens Ford

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Ford F350

PRICE: \$ 24840.00

Last Order Date 3/20/09

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size F350) Horsepower 350)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size LT245/75/17)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity 40gal

Oil Capacity 15qt

GVWR 13000

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 5A. Mounted 11’ platform body meeting Specification E1320

EACH \$ 2970.00 MAKE Knap MODEL PVMX 113

Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 5C. Mounted 11’ platform dump body meeting Specification E1327

EACH \$ 5770.00 (MAKE) Knap (MODEL) PVMX113

Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 6120.00 Diesel \$ 6080.00 Gas V10 6.8 L \$ 6330.00 Gas V8 5.4L



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapheide 6132D54J Stahl CHALLENGER 132VVD-54
Reading CLASSIC II 132A DW RKI L84DW94
Omaha 132D54V

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3350.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 880.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 995.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 430.00
- Option 5N. Four-wheel drive GVWR 13000
EACH \$ 2920.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ -1192.00 Deduct
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$450.00 Note Knapheide
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
N/A
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$ -5611.00 Deduct SIZE 5.4L V8 HORSEPOWER 300
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
EACH \$-5331.00 Deduct SIZE 6.8L V10 HORSEPOWER 362
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR _____
N/A
- Option 5V. Snowplow package
EACH \$3005 Note Includes four wheel drive Prep only
- Option 5W. Automatic transmission power take off provision
EACH \$ 250.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 320.00
- Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
EACH \$8500.00 Diesel \$ 8450.00 Gas 6.8 V10 \$ 8700.00 Gas 5.4 V8
- Option 5Z. Provide hydraulics and controls for dump hoist only
EACH \$ 672.00
- Option 5AA. Optional Rear Axle Ratio
N/A
- Option 5BB. Limited Slip Rear Axle. Axle Ratio 4.10
EACH \$ 350.00
- Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper
EACH \$ 750.00
- Option 5DD. Electric Trailer Brake Controller
EACH \$ 230.00 Ford Motor Co. Note Knap \$175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 5%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Lou Fusz Ford

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Ford F350

PRICE: \$ 24330.00

Last Order Date 3/20/09

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 6.4L Horsepower 350)
- Manufacturer’s standard rear end axle ratio (Ratio: _____)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size _____)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity _____ Oil Capacity _____ GVWR _____

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- Option 5A. Mounted 11’ platform body meeting Specification E1320**
EACH \$ 2970.00 MAKE Knap
- Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$ 780.00
- Option 5C. Mounted 11’ platform dump body meeting Specification E1327**
EACH \$ 5770.00
- Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**
EACH \$ 6330.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapheide 6132D54J

Reading CLASSIC II 132A DW

Omaha 132D54V

Stahl CHALLENGER 132VVD-54

RKI L84DW94

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6133D

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3350.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 880.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 995.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 430.00
- Option 5N. Four-wheel drive
EACH \$ 2915.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ -1197.00 Deduct
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 450.00
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
EACH \$ 400.00
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$ -4980.00 Deduct SIZE 6.8L HORSEPOWER 362
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
EACH \$ -5643.00 SIZE 5.4 HORSEPOWER 300
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR _____
EACH \$ -460.00 Deduct
- Option 5V. Snowplow package
EACH \$ 85.00
- Option 5W. Automatic transmission power take off provision



EACH \$ 250.00 Note Diesel only

OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 370.00

Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.

EACH \$ 8500.00

Option 5Z. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 5AA. Optional Rear Axle Ratio

N/A

Option 5BB. Limited Slip Rear Axle. Axle Ratio _____

EACH \$ 350.00

Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 750.00

Option 5DD. Electric Trailer Brake Controller

EACH \$ 250.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Dave Sinclair Ford

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Ford F350

PRICE: \$ 24016.00

Last Order Date 3/20/09

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 3.73 Horsepower 325)
- Manufacturer’s standard rear end axle ratio (Ratio:3.73)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size LT245/75R/17E)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity 40 gal Oil Capacity 15 qt GVWR _____

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

- Option 5A. **Mounted 11’ platform body meeting Specification E1320**
EACH \$ 2970.00 MAKE Knap

- Option 5B. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$ 780.00

- Option 5C. **Mounted 11’ platform dump body meeting Specification E1327**
EACH \$ 5,770.00 (MAKE) Knap

- Option 5D. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**
EACH \$ 6120.00 Diesel / \$ 6080.00 6.8L Gas / \$ 6330.00 5.4L Gas



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapheide 6132D54J Stahl CHALLENGER 132VVD-54
Reading CLASSIC II 132A DW RKI L84DW94
Omaha 132D54V

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3350.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$2588.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 880.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 995.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 430.00
- Option 5N. Four-wheel drive GVWR 13000
EACH \$2629.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ 1237.00 Deduct
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 450.00
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
EACH \$ Included on the Cab Chassis Note \$400.00 for the Body
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$-5432.00 Deduct SIZE 6.8L HORSEPOWER 362
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
EACH \$-5712.00 Deduct SIZE 5.4L HORSEPOWER 300
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR _____
N/A
- Option 5V. Snowplow package
EACH \$ 71.00
- Option 5W. Automatic transmission power take off provision
EACH \$ 208.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 266.00
- Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
EACH \$ 8500.00 Diesel / \$ 8450.00 Gas
- Option 5Z. Provide hydraulics and controls for dump hoist only
EACH \$ 672.00 Note Elect
- Option 5AA. Optional Rear Axle Ratio
N/A
- Option 5BB. Limited Slip Rear Axle. Axle Ratio 4.10
EACH \$ 291.00
- Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper
EACH \$ 750.00
- Option 5DD. Electric Trailer Brake Controller
EACH \$ 191.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 90-150 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Shawnee Mission Ford

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Ford F350

PRICE: \$ 23994.00

Last Order Date 3/20/09

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size6.4L) Horsepower 350)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (SizeLT245/75R/17)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity 40 gal

Oil Capacity 15qt

GVWR 13000

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 5A. Mounted 11’ platform body meeting Specification E1320

EACH \$ 3170.00 MAKE Knap

Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 880.00

Option 5C. Mounted 11’ platform dump body meeting Specification E1327

EACH \$ 6170.00 (MAKE) Knap

Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 6420.00 Note add \$300.00 for 5.4L engine



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapheide 6132D54J Stahl CHALLENGER 132VVD-54
Reading CLASSIC II 132A DW RKI L84DW94
Omaha 132D54V

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 6265.00 (MAKE) Knap (MODEL) 6132D54J

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1640.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 620.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 1026.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3550.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2788.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 980.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 1095.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 480.00
- Option 5N. Four-wheel drive GVWR 13000
EACH \$ 2800.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ -800.00 Deduct
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 500.00
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
N/C for the Cab Chassis Note \$450.00 for the body
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$ -5000.00 Deduct SIZE 5.4L HORSEPOWER 300
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
EACH \$ -4500.00 Deduct SIZE 6.8L HORSEPOWER 362
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR _____
N/A
- Option 5V. Snowplow package
EACH \$71.00 Note requires 4 x 4
- Option 5W. Automatic transmission power take off provision
EACH \$ 208.00 Note N/A w/ 5.4 L V8



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 266.00
- Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
EACH \$ 9000.00
- Option 5Z. Provide hydraulics and controls for dump hoist only
EACH \$ 772.00 ILO of 5D or 5Y
- Option 5AA. Optional Rear Axle Ratio
N/A
- Option 5BB. Limited Slip Rear Axle. Axle Ratio
EACH \$ 291.00
- Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper
EACH \$ 850.00
- Option 5DD. Electric Trailer Brake Controller
EACH \$ 191.00 Note Factory

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Midway Ford

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Ford F350

PRICE: \$ 24896.00

Last Order Date 3/20/09

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size6.4L) Horsepower 350)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size LT245/17)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity 40 gal

Oil Capacity 15 qt

GVWR 13000

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 5A. Mounted 11’ platform body meeting Specification E1320

EACH \$2960.00 MAKE Knap

Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 770.00

Option 5C. Mounted 11’ platform dump body meeting Specification E1327

EACH \$ 5760.00 (MAKE) Knap

Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 6110.00 Diesel / \$ 6070.00 V10 Gas / \$ 6360.00 V8 5.4L Gas



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapheide 6132D54J Stahl CHALLENGER 132VVD-54
Reading CLASSIC II 132A DW RKI L84DW94
Omaha 132D54V

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5955.00 (MAKE) Knap (MODEL) 6132D54J

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1530.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 560.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 916.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3340.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2578.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$870.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 985.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 420.00
- Option 5N. Four-wheel drive GVWR 13000
EACH \$ 2889.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ -999.00 Deduct
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 440.00
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
N/C Note \$390.00 for body
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$ -3999.00 Deduct SIZE V10 6.8 L HORSEPOWER 362
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
EACH \$ -4699.00 Deduct SIZE V8 5.4 L HORSEPOWER 300
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR _____
EACH \$ -350.00 Deduct
- Option 5V. Snowplow package
EACH \$ 2769.00 Requires 4 X 4
- Option 5W. Automatic transmission power take off provision
EACH \$ 218.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$286.00
- Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
EACH \$ 8490.00 Diesel / Gas \$8440.00
- Option 5Z. Provide hydraulics and controls for dump hoist only
EACH \$ 662.00
- Option 5AA. Optional Rear Axle Ratio
N/C Axle Ratio 4.10
- Option 5BB. Limited Slip Rear Axle. Axle Ratio 4.30
EACH \$ 50.00
- Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper
EACH \$ 740.00
- Option 5DD. Electric Trailer Brake Controller
EACH \$ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 12%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Putnam Chevrolet

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Chevrolet Silverado 3500

PRICE: \$ 25396.00

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 6.6L) Horsepower 365)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size LT225/75/R17)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity 50 gal

Oil Capacity 10qt

GVWR 11400

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 5A. Mounted 11’ platform body meeting Specification E1320

EACH \$ 2970.00 MAKE Knap MODEL PVMX

Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 5C. Mounted 11’ platform dump body meeting Specification E1327

EACH \$5770.00 (MAKE) TEBI (MODEL) DU-9

Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 5700.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapheide 6132D54J Stahl CHALLENGER 132VVD-54
Reading CLASSIC II 132A DW RKI L84DW94
Omaha 132D54V

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3350.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 880.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 995.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 430.00
- Option 5N. Four-wheel drive GVWR 11400
EACH \$ 2686.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
N/A
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 450.00
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
EACH \$ 647.00
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$ -5766.00 Deduct SIZE 6.0 HORSEPOWER 360
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
N/A
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR _____
N/A
- Option 5V. Snowplow package 4WD models only
EACH \$ 446.00 Diesel / \$ 256.00 Gas
- Option 5W. Automatic transmission power take off provision
Included with diesel Note N/A with gas



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 365.00
- Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
EACH \$ 8100.00
- Option 5Z. Provide hydraulics and controls for dump hoist only
EACH \$ 672.00
- Option 5AA. Optional Rear Axle Ratio Axle Ratio 4.10
EACH \$ 90.00 Note available with gas engine only
- Option 5BB. Limited Slip Rear Axle. Axle Ratio _____
EACH \$ 290.00
- Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper
EACH \$ 750.00
- Option 5DD. Electric Trailer Brake Controller
EACH \$ 180.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Carter Chevrolet

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Chevrolet Silverado 3500

PRICE: \$ 25640.00

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 6.6L Horsepower 365)
- Manufacturer’s standard rear end axle ratio (Ratio: 3.73)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size225/75R/17E)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity 50 gal

Oil Capacity 10 qt

GVWR 11400

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 5A. Mounted 11’ platform body meeting Specification E1320

EACH \$ 2760.00 MAKE Omaha MODEL PHD6

Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 5C. Mounted 11’ platform dump body meeting Specification E1327

EACH \$ 4420.00 (MAKE) Omaha (MODEL) PHD6

Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 5620.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapeheide 6132D54J Stahl CHALLENGER 132VVD-54
Reading CLASSIC II 132A DW RKI L84DW94
Omaha 132D54V

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5270.00 (MAKE) Stahl (MODEL) 132VVD-54

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1451.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 520.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 920.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$3160.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 1400.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 875.00 Note requires option 5J



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 925.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 743.00
- Option 5N. Four-wheel drive GVWR 11400
EACH \$ 2686.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
N/A
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 341.00
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
EACH \$ 463.00
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$-5890.00 Deduct SIZE 6.0 HORSEPOWER 360
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
N/A
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR _____
N/A
- Option 5V. Snowplow package
EACH \$ 328.00 Note Requires option 5S and option 5N
- Option 5W. Automatic transmission power take off provision
N/C Note N/A with option 5S



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 345.00
- Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
N/A
- Option 5Z. Provide hydraulics and controls for dump hoist only
EACH \$ 2272.00
- Option 5AA. Optional Rear Axle Ratio
EACH \$ 110.00 Axle Ratio 4.10
- Option 5BB. Limited Slip Rear Axle. Axle Ratio 3.73
EACH \$ 310.00
- Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper
EACH \$ 640.00
- Option 5DD. Electric Trailer Brake Controller
EACH \$ 170.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 60-90 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: West Brothers

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Dodge Ram 3500

PRICE: \$ 25011.00

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size6.7) Horsepower 305)
- Manufacturer’s standard rear end axle ratio (Ratio: 4.10)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size 17”)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity 52 gal

Oil Capacity 12 qt

GVWR 12500

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 5A. Mounted 11’ platform body meeting Specification E1320

EACH \$ 2970.00 MAKE Knap

Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 5C. Mounted 11’ platform dump body meeting Specification E1327

EACH \$ 5770.00 (MAKE) Knap

Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 5700.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapheide 6132D54J Stahl CHALLENGER 132VVD-54
Reading CLASSIC II 132A DW RKI L84DW94
Omaha 132D54V

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3350.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 880.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 995.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 430.00
- Option 5N. Four-wheel drive GVWR 12500
EACH \$ 2486.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ 2020.00 Deduct
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 450.00
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
EACH \$750.00 Note\$ 350.00 for Cab Chassis and \$400.00 for the body
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
N/A
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
EACH \$ -6323 Deduct SIZE 5.7 L HORSEPOWER 380
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR _____
N/A
- Option 5V. Snowplow package
N/A
- Option 5W. Automatic transmission power take off provision
EACH \$ 172.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 480.00
- Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
EACH \$ 8100.00
- Option 5Z. Provide hydraulics and controls for dump hoist only
EACH \$ 672.00
- Option 5AA. Optional Rear Axle Ratio
EACH \$ 330.00 Axle Ratio 3.42 or 3.72
- Option 5BB. Limited Slip Rear Axle. Axle Ratio 4.10
Included
- Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper
EACH \$750.00
- Option 5DD. Electric Trailer Brake Controller
EACH \$ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 2%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Lou Fusz

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Dodge Ram 3500

PRICE: \$ 25508.00

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 6.7L) Horsepower 305)
- Manufacturer’s standard rear end axle ratio (Ratio: 4.10)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size LT235/80R/17E)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity 52 gal

Oil Capacity 12 qt

GVWR 12500

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 5A. Mounted 11’ platform body meeting Specification E1320

EACH \$ 2970.00 MAKE Knap

Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 5C. Mounted 11’ platform dump body meeting Specification E1327

EACH \$ 5770.00 (MAKE) Knap

Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 5700.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapeheide 6132D54J Stahl CHALLENGER 132VVD-54
Reading CLASSIC II 132A DW RKI L84DW94
Omaha 132D54V

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) _Knap (MODEL) 6132D54J

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3350.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 880.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 995.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 430.00
- Option 5N. Four-wheel drive GVWR 12500
EACH \$ 2955.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$990.00 Deduct
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 450.00
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
N/A
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
N/A
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
N/A
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR _____
N/A
- Option 5V. Snowplow package
N/A
- Option 5W. Automatic transmission power take off provision
EACH \$ 195.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 545.00
- Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
EACH \$ 8100.00
- Option 5Z. Provide hydraulics and controls for dump hoist only
EACH \$ 672.00
- Option 5AA. Optional Rear Axle Ratio
EACH \$ 50.00 Axle Ratio 3.73
- Option 5BB. Limited Slip Rear Axle. Axle Ratio 3.73
EACH \$ 325.00
- Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper
EACH \$ 750.00
- Option 5DD. Electric Trailer Brake Controller
EACH \$ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Southtown Dodge

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Dodge Ram 3500

PRICE: \$ 24213.00

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size6.7L) Horsepower 350)
- Manufacturer’s standard rear end axle ratio (Ratio: 4.10)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size LT235/80R/17E)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity 52 gal

Oil Capacity 12 qt

GVWR 12500

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 5A. Mounted 11’ platform body meeting Specification E1320

EACH \$ 2970.00 MAKE Knap

Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 5C. Mounted 11’ platform dump body meeting Specification E1327

EACH \$ 5770.00 (MAKE) Knap

Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 5650.00 Gas Note \$5700.00 Diesel



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapheide 6132D54J Stahl CHALLENGER 132VVD-54
Reading CLASSIC II 132A DW RKI L84DW94
Omaha 132D54V

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5965.00 (MAKE) Knap (MODEL) 6132D54J

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3350.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 2588.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$ 880.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 995.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 430.00
- Option 5N. Four-wheel drive GVWR 12500
EACH \$ 2537.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ 2020.00 Deduct
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 450.00
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
EACH \$ 308.00 chassis only Note add \$400.00 for Knap body
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$-6615.00 Deduct SIZE_5.7 L HORSEPOWER 330
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
N/A
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR 10200
EACH \$ -480.00 Deduct
- Option 5V. Snowplow package
N/A
- Option 5W. Automatic transmission power take off provision
EACH \$ 172.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 628.00
- Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
EACH \$8100.00 Diesel / Gas \$ 8020.00
- Option 5Z. Provide hydraulics and controls for dump hoist only
EACH \$ 672.00
- Option 5AA. Optional Rear Axle Ratio
EACH \$ 50.00 Axle Ratio 3.42 & 3.73
- Option 5BB. Limited Slip Rear Axle. Axle Ratio All_
EACH \$ 286.00
- Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper
EACH \$ 750.00
- Option 5DD. Electric Trailer Brake Controller
EACH \$ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount dealer cost %

Delivery will be made 90-180 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Johnsons of Kingfisher

Item – 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab DRW and 84” Cab to Axle.

MAKE/MODEL: Dodge Ram 3500

PRICE: \$ 26468.00

EQUIPMENT INCLUDED IN PRICE:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 6.7L) Horsepower305)
- Manufacturer’s standard rear end axle ratio (Ratio: 4.10)
- 4-speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size_LT235/80R/17E)
- Minimum GVWR 11,000
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Rubber flooring
- Heavy duty all weather removable rubber floor mats
- Back up alarm
- Vinyl seats

Fuel Capacity 52 gal

Oil Capacity 11qt

GVWR 12500

AVAILABLE OPTIONS:

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 5A. Mounted 11’ platform body meeting Specification E1320

EACH \$ 2760.00 MAKE Knap MODEL PHD6

Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 5C. Mounted 11’ platform dump body meeting Specification E1327

EACH \$ 4420.00 (MAKE) Knap (MODEL) PHD6

Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck

EACH \$ 5620.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5E. Mounted standard utility tool body

Acceptable makes and models are:

Knapeheide 6132D54J Stahl CHALLENGER 132VVD-54
Reading CLASSIC II 132A DW RKI L84DW94
Omaha 132D54V

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5270.00 (MAKE) Stahl (MODEL) 132VVD-54

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1451.00

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 520.00

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 920.00

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3160.00

Option 5J. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 1400.00

Option 5K. Raise Telescopic Roof to get 36" clearance for the above option

EACH \$875.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5L. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)
EACH \$ 925.00
- Option 5M. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical Compartment
EACH \$ 743.00
- Option 5N. Four-wheel drive GVWR 12500
EACH \$ 2687.00
- Option 5O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission
EACH \$ 1251.00 Deduct
- Option 5P. Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 341.00
- Option 5Q. Exterior color to be Federal Standard #595B "Highway Yellow"
N/A
- Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
N/A
- Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$- 7035.00 Deduct SIZE 5.7 HORSEPOWER 330
- Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
N/A
- Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR)
N/A
- Option 5V. Snowplow package
EACH \$ 330.00 Note requires opt. 5N
- Option 5W. Automatic transmission power take off provision
EACH \$ 185.00



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

- Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)
EACH \$ 345.00
- Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
N/A
- Option 5Z. Provide hydraulics and controls for dump hoist only
EACH \$ 2272.00
- Option 5AA. Optional Rear Axle Ratio
EACH \$ 104.00 Axle Ratio 3.73
- Option 5BB. Limited Slip Rear Axle. Axle Ratio 3.73 or 4.10
EACH \$ 310.00
- Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper
EACH \$ 640.00
- Option 5DD. Electric Trailer Brake Controller
EACH \$ 380.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 90-120 days after receipt of order