



**ITEM # 7 - New standard equipped 2007 / 2008 Model 1 Ton Crew Cab Chassis-Cabs With DRW.**

**ACCEPTABLE MAKES AND MODELS:**

Standard Ford F350 with 176" Wheelbase Cab to Axle 60"

Standard Chevrolet/GMC C35943 with ZW9 and 167" Wheelbase Cab to Axle 55.9"

Standard Dodge 3500 Dual Rear Wheel with 163.5" Wheelbase & Cab to Axle 60"

**All units bid must contain the following options:**

1. Standard minimum diesel engine (Size \_\_\_\_\_ Horsepower \_\_\_\_\_)
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR 11,400
8. Brakes 4-wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

**DEALER COMPLETE IN DETAIL: I am bidding**

2007 (MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_

2008 (MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_

NET DELIVERED PRICE for One (1) new unit as described in Item 7 delivered to any of the listed delivery destinations (see page 67).

**OPTIONAL EQUIPMENT PRICES, Item # 7**

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

**Option 7A. For Dodge and Chevrolet Dealers**

Bid only a mounted 8' platform body meeting Specification E1320.

(MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_ \$ \_\_\_\_\_ (EACH)

**For Ford Dealers**

Bid only a mounted 9' platform body meeting Specification E1320.

\$ \_\_\_\_\_ (EACH) (MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_

**Option 7B. For Dodge and Chevrolet Dealers**

Bid only a mounted standard utility tool body.

Acceptable makes and models are: Knapeheide 696D54J, Reading CLASSIC II 98A DW, Omaha 96D54V, Stahl CHALLENGER II 96VVD-54. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.



**Submit descriptive literature and specifications showing exact service body you propose to furnish.**

**\$ \_\_\_\_\_ (EACH) (MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_**

**For Ford Dealers**

**Bid only a mounted standard utility tool body. Acceptable makes and models are: Knapheide 6108D54J, Reading CLASSIC II 108 A DW, Omaha 108D54V, Stahl CHALLENGER II 108VVD-54 Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

**Submit descriptive literature and specifications showing exact service body you propose to furnish.**

**\$ \_\_\_\_\_ (EACH) (MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_**

**Option 7C. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft.  
\$ \_\_\_\_\_ (EACH)**

**Option 7D. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments.  
\$ \_\_\_\_\_ (EACH)**

**Option 7E. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.  
\$ \_\_\_\_\_ (EACH)**

**Option 7F. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment).  
\$ \_\_\_\_\_ (EACH)**



**OPTIONAL EQUIPMENT PRICES, Item # 7 – Continued**

- Option 7G. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48".  
\$ \_\_\_\_\_ (EACH)
  
- Option 7H. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area.  
\$ \_\_\_\_\_ (EACH)
  
- Option 7I. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane ( with no mounting holes or bolt holes, we will drill to suit ourselves).  
\$ \_\_\_\_\_ (EACH)
  
- Option 7J. Four-wheel drive (state change in model).  
\$ \_\_\_\_\_ (EACH)    MODEL \_\_\_\_\_    (GVWR) \_\_\_\_\_
  
- Option 7K. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission.  
\$ \_\_\_\_\_ (EACH) Deduct
  
- Option 7L. Heavy-duty, Type V with a Type III adapter trailer hitch. Social equipment which includes weight distributing hitch platform and wiring harness for a 7 pin commercial truck connector.  
\$ \_\_\_\_\_ (EACH)
  
- Option 7M. Exterior color to be Federal Standard #595B "Highway Yellow" #13432.  
\$ \_\_\_\_\_ (EACH)
  
- Option 7N. Alternate diesel engine (state size and horsepower)  
\$ \_\_\_\_\_ (EACH)    SIZE \_\_\_\_\_    HORSEPOWER \_\_\_\_\_
  
- Option 7O. Standard gasoline engine in lieu of diesel engine (state size and horsepower)  
\$ \_\_\_\_\_ (EACH)    SIZE \_\_\_\_\_    HORSEPOWER \_\_\_\_\_
  
- Option 7P. Alternate gasoline engine in lieu of diesel engine (state size and horsepower).  
\$ \_\_\_\_\_ (EACH)    SIZE \_\_\_\_\_    HORSEPOWER \_\_\_\_\_
  
- Option 7Q. Single rear wheel (SRW) in lieu of dual rear wheel (DRW).  
\$ \_\_\_\_\_ (EACH)    Model \_\_\_\_\_    (GVWR) \_\_\_\_\_



**OPTIONAL EQUIPMENT PRICES, Item # 7 – Continued**

Option 7R. Snow plow package.  
\$ \_\_\_\_\_ (EACH)

Option 7S. Automatic transmission power take off provision.  
\$ \_\_\_\_\_ (EACH)

Option 7T. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)  
\$ \_\_\_\_\_ (EACH)

Option 7U. Allison automatic transmission.  
\$ \_\_\_\_\_ (EACH)

Option 7V. Alternative fuel in lieu of diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.  
\$ \_\_\_\_\_ (EACH) Fuel type \_\_\_\_\_ Engine \_\_\_\_\_ Size \_\_\_\_\_

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide.** Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

**% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_**

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**