



MISSOURI DEPARTMENT OF TRANSPORTATION
 GENERAL SERVICES DIVISION
 FLEET SECTION

NOTIFICATION OF STATEWIDE CONTRACT

CONTRACT TITLE: Light Duty Automotive ¾ and above vehicles.

CURRENT CONTRACT PERIOD: 2009 Model Year

BUYER INFORMATION: [Jerry Dunn](#)
[573-526-7932](tel:573-526-7932)
jerry.dunn@modot.mo.gov

RENEWAL INFORMATION	Bid prices should be firm for purchase until the end of the 2009 model year. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.
----------------------------	---

ALL PURCHASES MADE UNDER THIS CONTRACT MUST BE FOR **PUBLIC USE ONLY**.
 PURCHASES FOR PERSONAL USE BY PUBLIC EMPLOYEES OR OFFICIALS ARE PROHIBITED.

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	371295326	Gem City Ford Lincoln Mercury 5101 Broadway Quincy IL 62305 800-647-5475 Danny Schwartz bpn@gemcityford.com	All	Yes
3-080919HD	430918670	Joe Machens Ford 1911 West Worley Columbia MO 65203 573-445-4411 Ext. 119 Steve Veltrop Jr. sveltropjr@machens.com		



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	431545793	Lou Fusz Ford # 2 Caprice Dr. Chesterfield MO 63005 636-532-9955 Andy Eldridge andyeldridge@fusz.com	All	Yes
3-080918HD	430834994	Dave Sinclair Ford Inc 7466 S. Lindbergh St. Louis MO 63125 314-892-2600 Les Williams lwilliams@davesinclair.com	All	Yes
3-080919HD	480582387	Shawnee Mission Ford 11501 W. Shawnee Mission Pkwy . Shawnee KS 66203-0179 913-248-2287 Jay Cooper Jay.cooper@shawneemissionford.com	All	Yes
3-080919HD	480674662	Midway truck Center Inc. 7601 NE. 38 th Street Kansas City MO 64161 816-455-3000 Debi Jones djones@midwaytrucks.com	All	Yes
3-080919HD	440527460	Putnam Chevrolet 500 W. Buchanan California MO 65018 Derek VanLoo 573-796-2131 derekvanloo@putnamchevrolet.com	All	Yes
3-080919HD	431327002	Don Brown Chevrolet 2244 Kingshighway St. Louis MO 63110 Dave Helterbrand 314-772-1400 dave@donbrownchevrolet.com	All	Yes
3-080919HD	730945947	Carter Chevrolet Agency LLC 214 W. Oklahoma Ave. Okarche OK 73762 Susie Clements 405-263-1137 / 800-343-5484 sclements@carterchev.biz	All	Yes



CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUREMENT
3-080919HD	203942879	Don Brown Automotive Group 3300 S. Kingshighway St. Louis MO 63139 Dave Helterbrand 314-772-1400 dave@donbrownchevrolet.com	All	Yes
3-080919HD	431289357	West Brothers #3 North Service Rd. Sullivan MO 63080 John Schaefferkoetter 888-468-3178 johns@westbrothers.com	All	Yes
3-080919HD	43126283	Lou Fusz Dodge 3480 Highway K O'Fallon MO 63368 Rick David 636-442-8100 rickdavid@fusz.com	All	Yes
3-080919HD	431057804	Southtown Dodge 7127 S. Lindbergh St. Louis MO 63125 Wayne Cunningham 314-487-1010 bussinesslink@southtowndodge.com	All	Yes
3-080919HD	431618228	Kieth Beck Auto Group 16877 Hwy. 5 Boonville MO 65233 Ken Carey 660-882-8800 ken@keithbeckautogroup.com	All	Yes
3-080919HD	730751281	Johnsons of Kingfisher 1801 S. Main St. Fingfisher OK 73750 Mike Johnson 405-375-5718 johnsonkgfr@aol.com	All	yes



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Gem City Ford

ITEM # 9 - New standard equipped 2009 Model 15,000 LB. GVWR Chassis-Cab With DRW

MAKE/MODEL: Ford F450

PRICE: \$ 30084.00

Last Order Date 3/20/09

All units bid must contain the following options:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 6.4) Horsepower 325)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size_225/70R/R19.5)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

DEALER COMPLETE IN DETAIL

Fuel Capacity 40 gal

Oil Capacity 15 qt

GVWR 16500

OPTIONAL EQUIPMENT PRICES, Item # 9

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

Option 9A. Mounted 9' platform body meeting Specification E1320

EACH \$ 2629.00 MAKE Knap MODEL PVMX93

Option 9B. Mounted 9' platform dump body meeting Specification E1327

EACH \$ 5220.00 MAKE Knap MODEL PVMX 93

Option 9C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 9D. Mounted 9' dump body meeting Specification E1335

EACH \$ 6340.00 MAKE Knap MODEL TBEIDU9



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

EACH \$ 6120.00 Diesel / \$ 6080.00 Gas

Option 9F. Mounted standard utility tool body.

Acceptable makes and models are:

Knapheide 6108D54J RKI L60DW94.
Reading CLASSIC II 108A DW Stahl CHALLENGER II 108VVD-54
Omaha 108D54V,

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5085.00 MAKE Knap MODEL 6108D54J

Option 9G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 9H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 9I. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 9J. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"

EACH \$ 430.00

Option 9K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9X. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 275.00

Option 9Y. Four-wheel drive. GVWR 16500

EACH \$ 3350.00

Option 9Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8500.00 / Gas \$8450.00

Option 9AA. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 9BB. Optional Rear Axle Ratio Axle Ratio 4.88

EACH \$ 50.00

Option 9CC. Limited Slip Rear Axle Axle Ratio 4.30 /4.88

EACH \$ 300.00

Option 9DD. Crew Cab Pick-Up (with 8' box in lieu of chassis cab) with standard V8, diesel engine.

Size 6.4L Horsepower 350 Wheelbase 172 CA 56" GVWR 14500

EACH \$ 4500.00

Option 9EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 648.00

Option 9FF. Electric Trailer Brake Controller

EACH \$ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount10%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Joe Machens Ford

ITEM # 9 - New standard equipped 2009 Model 15,000 LB. GVWR Chassis-Cab With DRW

MAKE/MODEL: Ford F450

PRICE: \$ 30442.00

Last Order Date 3/20/09

All units bid must contain the following options:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 6.4) Horsepower 325)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225/70R/19.5)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

DEALER COMPLETE IN DETAIL

Fuel Capacity 40 Oil Capacity 15qt GVWR 16500

OPTIONAL EQUIPMENT PRICES, Item # 9

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

- Option 9A. Mounted 9' platform body meeting Specification E1320
EACH \$ 2629.00 MAKE Knap MODEL PVMX 93
- Option 9B. Mounted 9' platform dump body meeting Specification E1327
EACH \$ 5220.00 MAKE Knap MODEL PVMX 93
- Option 9C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)
EACH \$ 780.00
- Option 9D. Mounted 9' dump body meeting Specification E1335
EACH \$ 6340.00 MAKE TBEI MODEL DU9



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

EACH \$ 6120.00 Diesel / 6.8L V10 \$6080.00 / 5.4L V8 \$6330.00

Option 9F. Mounted standard utility tool body.

Acceptable makes and models are:

Knapheide 6108D54J RKI L60DW94.
Reading CLASSIC II 108A DW Stahl CHALLENGER II 108VVD-54
Omaha 108D54V,

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5085.00 MAKE Knap MODEL 6108D54J

Option 9G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 9H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 9I. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 9J. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"

EACH \$430.00

Option 9K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9X. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$370.00

Option 9Y. Four-wheel drive. GVWR 16500

EACH \$ 3710.00

Option 9Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8500.00 Diesel 6.8 / Gas V10 \$ 8450.00

Option 9AA. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 9BB. Optional Rear Axle Ratio Axle Ratio 4.88

EACH \$ 50.00

Option 9CC. Limited Slip Rear Axle Axle Ratio 4.88 _____

EACH \$ 360.00

Option 9DD. Crew Cab Pick-Up (with 8' box in lieu of chassis cab) with standard V8, diesel engine.

N/B

Option 9EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 648.00

Option 9FF. Electric Trailer Brake Controller

EACH \$ 230.00 from Ford / \$175.00 Knapheide

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 5%

Delivery will be made 120-150 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Lou Fusz Ford

ITEM # 9 - New standard equipped 2009 Model 15,000 LB. GVWR Chassis-Cab With DRW

MAKE/MODEL: Ford F450

PRICE: \$ 29836.00

Last Order Date 3/20/09

All units bid must contain the following options:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 6.4) Horsepower 350)
- Manufacturer's standard rear end axle ratio (Ratio: 6.4)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size_____)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

DEALER COMPLETE IN DETAIL

Fuel Capacity _____ Oil Capacity _____ GVWR 16500

OPTIONAL EQUIPMENT PRICES, Item # 9

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

Option 9A. Mounted 9' platform body meeting Specification E1320

EACH \$2629.00 MAKE Knap

Option 9B. Mounted 9' platform dump body meeting Specification E1327

EACH \$ 5220.00

Option 9C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 780.00

Option 9D. Mounted 9' dump body meeting Specification E1335

EACH \$ 6340.00



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

EACH \$ 6330.00

Option 9F. Mounted standard utility tool body.

Acceptable makes and models are:

Knapheide 6108D54J RKI L60DW94.
Reading CLASSIC II 108A DW Stahl CHALLENGER II 108VVD-54
Omaha 108D54V,

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5085.00 MAKE Knap

Option 9G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 9H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 9I. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 9J. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"

EACH \$ 430.00

Option 9K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area



EACH \$ 2650.00

OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9L. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 1515.00

Option 9M. Raise Telescopic Roof to get 36” clearance for the above option

EACH \$ 570.00

Option 9N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

EACH \$ 995.00

Option 9O. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission

EACH \$ -1187.00 Deduct

Option 9P. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug

EACH \$ 450.00

Option 9Q. Exterior color to be Federal Standard #595B “Highway Yellow”

EACH \$ 350.00

Option 9R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)

N/A

Option 9S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

EACH \$ -4986.00 Deduct SIZE 6.8 HORSEPOWER 362

Option 9T. Automatic transmission power take-off provision

EACH \$ 250.00 Diesel

Option 9U. Snowplow package

EACH \$ 85.00

Option 9V. Crew cab in lieu of regular cab

EACH \$ 3490.00

Option 9W. Extended cab in lieu of regular cab

EACH \$ 2280.00



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9X. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 370.00

Option 9Y. Four-wheel drive.

EACH \$ 3710.00

Option 9Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8500.00

Option 9AA. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 9BB. Optional Rear Axle Ratio Axle Ratio _____

N/A

Option 9CC. Limited Slip Rear Axle Axle Ratio _____

EACH \$ 300.00

Option 9DD. Crew Cab Pick-Up (with 8' box in lieu of chassis cab) with standard V8, diesel engine.

Size _____ Horsepower _____ Wheelbase _____ CA 56 GVWR 14500

EACH \$ 4755.00

Option 9EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 648.00

Option 9FF. Electric Trailer Brake Controller

EACH \$ 250.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Dave Sinclair Ford

ITEM # 9 - New standard equipped 2009 Model 15,000 LB. GVWR Chassis-Cab With DRW

MAKE/MODEL: Ford F450

PRICE: \$ 29618.00

Last Order Date 3/20/09

All units bid must contain the following options:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size_6.4 L) Horsepower 325)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size_LT225/70R/19.5G)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

DEALER COMPLETE IN DETAIL

Fuel Capacity 40 gal

Oil Capacity 15 qt

GVWR 16500

OPTIONAL EQUIPMENT PRICES, Item # 9

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

Option 9A. Mounted 9' platform body meeting Specification E1320

EACH \$ 2629.00 MAKE Knap

Option 9B. Mounted 9' platform dump body meeting Specification E1327

EACH \$5220.00 MAKE Knap

Option 9C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$780.00

Option 9D. Mounted 9' dump body meeting Specification E1335

EACH \$ 6340.00 MAKE Knap No Hydraulics



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

EACH Diesel \$ 6120.00 Gas 5.4L \$6330.00, Gas 6.8L \$6080.00

Option 9F. Mounted standard utility tool body.

Acceptable makes and models are:

Knapheide 6108D54J RKI L60DW94.
Reading CLASSIC II 108A DW Stahl CHALLENGER II 108VVD-54
Omaha 108D54V,

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5085.00 MAKE Knap MODEL 6108D54J

Option 9G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 9H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 9I. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 9J. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"

EACH \$ 430.00

Option 9K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area



EACH \$ 2650.00

OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9L. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ 1515.00

Option 9M. Raise Telescopic Roof to get 36” clearance for the above option

EACH \$ 570.00

Option 9N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

EACH \$ 995.00

Option 9O. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission

EACH \$ -1237.00 Deduct

Option 9P. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug

EACH \$ 450.00

Option 9Q. Exterior color to be Federal Standard #595B “Highway Yellow”

EACH \$ Included on chassis. Knap. Body \$350.00

Option 9R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)

N/A

Option 9S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

EACH \$ -5331.00 SIZE 6.8L HORSEPOWER 362

Option 9T. Automatic transmission power take-off provision

EACH \$ 208.00

Option 9U. Snowplow package

EACH \$ 71.00

Option 9V. Crew cab in lieu of regular cab GVWR 16500

EACH \$ 3041.00

Option 9W. Extended cab in lieu of regular cab GVWR 16500

EACH \$ 1984.00



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9X. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 266.00 307.00 For Extended or Crew Cabs

Option 9Y. Four-wheel drive. GVWR 16500

EACH \$ 3339.00

Option 9Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH Diesel \$ 8500.00 Gas \$ 8450.00

Option 9AA. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00 Elect.

Option 9BB. Optional Rear Axle Ratio Axle Ratio 4.88

EACH \$ 42.00

Option 9CC. Limited Slip Rear Axle Axle Ratio 4.30 or 4.88

EACH \$ 299.00

Option 9DD. Crew Cab Pick-Up (with 8' box in lieu of chassis cab) with standard V8, diesel engine.

Size 6.4L Horsepower 350 Wheelbase 172" CA 56" GVWR 14500

EACH \$ 5220.00

Option 9EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 648.00

Option 9FF. Electric Trailer Brake Controller

EACH \$ 191.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 90-150 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Shawnee Mission Ford

ITEM # 9 - New standard equipped 2009 Model 15,000 LB. GVWR Chassis-Cab With DRW

MAKE/MODEL: Ford F450

PRICE: \$ 29586.00

Last Order Date 3/20/09

All units bid must contain the following options:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 6.4L) Horsepower 325)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size225.70R/19.5)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

DEALER COMPLETE IN DETAIL

Fuel Capacity 40 gal Oil Capacity 15qt GVWR 16500

OPTIONAL EQUIPMENT PRICES, Item # 9

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

Option 9A. Mounted 9' platform body meeting Specification E1320

EACH \$ 2829.00 MAKE Knap

Option 9B. Mounted 9' platform dump body meeting Specification E1327

EACH \$ 5520.00 MAKE Knap

Option 9C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 880.00

Option 9D. Mounted 9' dump body meeting Specification E1335

EACH \$ 6640.00 MAKE Knap



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

EACH \$ 6420.00

Option 9F. Mounted standard utility tool body.

Acceptable makes and models are:

Knapheide 6108D54J RKI L60DW94.
Reading CLASSIC II 108A DW Stahl CHALLENGER II 108VVD-54
Omaha 108D54V,

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5385.00_ MAKE Knap MODEL 6108D54J

Option 9G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1640.00

Option 9H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 670.00

Option 9I. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 1026.00

Option 9J. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"

EACH \$ 480.00

Option 9K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area



EACH \$ 2850.00

OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9L. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$1615.00

Option 9M. Raise Telescopic Roof to get 36” clearance for the above option

EACH \$ 670.00

Option 9N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)

EACH \$ 1095.00

Option 9O. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission

EACH \$ -800.00 Deduct

Option 9P. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug

EACH \$ 500.00

Option 9Q. Exterior color to be Federal Standard #595B “Highway Yellow”

Included on the cab chassis / \$400.00 for the body

Option 9R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)

N/A

Option 9S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)

EACH \$ -5000.00 Deduct SIZE 6.8L HORSEPOWER 362

Option 9T. Automatic transmission power take-off provision

EACH \$ 208.00

Option 9U. Snowplow package

EACH \$ 71.00

Option 9V. Crew cab in lieu of regular cab GVWR_16500

EACH \$ 3070.00

Option 9W. Extended cab in lieu of regular cab GVWR 16500

EACH \$ 2014.00



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9X. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 266.00 Regular cab Super cab & Crew cab \$307.00

Option 9Y. Four-wheel drive. GVWR 16500

EACH \$ 3500.00

Option 9Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 9000.00

Option 9AA. Provide hydraulics and controls for dump hoist only

EACH \$ 772.00 In lieu of 9E or 9Z

Option 9BB. Optional Rear Axle Ratio Axle Ratio 4.88 Diesel / Gas 5.38

EACH \$ 50.00

Option 9CC. Limited Slip Rear Axle Axle Ratio 4.30 Diesel, 4.88 Diesel or Gas, 5.38 gas

EACH \$ 299.00

Option 9DD. Crew Cab Pick-Up (with 8' box in lieu of chassis cab) with standard V8, diesel engine.

Size 6.4L Horsepower 325 Wheelbase 172 CA 56 GVWR 14500

EACH \$ 4409.00

Option 9EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 748.00

Option 9FF. Electric Trailer Brake Controller

EACH \$ 191.00 Factory

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Midway Ford Truck

ITEM # 9 - New standard equipped 2009 Model 15,000 LB. GVWR Chassis-Cab With DRW

MAKE/MODEL: Ford F450

PRICE: \$ 30548.00

Last Order Date 3/20/09

All units bid must contain the following options:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size V8 6.4L) Horsepower 350)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size 225/19.5)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

DEALER COMPLETE IN DETAIL

Fuel Capacity 40 gal Oil Capacity 15 gal GVWR 16500

OPTIONAL EQUIPMENT PRICES, Item # 9

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

Option 9A. Mounted 9' platform body meeting Specification E1320

EACH \$ 2619.00 MAKE Knap

Option 9B. Mounted 9' platform dump body meeting Specification E1327

EACH \$ 5210.00 MAKE dKnap

Option 9C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 770.00

Option 9D. Mounted 9' dump body meeting Specification E1335

EACH \$ 6330.00 MAKE Knap



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

EACH \$ 6110.00 Diesel V-10 \$6080.00 5.4L \$ 6360.00

Option 9F. Mounted standard utility tool body.

Acceptable makes and models are:

Knapheide 6108D54J RKI L60DW94.
Reading CLASSIC II 108A DW Stahl CHALLENGER II 108VVD-54
Omaha 108D54V,

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5075.00 MAKE Knap MODEL 6108D54J

Option 9G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1530.00

Option 9H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 560.00

Option 9I. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 916.00

Option 9J. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"

EACH \$ 420.00

Option 9K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 2640.00



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9X. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)

EACH \$ 286.00

Option 9Y. Four-wheel drive. GVWR 16500

EACH \$ 3576.00

Option 9Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8490.00 Diesel \$8440.00 Gas

Option 9AA. Provide hydraulics and controls for dump hoist only

EACH \$ 662.00

Option 9BB. Optional Rear Axle Ratio Axle Ratio 4.30

Included

Option 9CC. Limited Slip Rear Axle Axle Ratio 4.30 / 5.38 / 4.88

EACH \$320.00

Option 9DD. Crew Cab Pick-Up (with 8' box in lieu of chassis cab) with standard V8, diesel engine.

Size 6.4 L Horsepower 350 Wheelbase 172" CA 60" GVWR 14500

EACH \$ 5129.00

Option 9EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 638.00

Option 9FF. Electric Trailer Brake Controller

EACH \$ 165.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 12%

Delivery will be made 90-120 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: PutnamChevrolet

ITEM # 9 - New standard equipped 2009 Model 15,000 LB. GVWR Chassis-Cab With DRW

MAKE/MODEL: Chevrolet 4500

PRICE: \$ 32147.00

All units bid must contain the following options:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size6.6L) Horsepower 300)
- Manufacturer's standard rear end axle ratio (Ratio: 4.88)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size 225/70R/19.5)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

DEALER COMPLETE IN DETAIL

Fuel Capacity 40 gal.

Oil Capacity 10 qt

GVWR 16500

OPTIONAL EQUIPMENT PRICES, Item # 9

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

Option 9A. Mounted 9' platform body meeting Specification E1320

EACH \$ 2629.00 MAKE Knap MODEL PVMX

Option 9B. Mounted 9' platform dump body meeting Specification E1327

EACH \$ 5220.00 MAKE TBEI MODEL DU-9

Option 9C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)

EACH \$ 850.00

Option 9D. Mounted 9' dump body meeting Specification E1335

EACH \$ 6340.00 MAKE TBEI MODEL DU-9



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

EACH \$ 6070.00

Option 9F. Mounted standard utility tool body.

Acceptable makes and models are:

Knapheide 6108D54J RKI L60DW94.
Reading CLASSIC II 108A DW Stahl CHALLENGER II 108VVD-54
Omaha 108D54V,

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 5085.00 MAKE Knap MODEL 6108D54J

Option 9G. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1540.00

Option 9H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 570.00

Option 9I. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

EACH \$ 926.00

Option 9J. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48”

EACH \$ 430.00

Option 9K. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area

EACH \$ 2650.00



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9X. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)

Included

Option 9Y. Four-wheel drive. GVWR 17500

EACH \$ 6797.00

Option 9Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

EACH \$ 8450.00

Option 9AA. Provide hydraulics and controls for dump hoist only

EACH \$ 672.00

Option 9BB. Optional Rear Axle Ratio Axle Ratio 4.30 and 4.63

N/C

Option 9CC. Limited Slip Rear Axle Axle Ratio Any

EACH \$ 374.00

Option 9DD. Crew Cab Pick-Up (with 8' box in lieu of chassis cab) with standard V8, diesel engine.

Size _____ Horsepower _____ Wheelbase _____ CA _____ GVWR _____

N/A

Option 9EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 648.00

Option 9FF. Electric Trailer Brake Controller

EACH \$ 175.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made 120-150 days after receipt of order



**Light Duty Vehicles Three Quarter Ton and Above
(Statewide)
Multiple Award**

Contract Number: 3-080919HD

Vendor: Carter Chevrolet

ITEM # 9 - New standard equipped 2009 Model 15,000 LB. GVWR Chassis-Cab With DRW

MAKE/MODEL: Chevrolet 4500

PRICE: \$ 32299.00

All units bid must contain the following options:

- Standard minimum V8, diesel engine with the highest cooling capacity (Size 6.6L) Horsepower 300)
- Manufacturer's standard rear end axle ratio (Ratio: 4.30)
- 4 speed automatic transmission
- Air conditioning
- LH & RH manual trailer-type mirrors
- Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size_225/70R/19.5F)
- Rubber flooring
- Heavy duty all weather removable floor mats
- Minimum GVWR 15,000 LB
- Brakes 4-wheel anti-lock braking system (ABS)
- Speed control and tilt wheel
- Back up alarm
- Vinyl seats

DEALER COMPLETE IN DETAIL

Fuel Capacity 40 gal Oil Capacity 15 GVWR 15000

OPTIONAL EQUIPMENT PRICES, Item # 9

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

- Option 9A. **Mounted 9' platform body meeting Specification E1320**
EACH \$ 2359.00 MAKE Omaha MODEL PHD6
- Option 9B. **Mounted 9' platform dump body meeting Specification E1327**
EACH \$ 4140.00_ MAKE Omaha MODEL PHD6
- Option 9C. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**
EACH \$ 780.00
- Option 9D. **Mounted 9' dump body meeting Specification E1335**
EACH \$ 6230.00 MAKE Rugby MODEL 72579



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

EACH \$ 5620.00

Option 9F. Mounted standard utility tool body.

Acceptable makes and models are:

Knapheide 6108D54J RKI L60DW94.
Reading CLASSIC II 108A DW Stahl CHALLENGER II 108VVD-54
Omaha 108D54V,

Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess

Submit descriptive literature and specifications showing exact service body you propose to furnish.

EACH \$ 4407.00 MAKE Stahl or Knap MODEL 108VVD54 or 6108D54J

Option 9G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments

EACH \$ 1451.00

Option 9H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments

EACH \$ 520.00

Option 9I. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)

EACH \$ 920.00

Option 9J. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"

EACH \$ 743.00

Option 9K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area

EACH \$ 3160.00



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

- Option 9L. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover
EACH \$ 1400.00
- Option 9M. Raise Telescopic Roof to get 36” clearance for the above option
EACH \$ 875.00 requires 9L
- Option 9N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)
EACH \$ 925.00
- Option 9O. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission
N/A
- Option 9P. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug
EACH \$ 410.00
- Option 9Q. Exterior color to be Federal Standard #595B “Highway Yellow”
EACH \$ 519.00
- Option 9R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)
EACH \$ 380.00 SIZE 6.6L HORSEPOWER 330
- Option 9S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)
EACH \$ -6324 Deduct SIZE 8.1L HORSEPOWER 325
- Option 9T. Automatic transmission power take-off provision
N/C
- Option 9U. Snowplow package
EACH \$ 755.00
- Option 9V. Crew cab in lieu of regular cab GVWR 15000
EACH \$ 3890.00
- Option 9W. Extended cab in lieu of regular cab
N/A



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9X. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)

Standard

Option 9Y. Four-wheel drive. GVWR _____

EACH \$ 5890.00 Requires option 9V Crew Cab for 60" CA in 4 x 4

Option 9Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground

N/A

Option 9AA. Provide hydraulics and controls for dump hoist only

EACH \$ 2272.00

Option 9BB. Optional Rear Axle Ratio Axle Ratio _____

N/C

Option 9CC. Limited Slip Rear Axle Axle Ratio 4.3

EACH \$490.00

Option 9DD. Crew Cab Pick-Up (with 8' box in lieu of chassis cab) with standard V8, diesel engine.

N/A

Option 9EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper

EACH \$ 640.00

Option 9FF. Electric Trailer Brake Controller

EACH \$ 280.00

Notes:

Additional options available contact fleet buyer for complete list.

% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 8%

Delivery will be made 90 days after receipt of order