



**Missouri Department of Transportation**  
**Bid Tabulation of Request 3-070329**  
**Opened on 03/29/07**  
**Multiple Award**

**Item #1 2800-Gallon Oil Distributor**

<b><u>Vendor</u></b>	<b><u>Make/Model</u></b>	<b><u>Base Price</u></b>	<b><u>ARO</u></b>	<b><u>Coop.</u></b>
Cummings, McGowan & West	2007 Ford F750 XLT / PSI PS2500 with folding spray bar and manual transmission	\$136,164.00	8 Weeks	<u>Yes</u>
<b>See exceptions at bottom of page</b>	2007 Peterbilt 340 / PSI PS2800 with folding spray bar and manual transmission	\$171,148.00	6 Weeks	Yes
<b><u>Options:</u></b>				
	1	Factory installed 3: PHCo "Lo-Density" 12kW Heating System. U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.		N/A
	2	Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.		Standard
	3	Stainless steel flue liners		Standard
	4	LPG burner with auto ignition and out fire protection		Standard
	5	Portable LPG burner		N/A
	6	Rain covers on stacks in lieu of dampers		Standard
	7	Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading		Included
	8	Additional spray bar sections per foot		\$700/ foot
	9	Auto transmission, Allison 3500 RDS P 6-speed. Aux transmission Fuller AT-1202 2-speed with Air Shift Controls		N/A
	10	Additional training modules		No cost. Need 3 week lead time

**Item #2 3000-Gallon Oil Distributor**

<b><u>Vendor</u></b>	<b><u>Make/Model</u></b>	<b><u>Base Price</u></b>	<b><u>ARO</u></b>	<b><u>Coop.</u></b>
Cummings, McGowan & West	2007 Peterbilt 340 / PSI PS2800 with folding spray bar and manual transmission	\$171,629.00	6 Weeks	<u>Yes</u>
<b>See exceptions at bottom of page</b>				
<b><u>Options:</u></b>				
	1	Factory installed 3: PHCo "Lo-Density" 12kW Heating System. U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.		N/A
	2	Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.		Standard
	3	Stainless steel flue liners		Standard
	4	LPG burner with auto ignition and out fire protection		Standard
	5	Portable LPG burner		N/A
	6	Rain covers on stacks in lieu of dampers		Standard
	7	Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading		Included
	8	Additional spray bar sections per foot		\$700/ foot
	9	Auto transmission, Allison 3500 RDS P 6-speed. Aux transmission Fuller AT-1202 2-speed with Air Shift Controls		N/A
	10	Additional training modules		No cost. Need 3 week lead time

**Item #3 3500-Gallon Oil Distributor**

<u>Vendor</u>	<u>Make/Model</u>	<u>Base Price</u>	<u>ARO</u>	<u>Coop.</u>
Cummings, McGowan & West	2007 Peterbilt 340 / PSI PS2800 with folding spray bar and manual transmission	\$172,118.00	6 Weeks	<u>Yes</u>
<b>See exceptions at bottom of page</b>	<b><u>Options:</u></b>			
	1	Factory installed 3: PHCo "Lo-Density" 12kW Heating System. U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.		N/A
	2	Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.		Standard
	3	Stainless steel flue liners		Standard
	4	LPG burner with auto ignition and out fire protection		Standard
	5	Portable LPG burner		N/A
	6	Rain covers on stacks in lieu of dampers		Standard
	7	Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading		Included
	8	Additional spray bar sections per foot		\$700/ foot
	9	Auto transmission, Allison 3500 RDS P 6-speed. Aux transmission Fuller AT-1202 2-speed with Air Shift Controls		N/A
	10	Additional training modules		No cost. Need 3 week lead time

**CMW Exceptions:**

Asphalt Pump: Asphalt rate is set in the cab and adjustable for application rate. Pump can not be run in cab other than spraying and bar circulate. Loading must be done outside the cab for safety reasons.

Controls and Instruments: There is no individual asphalt pump control knob mounted in the cab to run the load and transfer lines. These jobs should be done outside the machine for safety to the operator and to have "eyes on the job". PSI configures its machine control in the "cab mode" so that when the unit is not spraying it automatically shifts to bar circulate mode.

Option: Front Load Line pressure is measured hydraulically, not with a pump bypass.

Notes: This machine is equipped with a heat jacketed pump, as well as a heated clean out system. The clean out system is one touch and runs a 6-minute cycle until clean out is complete and unit horn sounds. The operator is NOT required to change any functions or valves in the cleanout cycle. The asphalt pump on the PSI is situated that all material functions run through the screen BEFORE they enter the pump. This screen is also cleaned and flushed during clean out.

**Item #1 2800-Gallon Oil Distributor**

<b><u>Vendor</u></b>	<b><u>Make/Model</u></b>	<b><u>Base Price</u></b>	<b><u>ARO</u></b>	<b><u>Coop.</u></b>
Leeboy	2008 Int'l 7400 / Maxi II with folding spray bar and auto transmission	\$146,506.00	120 Days	<u>Yes</u>
	2008 Int'l 7400 / Maxi II with folding spray bar and manual transmission	\$138,484.00	120 Days	Yes
	2008 Int'l 7400 / Maxi 3 with sliding spray bar and auto transmission	\$144,750.00	120 Days	Yes
	2008 Int'l 7400 / Maxi 3 with sliding spray bar and manual transmission	\$137,728.00	120 Days	Yes
	<b><u>Options:</u></b>			
	1	Factory installed 3: PHCo "Lo-Density" 12kW Heating System. U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.		\$6,800.00
	2	Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.		N/A
	3	Stainless steel flue liners		\$225.00
	4	LPG burner with auto ignition and out fire protection		\$1,300.00
	5	Portable LPG burner		360.00
	6	Rain covers on stacks in lieu of dampers		275.00
	7	Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading		2,250.00
	8	Additional spray bar sections per foot		Max II \$500 per foot over 18' Max 3 Max length 18'. No charge for 18' bar
	9	Auto transmission, Allison 3500 RDS P 6-speed. Aux transmission Fuller AT-1202 2-speed with Air Shift Controls		7,250.00
	10	Additional training modules		N/A

**Item #2 3000-Gallon Oil Distributor**

<b><u>Vendor</u></b>	<b><u>Make/Model</u></b>	<b><u>Base Price</u></b>	<b><u>ARO</u></b>	<b><u>Coop.</u></b>
Leeboy	2008 Int'l 7400 / Maxi II with folding spray bar and auto transmission	\$146,506.00	120 Days	<u>Yes</u>
	2008 Int'l 7400 / Maxi II with folding spray bar and manual transmission	\$138,484.00	120 Days	Yes
	2008 Int'l 7400 / Maxi 3 with sliding spray bar and auto transmission	\$144,750.00	120 Days	Yes
	2008 Int'l 7400 / Maxi 3 with sliding spray bar and manual transmission	\$137,728.00	120 Days	Yes
	<b><u>Options:</u></b>			
	1	Factory installed 3: PHCo "Lo-Density" 12kW Heating System. U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.		\$6,800.00
	2	Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.		\$1,550.00
	3	Stainless steel flue liners		\$225.00
	4	LPG burner with auto ignition and out fire protection		\$1,300.00
	5	Portable LPG burner		\$360.00
	6	Rain covers on stacks in lieu of dampers		\$275.00
	7	Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading		2,250.00
	8	Additional spray bar sections per foot		Max II \$500 per foot over 18' Max 3 Max length 18'. No charge for 18' bar
	9	Auto transmission, Allison 3500 RDS P 6-speed. Aux transmission Fuller AT-1202 2-speed with Air Shift Controls		\$7,250.00
	10	Additional training modules		N/A

**Item #3 3500-Gallon Oil Distributor**

<b><u>Vendor</u></b>	<b><u>Make/Model</u></b>	<b><u>Base Price</u></b>	<b><u>ARO</u></b>	<b><u>Coop.</u></b>
Leeboy	2008 Int'l 7400 / Maxi II with folding spray bar and auto transmission	\$146,506.00	120 Days	<u>Yes</u>
	2008 Int'l 7400 / Maxi II with folding spray bar and manual transmission	\$139,484.00	120 Days	Yes
	2008 Int'l 7400 / Maxi 3 with sliding spray bar and auto transmission	\$145,750.00	120 Days	Yes
	2008 Int'l 7400 / Maxi 3 with sliding spray bar and manual transmission	\$138,728.00	120 Days	Yes
	<b><u>Options:</u></b>			
	1	Factory installed 3: PHCo "Lo-Density" 12kW Heating System. U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.		\$6,800.00
	2	Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.		\$1,550.00
	3	Stainless steel flue liners		\$225.00
	4	LPG burner with auto ignition and out fire protection		\$1,300.00
	5	Portable LPG burner		\$360.00
	6	Rain covers on stacks in lieu of dampers		\$275.00
	7	Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading		\$2,250.00
	8	Additional spray bar sections per foot		Max II \$500 per foot over 18' Max 3 Max length 18'. No charge for 18' bar
	9	Auto transmission, Allison 3500 RDS P 6-speed. Aux transmission Fuller AT-1202 2-speed with Air Shift Controls		\$7,250.00
	10	Additional training modules		N/A

**Item #1 2800-Gallon Oil Distributor**

<u>Vendor</u>	<u>Make/Model</u>	<u>Base Price</u>	<u>ARO</u>	<u>Coop.</u>
Van Keppel	2008 Int'l 7400 / Etnyre Centennial with folding spray bar and manual transmission	\$142,515.00	120-150 Days	<u>Yes</u>
<b>Pricing good until 31-Oct-07</b>				
<b><u>Options:</u></b>				
	1	Factory installed 3: PHCo "Lo-Density" 12kW Heating System. U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.		\$7,060.00
	2	Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.		\$1,175.00
	3	Stainless steel flue liners		\$485.00
	4	LPG burner with auto ignition and out fire protection		\$2,030.00
	5	Portable LPG burner		400.00
	6	Rain covers on stacks in lieu of dampers		200.00
	7	Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading		3,000.00
	8	Additional spray bar sections per foot		\$1,060.00
	9	Auto transmission, Allison 3500 RDS P 6-speed. Aux transmission Fuller AT-1202 2-speed with Air Shift Controls		\$6,785.00
	10	Additional training modules		\$500.00
	11	Aluminum handspray gun with swivels		\$200.00

**Item #2 3000-Gallon Oil Distributor**

<u>Vendor</u>	<u>Make/Model</u>	<u>Base Price</u>	<u>ARO</u>	<u>Coop.</u>
Van Keppel	2008 Int'l 7400 / Etnyre Centennial with folding spray bar and manual transmission	\$144,600.00	120-150 Days	<u>Yes</u>
<b>Pricing good until 31-Oct-07</b>				
<b><u>Options:</u></b>				
	1	Factory installed 3: PHCo "Lo-Density" 12kW Heating System. U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.		\$7,060.00
	2	Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.		\$1,175.00
	3	Stainless steel flue liners		\$485.00
	4	LPG burner with auto ignition and out fire protection		\$2,030.00
	5	Portable LPG burner		400.00
	6	Rain covers on stacks in lieu of dampers		200.00
	7	Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading		3,000.00
	8	Additional spray bar sections per foot		\$1,060.00
	9	Auto transmission, Allison 3500 RDS P 6-speed. Aux transmission Fuller AT-1202 2-speed with Air Shift Controls		\$6,785.00
	10	Additional training modules		\$500.00
	11	Aluminum handspray gun with swivels		\$200.00

**Item #3 3500-Gallon Oil Distributor**

<u>Vendor</u>	<u>Make/Model</u>	<u>Base Price</u>	<u>ARO</u>	<u>Coop.</u>
Van Keppel	2008 Int'l 7400 / Etnyre Centennial with folding spray bar and manual transmission	\$151,900.00	120-150 Days	<u>Yes</u>
<b>Pricing good until 31-Oct-07</b>				
	<b><u>Options:</u></b>			
	1	Factory installed 3: PHCo "Lo-Density" 12kW Heating System. U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.		\$7,060.00
	2	Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.		\$1,175.00
	3	Stainless steel flue liners		\$485.00
	4	LPG burner with auto ignition and out fire protection		\$2,030.00
	5	Portable LPG burner		400.00
	6	Rain covers on stacks in lieu of dampers		200.00
	7	Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading		3,000.00
	8	Additional spray bar sections per foot		\$1,060.00
	9	Auto transmission, Allison 3500 RDS P 6-speed. Aux transmission Fuller AT-1202 2-speed with Air Shift Controls		\$6,785.00
	10	Additional training modules		\$500.00
	11	Aluminum handspray gun with swivels		\$200.00

## **VENDOR INFORMATION**

**Name:** G. W. Van Keppel Co.  
**Contact name:** Stacey Stratton  
**Address Line:** 1801 N. 9th Street  
**Address Line:** Kansas City, KS 66101  
**Telephone #:** 913-281-4800  
**Email:** [sstratton@vankeppel.com](mailto:sstratton@vankeppel.com)

**Name:** Cummings, McGowan & West  
**Contact name:** Doug Cornett  
**Address Line:** 8668 Olive Blvd.  
**Address Line:** St. Louis, MO 63132  
**Telephone #:** 314-993-1336  
**Email:** [info@cmw-equip.com](mailto:info@cmw-equip.com)

**Name:** Black Star Inc. (Leeboy)  
**Contact name:** Peter Kulp  
**Address Line:** HC 62 Box 113  
**Address Line:** Nowata, OK 74048  
**Telephone #:** 918-273-8781  
**Email:** [bsinc@wildblue.net](mailto:bsinc@wildblue.net)