FARMALL C SERIES TRACTORS
CASE IH
AGRICULTURE

READY TO WORK AS HARD AS YOU.

MEET THE NEW GENERATION OF FARMALL C TRACTORS.

Getting the job done can mean working the whole day, every day. And it means having equipment that works as hard as you do. The new Farmall C Series tractors from Case IH are more than ready to do their part – built to deliver the power and performance you need, reliably and cost-effectively. And they deliver a level of operator comfort that makes those long hard days a lot more productive. Here's a new generation of Case IH utility tractors that's ready as you are for a hard day's work.

Farmall C Series tractors can do it all around the farm, ranch, livestock operation, orchard, vineyard or construction site – anywhere you need to mow, blow, till, move or grade. Designed with the input and guidance of operators in the field, these machines are the culmination of the Case IH commitment to helping you be ready for any task.





The incredibly versatile Farmall series tractor offers a ROPS option that creates a wide-open workspace and excellent visibility.

LEADING THE INDUSTRY 4

ULTIMATE IN VERSATILITY 5

OPERATOR ENVIRONMENT 6

PRODUCT SPECIFICATIONS 7

INDUSTRY-LEADING FEATURES

ENGINEERED TO HELP YOU FARM THE WAY YOU WANT.

The features you've been asking for are here. More performance. More comfort. More versatility. More value. From the front to back, the new Case IH Farmall C series tractors are engineered to make your job easier and more productive than ever before.

POWER TO PERFORM ANY TASK

THREE MODELS TO CHOOSE FROM

Case IH Farmall C Series tractors are available in three models, the Farmall 75C, the Farmall 85C, and the Farmall 95C. The three models produce 65, 75, and 85 PTO horsepower, respectively. All three models offer transmission choices that let you choose the ratio and shuttle system that works best for you.

FUEL-SAVING CASE IH FPT 3.2-L DIESEL ENGINE

The 4-cylinder, engine offers fuel-efficient performance. For all models, the engine is turbocharged – and the Farmall 85C and 95C engines are also intercooled.

MORE TRANSMISSION CHOICES

All Case IH Farmall C Series tractors feature 8-speed forward, 8-speed reverse (8x8) mechanical shuttle transmissions as standard equipment. It's easy to upgrade if your application demands it – the Farmall C Series boasts 12x12 and hydraulic-shuttle transmissions as high-level options.

SEPARATE STEERING AND IMPLEMENT HYDRAULIC RESERVOIRS

If you're lifting a heavy load, you don't have to sacrifice the ability to steer and maneuver. The open center hydraulic system, one standard remote valve and three-point hitch – featuring flexible lift arms and telescopic stabilizers – make the tractors capable of handling nearly any implement.

VERSATILITY TO HELP YOU ACCOMPLISH ANYTHING

FLEXIBLE PRODUCTIVITY

Whether lifting or loading, baling or towing, the compact and maneuverable design of these workhorse machines allows you to steer clear of obstacles and get directly to the task at hand.

EASILY HANDLES ROUGH TERRAIN

Case IH Farmall C Series tractors offer outstanding performance and stability. The heavy-duty frames and tough components are designed to be compatible with a wide range of tools and attachments.

GOOD FOR TIGHT SPACES

You're ready for any chore that comes up, and you expect the same from your utility tractor. Farmall C Series tractors can help you get the big jobs done even in the smallest spaces.

INNOVATIVE DESIGN

The new Farmall C Series tractors from Case IH are designed around input from customers and operators in the field. From that input, our engineers and designers were inspired to create new features like the practical and effective clear lens headlight unit, the field-ready roof-mounted rear indicator lights, and even the "shark gills" in the new, larger engine hood.

ULTIMATE OPERATOR ENVIRONMENT

Ideal tractor cab: Lets both operator and machine work to their optimum capacity. The new Farmall C Series features a new, quieter cab design that promises to provide outstanding operator comfort along with greater ease of operation. From redesigned ergonomic controls to an available overhead hood window panel, this new roomy cab features design details that add up to a work environment that's unmatched by any other utility tractor.

A **INCREASED VISIBILITY:** An overhead hood window panel is now available as an option. This panel, which can be easily opened, provides improved visibility during loader work, making it easy for the operator to stay highly productive.

B **COMFORTABLE DRIVER'S SEAT:** Redesigned for exceptional comfort and productivity, the new optional larger driver's seat offers a full 15 degrees of pivot freedom and the control cluster pivots right along with the steering wheel.

C **CONTROLS WITHIN REACH:** The new Farmall C Series controls have a speed display included on the instrument cluster, loader joystick location optimized for simple, comfortable operation, and all remote valves positioned for easy access.

	Farmall 75C	Farmall 85C	Farmall 95C
ENGINE			
Engine Type	4-Cylinder Diesel		
Make	FTP		
Model	F5C		
Aspiration	Turbocharged	Turbocharged & Intercooled	
Displacement	195 cu. in. (3.2 L)		
Rated Speed (RPM)	2,300 rpm		
Gross Engine HP	74 hp	87 hp	94 hp
PTO Horsepower	65 hp	75 hp	85 hp
Emission Legislation	US EPA Tier III		
Injection Pump	Bosch / Rotary		
Cold Start Aid Grid Heater	Standard		
MUFFLER			
Exhaust Outlet ROPS	Right Side of Hood		
Exhaust Outlet Cab	Right Side A-Pillar		
TRANSMISSIONS			
Standard	8x8 Mechanical Shuttle		
Option 1	8x8 Hydraulic Shuttle	N/A	
Option 2	12x12 Mechanical Shuttle		
Option 3	12x12 Hydraulic Shuttle		
Creeper Available	Standard on All Transmissions		
PTO			
Type	Fully Independent		
Base Equipment PTO Speed	540 rpm @ 2,160 Engine rpm		
Optional PTO Speed (540e)	540 rpm @ 1,492 Engine rpm		
Optional PTO Speed (540/1000)	N/A	1,000 rpm @ 2,175 Engine rpm	
3-POINT HITCH			
Category	II/I		
Draft Sensing	Top Link		
ASAE Lift Capacity @ 24" Lbs. (Kg)	3,664 lbs. (1 662 kg)	4,630 lbs. (2 100 kg)	
Lift Arms	Flexible		
Stabilizers	Telescopic		
HYDRAULICS			
System Type	Open Center		
MECHANICAL SHUTTLE TRANSMISSION			
Implement Pump Flow	12.5 gpm (47.5 L/min.)		
Steering & Services Pump Flow	7.3 gpm (27.5 L/min.)		
POWER SHUTTLE TRANSMISSION			
Implement Pump Flow	12.5 gpm (47.5 L/min.)	16.9 gpm (64.0 L/min.)	
Steering & Services Pump Flow	9.5 gpm (36 L/min.)		
Remotes	Up to 3		

SAFETY NEVER HURTS!™ Always read the Operator's Manual before operating any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided. CNH America LLC reserves the right to make improvements in design and changes in specifications at any time without notice and without incurring any obligation to install them on units previously sold. Specifications, descriptions and illustrative material herein are as accurate as known at time of publication, but are subject to change without notice. Availability of some models and equipment builds varies according to the country in which the equipment is used.

©2011 CNH America LLC. All rights reserved. Case IH is a registered trademark of CNH America LLC. Any trademarks referred to herein, in association with goods and/or services of companies other than CNH America LLC, are the property of those respective companies. Printed in U.S.A. www.caseih.com

CIH05171101

CASE IH
AGRICULTURE

ONE MULTI-TASKER DESERVES ANOTHER.
You're doing it all – from field to feedlot – but you wouldn't be anywhere else, doing anything else. Case IH understands. That's why Case IH created the Farmall 100A series. These tractors are tough, reliable, remarkably versatile and an excellent value. The easy-to-use controls allow you to get in and go, and the comfortable operator environment makes a long day seem shorter. Not that you're in any hurry to go inside.
BE READY.



POWER & PERFORMANCE 4-5

OPERATOR ENVIRONMENT 6-7

LOADERS & ATTACHMENTS 8-9

SERVICE & SUPPORT 10

SPECIFICATIONS 11

POWER THROUGH EVERY CHORE.

Farmalls were not the first tractors on the farm, but they were the first to truly do every job around the farm. In the 1920's, Farmall tractors began to replace the farm's team of horses. That heritage is reinterpreted for today's needs in the Farmall 100A series. These tractors feature transmission, engine and hydraulic systems that work seamlessly to make complex chores easier and faster than ever. With eight models in 2WD and optional MFD configurations, they're the right size – for your operation and your budget.



ALL THE HORSEPOWER YOU NEED.

Farmall 100A series tractors are powered by one of two turbocharged engines: the 110A and 120A are equipped with a 4-cylinder (4.5 L) engine (shown above), while the 125A and 140A feature a 6-cylinder (6.7 L). Both are carefully tuned to provide fuel efficiency and a long engine life, with grid heaters for cold mornings.

SMOOTH SHIFTING OPTIONS.

Shift easily from forward to reverse with the standard 8×8 clutchless power shuttle, or choose the 8×8 Synchro mechanical option with mechanical reverser. For maximum control, choose the optional 16×8 power shuttle with hi-lo gear selection in every range. The controls are simple to use and ergonomically placed for easy operation.



BEST HITCH LIFT CAPACITY IN ITS CLASS.

Three-point hitch lift capacity is 7,200 pounds – a 23 percent lift advantage over competitive tractors of the same-class. Lift heavy loads with confidence thanks to the 22 gpm hydraulic flow capacity. Connect implements quickly and easily with two standard-equipment, deluxe remotes with flow control and breakaway couplers. Easily add two more remotes as needed.

COMFORT COMES STANDARD.

Hundreds of hours of research go into making long days seem shorter, controls seem more natural and chores seem less challenging in Case IH equipment. Farmall 100A series tractors continue the long-standing Farmall commitment, putting a high priority on operator comfort and productivity.

ENJOY THE VIEW.

Choose a Farmall 100A series FOPS tractor for an outstanding level of visibility and a lower base investment.

CLIMATE-CONTROLLED COMFORT.

Comfort doesn't have to break the bank. The Farmall 100A series cab platform keeps the elements out, while delivering the visibility you need to get the job done.

HAVE A SEAT.

An iso-mounted cab with a large operator platform helps reduce the impact of rough terrain and provide a more comfortable ride. Enjoy the standard contoured seat pictured here or opt for an air suspension seat.

FARMALL 100A CAB SHOWN

A EASY ACCESS TO SIMPLE TO USE CONTROLS

B WELL-PLACED, EASY-TO-READ GAUGES

C OPTIONAL AIR SUSPENSION SEAT

D SPACIOUS OPERATOR PLATFORM

E SHOCK AND NOISE-ABSORBING FLOOR MATS

WORK DAY & NIGHT.

Ample front and rear lighting is standard on Farmall 100A series equipment to help you finish up those last few items on your list before the end of the day.

DIG IN THE DIRT, NOT INTO YOUR WALLET.

You may not actually whistle when you work, but you'll probably smile. That's because the Farmall 100A series was created to give you everything you need and the option to choose only what you want. And when you're ready for your next Case IH machine, you'll find the resale value will keep that smile right where it is.



MULTI-TASK LIKE A PRO.

Haying, loading, blading, feeding the cattle and horses. It all needs to be done. Your Case IH dealer will work with you to choose the best options and attachments for your new Farmall 100A series tractor so you can check tasks off your list quickly and efficiently.

LOADERS FOR THE FARMALL 100A SERIES TRACTORS	
TRACTOR MODELS	LOADER MODEL
Farmall 110A & 120A	L745
Farmall 125A & 140A	L755



LOADERS FIT FOR EVERY TASK.

The new L705 series loaders are built to be durable and offer many time- and labor-saving advantages including an integrated park stand, new joystick and compact, protected bucket level indicator. An increased bucket roll back angle on mechanical self-leveling loaders provides additional leveling capabilities and helps eliminate spillage. A new Multi-Coupler design features flat-faced, no-spill couplers with electrical quick connect. The new Multi-Coupler tool makes it easy to connect all the hydraulics to your loader in one simple operation. It eliminates problems with incorrect connections, pressure in the hoses or oil leaks. The Lock & Go automatic quick coupling system lets you install and remove the loader with minimum effort, no loose parts and no tools.

ATTACHMENTS FOR EVERY OPERATION.

The L705 series loaders can be outfitted with a huge array of attachments to help you make the most of your investment and provide the flexibility you need for years to come. Select from a wide variety of attachments, including but not limited to:

- Standard Buckets
- Grapple Buckets
- Bale Forks, Spears and Grips
- Pallet Forks
- Landscape Rakes
- Box Blades
- Rear Blades
- Quick Hitch Adapter

See your Case IH dealer for the complete line up of attachments for your Farmall 100A series tractor.

THERE'S MORE THAN JUST OUR TRACTORS WORKING IN YOUR FIELDS.

Case IH has added professionals in the field to support your operation. Our dealers have the experience to equip you with the right iron, implements and innovations to keep you moving. Parts and service technicians have the expertise to assist you before, during and after the sale. CNH Capital will work with you to customize financing solutions to identify what works best for your situation. It's integrated equipment, maximum service and financing options in one package – all focused on getting you ready for whatever comes next for you and your operation.

KNOWLEDGEABLE DEALERS THAT WORK WITH YOU.

Your Case IH dealer understands you need an optimum return on your investment. That means fitting the right horsepower and capabilities with the tools and implements that best fit your operation. Your dealer can recommend the appropriate drivetrain, options and attachments packages for optimum performance. And analyze results with you, field by field.

THE BEST PARTS AND SERVICE TO KEEP YOUR TRACTOR RUNNING

Your local dealer is the best place to find the full line of Case IH parts and components. And it's also where to go for full-service maintenance programs and industry-leading warranties. The expertise you get from skilled, factory-trained service professionals will provide you with maximum uptime you require.

OVER 50 YEARS OF FINANCING SOLUTIONS

CNH Capital's extensive experience in the agricultural industry has given us a deep understanding of your unique needs. Competitive equipment financing with flexible payments can be timed to your cash flow. Or, conserve capital and reduce upfront payments with operating and finance leases. For other needs, choose credit cards specific to the agricultural industry, or let us help you finance crop-input products or land rental. CNH Capital is here to deliver financing options tailored to fit your needs.

FARMALL® 100A SERIES TRACTORS SPECIFICATIONS

Since 1923, the Farmall name has been synonymous with power, performance, durability and value. Case IH is proud to expand the Farmall A heritage with a new line of 110–140 HP tractors. These workhorse tractors provide value without compromise with many no-nonsense standard features, as-well-as factory options and dealer-installed options to create a tractor right for your operation at the right price.

FARMALL A SPECIFICATIONS	FARMALL 110A	FARMALL 120A	FARMALL 125A	FARMALL 140A
POWER				
Type	Tier 3			
Engine HP at 2,200 RPM	110	118	125	140
PTO HP at 1,900 RPM	90	96	105	115
Cylinders/Displacement	4 cyl./4.5 L (273 cu in.)		6 cyl./6.7 L (411 cu in.)	
Number of Valves	8		12	
Aspiration	Turbocharged			
ELECTRICAL				
Alternator Standard	120 Amp			
Battery Standard	12V-950 CCA			
TRANSMISSION/PTO				
Standard (Base)	8F×8R with Power Shuttle			
Optional	8F×8R with Synchronized Mechanical Reverser			
Optional	16F×8R with Power Shuttle and Hi-Lo			
Creeper Speeds @ Rated Engine RPM	See Ground Speeds Chart at Right			
PTO - Standard/Optional	Independent 540/1000 RPM with Two Individual Shafts			
AXLES				
Standard/Rear Axle	Flange/Bar			
Bar Axle Diameter	3.1 in. (78 mm)			
Rear Bar Axle Length	98 in. (2489 mm)			
Front Axle - Standard/Optional	2WD/Class 3 Non-Suspended Standard-Duty			
Tread Adjustability	64.0 in.–80.0 in. (1626–2032 mm)			
Wheelbase Standard 2WD/MFD	101 in. (2471 mm)/99 in. (2520 mm)		105 in. (2667 mm)/104 in. (2642 mm)	
HYDRAULICS/HITCH				
System Type Standard	Fixed Displacement Pump (FD)			
Remotes - Standard/Optional	2 Deluxe Remotes/4 Deluxe Remotes			
Implement Flow Capacity	22 gpm (83 L/min)			
Steering/Secondary Pump Capacity	9 gpm (34 L/min)			
Standard Tractor Hydraulic Total Flow Capacity	31 gpm (83 L/min)			
3-Point Hitch Category	Cat II standard			
Hitch Lift Capacity at 24 in. Standard w/ 2 External Cylinders	7,200 lbs. (3266 kg)			
CAPACITIES				
Fuel Tank	40 gal. (150 L)		62 gal. (235 L)	
Engine Oil with Filter	11.6 qt. (11 L)		14.8 qt. (14 L)	
Hydraulic Fluid	65.5 qt. (62 L)			
CAB				
Mounting	Iso-Mounted			
Seat - Standard/Optional	Mechanical/Air suspension			
WEIGHT				
2WD w/ ROPS, lbs. (kgs)	8,003 (3630)	8,091 (3670)	9,061 (4110)	9,061 (4110)
MFD w/ ROPS, lbs. (kgs)	8,642 (3920)	8,818 (4000)	9,700 (4400)	9,700 (4400)
2WD w/ cab, lbs. (kgs)	8,708 (3950)	8,885 (4030)	9,766 (4430)	9,766 (4430)
MFD w/ cab, lbs. (kgs)	9,348 (4240)	9,524 (4320)	10,406 (4720)	10,406 (4720)

GROUND SPEEDS[1] - All Purpose 30 Kph Transmission				
FORWARD - LOW - CREEPER[4] ON				
Gear	1	2	3	4
Direct Drive[2] mph/kph	0.17/ 0.28	0.26/ 0.43	0.36/ 0.58	0.50/ 0.80
Under Drive[3] mph/kph	0.13/ 0.21	0.28/ 0.45	0.28/ 0.45	0.39/ 0.62
REVERSE - LOW - CREEPER[4] ON				
Gear	1	2	3	4
Direct Drive[2] mph/kph	0.18/ 0.29	0.30/ 0.49	0.37/ 0.60	0.52/ 0.83
Under Drive[3] mph/kph	NA			
FORWARD - LOW - CREEPER[4] OFF				
Gear	1	2	3	4
Direct Drive[2] mph/kph	0.17/ 0.28	2.6/ 4.3	3.6/ 5.8	5.0/ 8.0
Under Drive[3] mph/kph	1.3/ 2.1	2.1/ 3.3	2.8/ 4.5	3.9/ 6.2
REVERSE - LOW - CREEPER[4] OFF				
Gear	1	2	3	4
Direct Drive[2] mph/kph	1.8/ 2.9	3.0/ 4.9	3.7/ 6.0	5.2/ 8.3
Under Drive[3] mph/kph	NA			
FORWARD - HIGH - CREEPER[4] OFF				
Gear	1	2	3	4
Direct Drive[2] mph/kph	6.3/ 10.2	9.8/ 15.7	13.3/ 21.3	18.4/ 29.6
Under Drive[3] mph/kph	4.9/ 7.9	7.6/ 12.2	10.3/ 14.3	14.3/ 23.0
REVERSE - HIGH - CREEPER[4] OFF				
Gear	1	2	3	4
Direct Drive[2] mph/kph	6.6/ 10.5	10.1/ 16.2	13.7/ 22.0	19.0/ 30.6
Under Drive[3] mph/kph	NA			

FARMALL	110A	120A	125A	140A
Rear Axle Ratio	31.714			
Rear Tire Size	18.4-34 R1			
Rolling Radius in.	31.3			
Rolling Radius mm	795.0			

1. Speeds @ 2,200 engine RPM
2. 8×8 Speeds
3. With 16×8 Transmission Option
4. Optional



SAFETY NEVER HURTS!™ Always read the Operator's Manual before operating any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided. CNH America LLC reserves the right to make improvements in design and changes in specifications at any time without notice and without incurring any obligation to install them on units previously sold. Specifications, descriptions and illustrative material herein are as accurate as known at time of publication, but are subject to change without notice. Availability of some models and equipment builds varies according to the country in which the equipment is used.

©2012 CNH America LLC. All rights reserved. Case IH is a registered trademark of CNH America LLC. Any trademarks referred to herein, in association with goods and/or services of companies other than CNH America LLC, are the property of those respective companies. Printed in U.S.A. www.caseih.com

CIH06071201R