



July 26, 2006

To: Equipment Dealers/Manufacturers

Dear Sir or Madam:

To: Equipment Dealers/Manufacturers

Dear Sir or Madam:

The Missouri Department of Transportation (MoDOT) is in the process of soliciting competitive bids for 2007 **and** 2008 light duty vehicles. Bids should be mailed to General Services-Fleet, P.O. Box 270, 1320 Creek Trail Drive, Jefferson City, MO 65102 and will be opened on August 10, 2006 at 2:00 p.m. at the I-44 Conference room. Please note the enclosed Terms and Conditions that contain all "boiler plate" information and special notes.

If you have any questions about this bid, please feel free to contact me at 573-526-7932, or by email at jerry.dunn@modot.mo.gov.

Thank you.

JerryDunn
General Services Specialist



NOTIFICATION

In accordance with RSMo 414.365, MoDOT must use fuel with at least the biodiesel content of B-20. (<http://www.moga.mo.gov/statutes/C400-499/4140000365.htm>) By submitting a response to this bid, you agree to comply with all the terms of your company's standard equipment warranties, except to the extent the equipment problems are determined to be attributed to MoDOT's use of B-20 fuel.



PRICING SHEETS

Missouri Department of Transportation
General Services Division
Jefferson City, Missouri

The purpose of this document is to solicit competitive sealed bids from bidders for the purchase of 2007 and 2008 Light Duty Vehicles for the ten district offices (see page 67) in accordance with the requirements stated herein.

Bid prices should be firm for purchase for the duration of the latest production model year. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.

Submit descriptive literature and specifications showing exact equipment you propose to furnish. Bid price should include the cost of two (2) Operator's Manuals, two (2) Parts Books, and two (2) Technical Service Manuals.

Warranty information beyond the Missouri Department of Transportation's requirement must be submitted with your bid.

NET DELIVERED FIRM PRICE is construed to be delivered complete and ready for use to the delivery destination.

This is a Multiple Award bid and there will be no 'one' bidder awarded each item within this bid. Each individual delivery destination will have sole responsibility for the discretion of all purchasing decisions. Criteria used to determine the Lowest and Best Bid are based on price, location of servicing dealers, past performance of servicing dealers, and past performance of different makes and models of light duty vehicles. This bid will not be awarded solely based on low price per delivery destination. Units must be delivered to the listed delivery destinations but they will have to be serviced at other locations within the district.



New standard equipped **2007 / 2008 Model Light-Duty Automotive Vehicles**, complete and meeting the attached Missouri Department of Transportation Specifications and options.

The Missouri Department of Transportation desires to establish prices for the purchase of 2007 or 2008 Light-Duty Automotive Vehicles for delivery to our ten District offices (see page 67). Some orders may include various options listed under each item number.

Questions concerning specifications should be directed to Jerry Dunn at (573-526-7932).

1. BID INSTRUCTIONS

- 1.1 Each dealer should take great care in matching the Item #, the correct specification and options for that Item # as no allowances will be made after the bids are opened.
- 1.2 Bid prices should be firm for the duration of current model year. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.
- 1.3 Indicate the additional cost or deduction for the options listed under each Item # which should include all required options and special equipment.
- 1.4 The Missouri Department of Transportation will purchase a limited number of vehicles with some of the listed options.
- 1.5 All of the vehicles ordered with any of the listed options must meet the attached specifications with the exception of the options specified on the purchase orders.
- 1.6 You should bid on all of the optional equipment listed under each item.
- 1.7 **All Blank lines must be completed. Please use the following terms: No Bid="NB"**
- 1.8 **Not Available="NA". If option is included in base bid mark blank line "INCLUDE".**

2. WARRANTY

- 2.1 Standard Factory warranty shall apply to all vehicles.
- 2.2 Warranty Information beyond the Missouri Department of Transportation requirements must be submitted with your bid.
- 2.3 The warranty shall commence upon delivery and acceptance of the completed vehicle to the requesting district.
- 2.4 The warranty shall not become effective until the unit is placed in service.

3. BID EVALUATION CRITERIA

- 3.1 This is a **Multiple Award bid** and there will be **no 'one' bidder** awarded each item within this bid.
- 3.2 Each individual delivery destination will have sole responsibility for the discretion of all purchasing decisions.
- 3.3 Criteria used to determine the Lowest and Best Bid are based on price, location of servicing dealers, past performance of servicing dealers, and past performance of different makes and models of light duty vehicles.
- 3.4 This bid will **not** be awarded solely based on low price per delivery destination.



Units must be delivered to the listed delivery destinations but they will have to be serviced at other locations within the district.

4. ADVERTISEMENTS

4.1 There are to be no dealer advertisements on units delivered to the Missouri Department of Transportation.

5. PAINT

5.1 All vehicles will be ordered in manufacturer white except those for which the "Highway Yellow" option is selected.

6. ATTACHMENTS

6.1 For bids to be considered, the attachment entitled "PREFERENCE IN PURCHASING PRODUCTS" must be on file in this office and must be dated in the current model year.

6.2 The attachment "MISSOURI DOMESTIC PRODUCT PROCUREMENT ACT" Certificates of compliance must be completed and submitted with your bid for it to be considered responsive.

7. DELIVERY

7.1 Delivery must be made between the hours of 8:00 AM and 3:00 PM Local Time, Monday through Friday except holidays.

7.2 In the event the vendor fails to deliver the vehicle by the stated ARO time the The Missouri Department of Transportation reserves the right to secure a similar vehicle from a source of their choice and to charge the original vendor any additional cost incurred for the substitution. The Missouri Department of Transportation reserves the right to exercise this clause on a case-by-case basis and to consider the degree of contractor responsibility in the delay.



ITEM # 1 - New standard equipped 2007 / 2008 Model ¾ Ton Pickups.

ACCEPTABLE MAKES AND MODELS:

Standard Ford F-250 Styleside with 137" Wheelbase, Cab to Axle 56"

Standard Chevrolet 2500 /GMC C25903 Fleetside with 133" Wheelbase, Cab to Axle 56"

Standard Dodge 2500 with 140.5" Wheelbase, Cab to Axle 56"

All units bid must contain the following options:

1. Standard, minimum V8 Fuel-Injected Gasoline Engine (Size _____ Horsepower _____)
2. Transmission, 4 or 5 speed automatic
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum 8,600 lbs. GVWR
8. Heavy-duty (Type III) trailer package to include receiver hitch.
9. 8' Bed
10. Brakes, 4-wheel anti-lock braking system (ABS)
11. Speed control and tilt wheel

DEALER COMPLETE: I am bidding

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item #1 delivered to any of the listed delivery destinations (see page 67).

OPTIONAL EQUIPMENT PRICES, Item # 1

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

Option 1A. Four-wheel drive. Indicate change in model.
\$ _____ (EACH) (MODEL) _____ (GVWR) _____

Option 1B. Heavy-duty manual transmission in lieu of automatic transmission.
\$ _____ (EACH) Deduct

Option 1C. Exterior color to be Federal Standard #595B "Highway Yellow" #13432.
\$ _____ (EACH)

Option 1D. Alternate gasoline engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

Option 1E. Standard diesel engine in lieu of gasoline engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____



OPTIONAL EQUIPMENT PRICES, ITEM # 1 – Continued

- Option 1F. Alternate diesel engine in lieu of gasoline engine(state size and horsepower).
\$ _____(EACH) SIZE _____ HORSEPOWER _____
- Option 1G. Extended cab in lieu of regular cab with 8’ bed (state model change).
\$ _____(EACH) (MODEL) _____ (GVWR) _____
- Option 1H. Crew cab in lieu of regular cab with 8’ bed (state model change).
\$ _____(EACH) (MODEL) _____ (GVWR) _____
- Option 1I. 6’ Bed in lieu of 8’ bed for extended cab (state model change).
\$ _____(EACH) (MODEL) _____(GVWR) _____
- Option 1J. 6’ Bed in lieu of 8’ bed for crew cab (state model change).
\$ _____(EACH) (MODEL) _____(GVWR) _____
- Option 1K. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)
\$ _____(EACH)
- Option 1L. Power windows and power door locks.
\$ _____(EACH)
- Option 1M. Allison automatic transmission .
\$ _____(EACH)
- Option 1N. Alternative fuel in lieu of gasoline. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.
\$ _____(EACH) Fuel type _____ Engine _____ Size _____

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 2 - New standard equipped 2007 / 2008 Model ¾ Ton Chassis-Cabs with SRW.

ACCEPTABLE MAKES AND MODELS:

Standard Ford F-250 with code 66D, 137" Wheelbase Cab to Axle 56"

Standard Chevrolet 2500 GMC C25903 with ZW9 and with 133" Wheelbase Cab to Axle 56"

Standard Dodge 2500 with 140.5" Wheelbase Cab to Axle 56"

All units bid must contain the following options:

1. Standard V8 minimum Fuel-Injected Gasoline Engine (Size_____ Horsepower_____)
2. Transmission, 4 or 5 Speed Automatic
3. Air Conditioning
4. LH & RH Manual Trailer-Type Mirrors
5. Spare Tire and Wheel
6. Rubber Floor Mats
7. Minimum GVWR 8,600 lb
8. Brakes, 4 Wheel Anti-Lock Braking System (ABS)
9. Speed Control and Tilt Wheel

DEALER COMPLETE IN DETAIL: I am bidding

NET DELIVERED PRICE for One (1) new unit as described in Item 2 delivered to any of the listed delivery destinations (see page 67).

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

OPTIONAL EQUIPMENT PRICES, Item # 2

Indicate the additional cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 2A. Mounted 8' platform body meeting Specification E1320.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 2B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).
\$ _____ (EACH)



OPTIONAL EQUIPMENT PRICES, ITEM # 2 – Continued

Option 2C. Mounted standard utility tool body. Acceptable makes and models are: Knapeheide 696J, Reading Classic II 98A S.W., Omaha 96V, Stahl CHALLENGER II 96VVS - 48.5. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

\$_____ (EACH) (MAKE) _____ (MODEL) _____

Option 2D.. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft.
\$_____ (EACH)

Option 2E. Four-wheel drive (state change in model).
\$_____ (EACH) MODEL _____ (GVWR) _____

Option 2F. Heavy-duty manual transmission in lieu of automatic transmission.
\$_____ (EACH) Deduct

Option 2G. Heavy duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for a 7pin commercial truck connector.
\$_____ (EACH)

Option 2H. Exterior color to be Federal Standard #595B "Highway Yellow" #13432.
\$_____ (EACH)

Option 2I. Alternate gasoline engine (state size and horsepower).
\$_____ (EACH) SIZE _____ HORSEPOWER _____

Option 2J. Standard diesel engine in lieu of gasoline engine (state size and horsepower).
\$_____ (EACH) SIZE _____ HORSEPOWER _____

Option 2K. Alternate diesel engine in lieu of gasoline engine (state size and horsepower).
\$_____ (EACH) SIZE _____ HORSEPOWER _____

Option 2L. Crew cab in lieu of regular cab (state change in model).
\$_____ (EACH) MODEL _____ Wheelbase _____ CA _____



OPTIONAL EQUIPMENT PRICES, ITEM # 2 – Continued

- Option 2M. 2 Factory cab steps. (one on Drivers Side, one on Passenger side.)
\$ _____ (EACH)
- Option 2N. Power windows and power door locks.
\$ _____ (EACH)
- Option 2O. Allison automatic transmission .
\$ _____ (EACH)
- Option 2P. Alternative fuel in lieu of gasoline. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.
\$ _____(EACH) Fuel type _____ Engine _____ Size _____

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 3 - New standard equipped 2007 / 2008 Model ¾ Ton Extended Cab Chassis-Cabs SRW.

ACCEPTABLE MAKES AND MODELS:

Standard Ford F-250 SuperCab with code 66D 158" Wheelbase, Cab to Axle 56"

Chevrolet 2500HD/GMC Extended Cab C25953 with code ZW9 157.5" Wheelbase, Cab to Axle 56"

Dodge2500 Quad Cab 160.5" Wheelbase Cab to Axle 56"

All units bid must contain the following options:

1. Standard V8 minimum gasoline engine (Size _____ Horsepower _____)
2. 4 or 5 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum 8,800 GVWR
8. Brakes, 4 wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item 3 delivered to any of the listed delivery destinations (see page 67).

OPTIONAL EQUIPMENT PRICES, Item # 3

Indicate the additional cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 3A. Mounted 8' platform body meeting Specification E1320.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 3B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).
\$ _____ (EACH)

Option 3C. Mounted standard utility tool body. Acceptable makes and models are: Knapheide 696J, Reading Classic II 98A S.W., Omaha 96V, Stahl CHALLENGER II 96VVS.48.5. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____



OPTIONAL EQUIPMENT PRICES, Item # 3

- Option 3D.. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft.
\$ _____ (EACH)
- Option 3E. Standard 8' Pickup Body and Step-Type Bumper (state model change).
\$ _____ (EACH) (MODEL) _____
- Option 3F. Standard 6' Pickup Body and Step-Type Bumper (state model change).
\$ _____ (EACH) (MODEL) _____
- Option 3G. Four-Wheel Drive (state model change).
\$ _____ (EACH) (MODEL) _____
- Option 3H. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission.
\$ _____ (EACH) Deduct
- Option 3I. Heavy-duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for an 7 pin commercial truck connector.
\$ _____ (EACH)
- Option 3J. Exterior color to be Federal Standard #595B "Highway Yellow" #13432
\$ _____ (EACH)
- Option 3K. Alternate gasoline engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 3L. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 3M. Alternate diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 3N. Allison transmission .
\$ _____ (EACH)
- Option 3O. 2 Factory cab steps. (one on Drivers Side, one on Passenger side.)
\$ _____ (EACH)
- Option 3P. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase).
\$ _____ (EACH) MODEL _____ Wheelbase _____ CA 40"(GVWR) _____
\$ _____ (EACH) MODEL _____ Wheelbase _____ CA 56" (GVWR) _____



OPTIONAL EQUIPMENT PRICES, ITEM #3-continued

Option 3Q. Alternative fuel in lieu of gasoline. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.

\$ _____ (EACH) Fuel type _____ Engine _____ Size _____

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 4 - New standard equipped 2007 / 2008 Model 1 Ton Chassis-Cabs with DRW
ACCEPTABLE MAKES AND MODELS:

Standard Ford F-350 with 141" Wheelbase Cab Axle 60"
Standard Chevrolet/GMC C36003 + ZW9 with 137" Wheelbase Cab Axle 60.4"
Standard Dodge Ram 3500 143.8 Wheelbase Cab Axle 60"

All units bid must contain the following options:

1. Standard, minimum V8 diesel engine (Size _____ Horsepower _____)
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR 11,000 lb
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item 4 delivered to any of the listed delivery destinations (see page 67).

OPTIONAL EQUIPMENT PRICES, Item # 4

Indicate the additional cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 4A. Mounted 9' platform body meeting Specification E1320.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 4B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).
\$ _____ (EACH)

Option 4C. Mounted 9' platform dump body meeting Specification E1327.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 4D. Mounted 9' dump body meeting Specification E1335.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 4E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve



OPTIONAL EQUIPMENT PRICES, Item # 4 continued

and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

\$ _____ (EACH)

Option 4F. Quarter cab protector made of 11ga. Steel. To include an integral design visibility window.

\$ _____ (EACH)

Option 4G. Mounted standard utility tool body. Acceptable makes and models are: Knapeheide 6108D54J, Reading CLASSIC II 108A D.W., Omaha 108D54V, Stahl CHALLENGER II 108VVD- 54. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 4H. Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical com.

\$ _____ (EACH)

Option 4I. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.

\$ _____ (EACH)

Option 4J. One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool side compartment shall be 27" from floor to top of side body plus excess for flip top compartment.

\$ _____ (EACH)

Option 4K. One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48".

\$ _____ (EACH)



OPTIONAL EQUIPMENT PRICES, Item # 4 continued

- Option 4L. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area.
\$ _____ (EACH)

- Option 4M. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover.
\$ _____ (EACH)

- Option 4N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves).
\$ _____ (EACH)

- Option 4O. Four-wheel drive (state model change).
\$ _____ (EACH) MODEL _____

- Option 4P. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission.
\$ _____ (EACH) Deduct

- Option 4Q. Allison automatic transmission.
\$ _____ (EACH)

- Option 4R. Heavy-duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for a 7 pin commercial truck connector.
\$ _____ (EACH)

- Option 4S. Exterior color to be Federal Standard #595B “Highway Yellow” #13432.
\$ _____ (EACH)

- Option 4T. Alternate diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

- Option 4U. Standard gasoline engine in lieu of diesel engine (state size and horse power).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

- Option 4V. Alternate gasoline engine in lieu of diesel engine (state size and horse power).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____



OPTIONAL EQUIPMENT PRICES, Item # 4 continued

Option 4W. Single rear wheels (SRW) in lieu of dual rear wheels (DRW).
\$ _____ (EACH) GVWR _____ MAKE _____ MODEL _____

Option 4X. Snow plow package.
\$ _____ (EACH)

Option 4Y. Automatic transmission power take-off provision.
\$ _____ (EACH)

Option 4Z. 2 Factory cab steps. (one on Drivers Side, one on Passenger side.)
\$ _____ (EACH)

Option 4AA. Alternative Fuel in lieu of Diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.
\$ _____ (EACH) Fuel type _____ Engine _____ Size _____

Option 4BB. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
\$ _____ (EACH)

Option 4CC. Provide hydraulics and controls for dump hoist only
\$ _____ (EACH)

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 5 - New standard equipped 2007 / 2008 Model 1 Ton Chassis-Cab.With DRW

ACCEPTABLE MAKES AND MODELS:

- Standard Ford F-350 with 165" Wheelbase Cab to Axle 84"
- Standard Chevrolet/GMC C36403 with 161.5" Wheelbase Cab to Axle 84.9"
- Standard Dodge Ram 3500 with 167.5 Cab to Axle 84"

All units bid must contain the following options:

1. Standard minimum V8, diesel engine (Size _____ Horsepower _____)
2. 4-speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR 11,000
8. Brakes 4-wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding

2007(MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item 5 delivered to any of the listed delivery destinations (see page 67).

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

**Option 5A. Mounted 11' platform body meeting Specification E1320.
\$ _____ (EACH) MAKE _____ MODEL _____**

**Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).
\$ _____ (EACH)**

**Option 5C. Mounted 11' platform dump body meeting Specification E1327.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____**

Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger,



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

\$_____ (EACH)

Option 5E. Mounted standard utility tool body. Acceptable makes and models are: Knapheide 6132D54J, Reading CLASSIC II 132A DW, Omaha 132D54V, Stahl CHALLENGER 132VVD-54. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

\$_____ (EACH) (MAKE) _____ (MODEL) _____

Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments.

\$_____ (EACH)

Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.

\$_____ (EACH)

Option 5H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment).

\$_____ (EACH)

Option 5I. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area.

\$_____ (EACH)

Option 5J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover.

\$_____ (EACH)



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5K. Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves).
\$ _____ (EACH)

Option 5L. One - double bottle gas drop well with minimum 55” clearance height (for large Bottle use) and retainers in lieu of the interior 48” full height vertical compartment.
\$ _____ (EACH)

Option 5M. Four-wheel drive (state change in model).
\$ _____ (EACH) MODEL _____ (GVWR) _____

Option 5N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission.
\$ _____ (EACH) Deduct

Option 5O. Allison automatic transmission.
\$ _____ (EACH)

Option 5P. Heavy Duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for an 7 pin commercial truck connector.
\$ _____ (EACH)

Option 5Q. Exterior color to be Federal Standard #595B “Highway Yellow” #13432.
\$ _____ (EACH)

Option 5R. Alternate diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

Option 5S. Standard gasoline engine in lieu of diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) (state GVWR).
\$ _____ (EACH) GVWR _____

Option 5V. Snow plow package.
\$ _____ (EACH)



OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued

Option 5W. Automatic transmission power take off provision.
\$ _____ (EACH)

Option 5X. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)
\$ _____ (EACH)

Option 5Y. Alternative fuel in lieu of diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.
\$ _____ (EACH) Fuel type _____ Engine _____ Size _____

Option 5Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
\$ _____ (EACH)

Option 5AA. Provide hydraulics and controls for dump hoist only
\$ _____ (EACH)

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 6 - New standard equipped 2007 / 2008 Model Crew-Cab 1 Ton Pickups with DRW.

ACCEPTABLE MAKES AND MODELS:

Standard Ford F350 Styleside with 172" Wheelbase Cab to Axle 56"

Standard Chevrolet/GMC C3500 Fleetside with 167.0" Wheelbase & CA 56"

Standard Dodge DR3500 Dual Rear Wheel Mega Cab with 160.5" Wheelbase & CA 56.9

All units bid must contain the following options:

1. Standard minimum diesel engine (Size _____ Horsepower _____)
2. 4 or 5 Speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum 11,200 GVWR
8. Heavy-Duty (Type III) trailer package to include receiver hitch.
9. 8' pickup bed
10. Brakes 4-wheel anti-lock braking system (ABS)
11. Speed control and tilt

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item 6 delivered to any of the listed delivery destinations (see page 67).

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 6A. Four-wheel drive (state change in model).
\$ _____ (EACH) MODEL _____ (GVWR) _____

Option 6B. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission.
\$ _____ (EACH) Deduct

Option 6C. Heavy-duty, type III trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for a 7 pin connector.
\$ _____ (EACH)

Option 6D. Exterior color to be Federal Standard #595B "Highway Yellow" #13432.
\$ _____ (EACH)

Option 6E. Standard gas engine in lieu of the diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____



OPTIONAL EQUIPMENT PRICES, Item # 6 – Continued

- Option 6F. Alternate gas engine in lieu of the diesel engine (state size and horse power).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 6G. Alternate diesel engine (state size and horsepower)
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 6H. Single rear wheel (SRW) in lieu of dual rear wheel (DRW) (state GVWR / Model).
\$ _____ (EACH) GVWR _____ Model _____
- Option 6I. Snow plow package.
\$ _____ (EACH)
- Option 6J. Automatic transmission power take off provision.
\$ _____ (EACH)
- Option 6K. Allison automatic transmission.
\$ _____ (EACH)
- Option 6L. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)
\$ _____ (EACH)
- Option 6M. 6' bed in lieu of 8' bed
\$ _____ (EACH)
- Option 6N. Alternative Fuel in lieu of Diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.
\$ _____ (EACH) Fuel type _____ Engine _____ Size _____

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 7 - New standard equipped 2007 / 2008 Model 1 Ton Crew Cab Chassis-Cabs With DRW.

ACCEPTABLE MAKES AND MODELS:

Standard Ford F350 with 176" Wheelbase Cab to Axle 60"

Standard Chevrolet/GMC C35943 with ZW9 and 167" Wheelbase Cab to Axle 55.9"

Standard Dodge 3500 Dual Rear Wheel with 163.5" Wheelbase & Cab to Axle 60"

All units bid must contain the following options:

1. Standard minimum diesel engine (Size_____ Horsepower_____)
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR 11,400
8. Brakes 4-wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item 7 delivered to any of the listed delivery destinations (see page 67).

OPTIONAL EQUIPMENT PRICES, Item # 7

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 7A. For Dodge and Chevrolet Dealers

Bid only a mounted 8' platform body meeting Specification E1320.

(MAKE) _____ (MODEL) _____ \$ _____ (EACH)

For Ford Dealers

Bid only a mounted 9' platform body meeting Specification E1320.

\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 7B. For Dodge and Chevrolet Dealers

Bid only a mounted standard utility tool body.

Acceptable makes and models are: Knapeheide 696D54J, Reading CLASSIC II 98A DW, Omaha 96D54V, Stahl CHALLENGER II 96VVD-54. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.



Submit descriptive literature and specifications showing exact service body you propose to furnish.

\$ _____ (EACH) (MAKE) _____ (MODEL) _____

For Ford Dealers

Bid only a mounted standard utility tool body. Acceptable makes and models are: Knapheide 6108D54J, Reading CLASSIC II 108 A DW, Omaha 108D54V, Stahl CHALLENGER II 108VVD-54 Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

\$ _____ (EACH) (MAKE) _____ (MODEL) _____

**Option 7C. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft.
\$ _____ (EACH)**

**Option 7D. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments.
\$ _____ (EACH)**

**Option 7E. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.
\$ _____ (EACH)**

**Option 7F. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment).
\$ _____ (EACH)**



OPTIONAL EQUIPMENT PRICES, Item # 7 – Continued

- Option 7G. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48".
\$ _____ (EACH)
- Option 7H. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area.
\$ _____ (EACH)
- Option 7I. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves).
\$ _____ (EACH)
- Option 7J. Four-wheel drive (state change in model).
\$ _____ (EACH) MODEL _____ (GVWR) _____
- Option 7K. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission.
\$ _____ (EACH) Deduct
- Option 7L. Heavy-duty, Type V with a Type III adapter trailer hitch. Social equipment which includes weight distributing hitch platform and wiring harness for a 7 pin commercial truck connector.
\$ _____ (EACH)
- Option 7M. Exterior color to be Federal Standard #595B "Highway Yellow" #13432.
\$ _____ (EACH)
- Option 7N. Alternate diesel engine (state size and horsepower)
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 7O. Standard gasoline engine in lieu of diesel engine (state size and horsepower)
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 7P. Alternate gasoline engine in lieu of diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 7Q. Single rear wheel (SRW) in lieu of dual rear wheel (DRW).
\$ _____ (EACH) Model _____ (GVWR) _____



OPTIONAL EQUIPMENT PRICES, Item # 7 – Continued

Option 7R. Snow plow package.
\$ _____ (EACH)

Option 7S. Automatic transmission power take off provision.
\$ _____ (EACH)

Option 7T. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)
\$ _____ (EACH)

Option 7U. Allison automatic transmission.
\$ _____ (EACH)

Option 7V. Alternative fuel in lieu of diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.
\$ _____ (EACH) Fuel type _____ Engine _____ Size _____

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 8 - New standard equipped 2007 / 2008 Model 1 Ton Pickup with DRW

ACCEPTABLE MAKES AND MODELS:

Standard Ford F350 Styleside Dual Rear Wheel Pickup with 137" Wheelbase

Standard Chevrolet/GMC C35903 with E63 and R05 Fleetside Pickup with 131.5" Wheelbase.

Standard Dodge DR3500 Dual Rear Wheel Sweptline Pickup with 140.5" Wheelbase

All units bid must contain the following options:

1. Standard minimum diesel engine (Size_____ Horsepower_____)
2. 4-speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR 11,000 lb
8. Heavy-duty (Type III) trailer package to include receiver hitch
9. 8' bed
10. 4-wheel anti-lock braking system (ABS).
11. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item 8 delivered to any of the listed delivery destinations (see page 67).

OPTIONAL EQUIPMENT PRICES, Item # 8

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 8A. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission.
\$ _____ (EACH) Deduct

Option 8B. Cloth Seat.
\$ _____ (EACH)

Option 8C. Exterior color to be Federal Standard #595B "Highway Yellow" #13432.
\$ _____ (EACH)

Option 8D. Alternate diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

Option 8E. Standard gasoline engine in lieu of diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____



OPTIONAL EQUIPMENT PRICES, Item # 8 – Continued

Option 8F. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

Option 8G. Four-wheel drive (state change in model).
\$ _____ (EACH) (MODEL) _____ (GVWR) _____

Option 8H. Single rear wheels in lieu of dual rear wheels (state GVWR ,WB and Model).
\$ _____ (EACH) Deduct GVWR _____ (WB) _____ MODEL _____

Option 8I. Standard extended cab with single rear wheels (SRW) in lieu of standard regular cab with dual rear wheels (DRW) (state GVWR, WB and model).
\$ _____ (EACH) GVWR _____ (WB) _____ MODEL _____

Option 8J. Snow plow package.
\$ _____ (EACH)

Option 8K. Automatic transmission power take off provision.
\$ _____ (EACH)

Option 8L. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)
\$ _____ (EACH)

Option 8M. Allison automatic transmission.
\$ _____ (EACH)

Option 8N. Power windows and power door locks.
\$ _____ (EACH)

Option 8O. Alternative fuel in lieu of diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.
\$ _____ (EACH) Fuel type _____ Engine _____ Size _____

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 9 - New standard equipped 2007 / 2008 Model 15,000 LB. GVWR Chassis-Cab With DRW. ACCEPTABLE MAKES AND MODELS:

Standard Ford Super Duty F450 with 141" Wheelbase Cab to Axle 60"
Standard Chevrolet/GMC C4500 Model C4C042 with 135.5" Wheelbase Cab to Axle 60"

All units bid must contain the following options:

1. Standard minimum V8, diesel engine (Size _____ Horsepower _____)
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR 15,000 LB
8. Brakes 4-wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding

NET DELIVERED PRICE for One (1) new unit as described in Item 9 delivered to any of the listed delivery destinations (see page 67).

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

OPTIONAL EQUIPMENT PRICES, Item # 9

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

Option 9A. Mounted 9' platform body meeting Specification E1320.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 9B. Mounted 9' platform dump body meeting Specification E1327.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 9C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).
\$ _____ (EACH)

Option 9D. Mounted 9' dump body meeting Specification E1335.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 9E. Quarter cab protector made of 11 ga. Steel, to include an integral design visibility window.
\$ _____ (EACH)

Option 9F. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

\$ _____ (EACH)

Option 9G. Mounted standard utility tool body. Acceptable makes and models are: Knapheide 6108D54J, Reading CLASSIC II 108A DW, Omaha 108D54V, Stahl CHALLENGER II 108VVD-54. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess. *Submit descriptive literature and specifications showing exact service body you propose to furnish.*

\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 9H. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments.

\$ _____ (EACH)

Option 9I. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.

\$ _____ (EACH)

Option 9J. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment).

\$ _____ (EACH)

Option 9K. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48".

\$ _____ (EACH)

Option 9L. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area.

\$ _____ (EACH)



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

- Option 9M. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover.
\$ _____ (EACH)
- Option 9N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves).
\$ _____ (EACH)
- Option 9O. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission.
\$ _____ (EACH) Deduct
- Option 9P. Heavy-duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for a 7 pin commercial truck connector.
\$ _____ (EACH)
- Option 9Q. Exterior color to be Federal Standard #595B “Highway Yellow” #13432.
\$ _____ (EACH)
- Option 9R. Alternate diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 9S. Standard gasoline engine in lieu of diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 9T. Alternate gasoline engine in lieu of diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 9U. Automatic transmission power take-off provision.
\$ _____ (EACH)
- Option 9V. Allison automatic transmission.
\$ _____ (EACH)
- Option 9W. Snowplow package.
\$ _____ (EACH)
- Option 9X. Crew cab in lieu of regular cab (state change in Model, Wheelbase and CA).
\$ _____ (EACH) MODEL _____ Wheelbase _____ (CA) _____



OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued

Option 9Y. Extended cab in lieu of regular cab (state change in Model, Wheelbase and (CA).
\$_____ (EACH) MODEL_____ Wheelbase_____ (CA)_____

Option 9Z. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)
\$_____ (EACH)

Option 9AA. Four-wheel drive. (State change in model).
\$_____ (EACH) MODEL_____

Option 9BB. Alternative fuel in lieu of diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.
\$_____ (EACH) Fuel type_____ Engine _____ Size_____

Option 9CC. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
\$_____ (EACH)

Option 9DD. Provide hydraulics and controls for dump hoist only
\$_____ (EACH)

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 10 - New standard equipped 2007 / 2008 Model 15000 LB. GVWR Chassis-Cab With DRW.

ACCEPTABLE MAKES AND MODELS:

Standard Ford Super Duty F450 with 165" Wheelbase, Cab to Axle 84"

Standard Chevrolet/GMC C4500 Model C4C042 with 152.0" Wheelbase Cab to Axle 84"

All units bid must contain the following options:

1. Standard minimum V8 diesel engine (Size _____ Horsepower _____)
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR 15,000 LB
8. Brakes 4-wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item 10 delivered to any of the listed delivery destinations (see page 67).

OPTIONAL EQUIPMENT PRICES, Item # 10

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

Option 10A. Mounted 12' platform body meeting Specification E1320.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 10B. Mounted 11' platform dump body meeting Specification E1327.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 10C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).
\$ _____ (EACH)

Option 10D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.
\$ _____ (EACH)



OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued

- Option 10E. Mounted standard utility tool body. Acceptable makes and models are: Knapeheide 6132D54J , Reading CLASSIC II 132A DW, Omaha 132D54V, Stahl CHALLENGER II 132VVD-54. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____**
- Option 10F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments.
\$ _____ (EACH)**
- Option 10G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.
\$ _____ (EACH)**
- Option 10H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment).
\$ _____ (EACH)**
- Option 10I. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area.
\$ _____ (EACH)**
- Option 10J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover.
\$ _____ (EACH)**
- Option 10K. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves).
\$ _____ (EACH)**



OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued

- Option 10L. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers.
\$ _____ (EACH)
- Option 10M. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission.
\$ _____ (EACH) Deduct
- Option 10N. Heavy duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for a 7 pin commercial truck connector.
\$ _____ (EACH)
- Option 10O. Exterior color to be Federal Standard #595B “Highway Yellow” #13432.
\$ _____ (EACH)
- Option 10P. Alternate diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 10Q. Standard gasoline engine in lieu of diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 10R. Alternate gasoline engine in lieu of diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 10S. Automatic transmission power take-off provision.
\$ _____ (EACH)
- Option 10T. Allison automatic transmission.
\$ _____ (EACH)
- Option 10U. Snowplow package.
\$ _____ (EACH)
- Option 10V. Crew cab in lieu of regular cab (state change in model).
\$ _____ (EACH) MODEL _____ Wheel Base _____
- Option 10W. Extended cab in lieu of regular cab (state change in model).
\$ _____ (EACH) MODEL _____ Wheel Base _____
- Option 10X. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)
\$ _____ (EACH)



OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued

Option 10Y. Four wheel drive (state change in model).

\$ _____ (EACH) MODEL _____ (GVWR) _____

Option 10Z. Alternative fuel in lieu of diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.

\$ _____ (EACH) Fuel type _____ Engine _____ Size _____

Option 10AA. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.

\$ _____ (EACH)

Option 10BB. Provide hydraulics and controls for dump hoist only

\$ _____ (EACH)

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 11 - New standard equipped 2007 / 2008 Model 17,500 LB, GVWR Chassis-Cab With DRW ACCEPTABLE MAKES AND MODELS:

Standard Ford Super Duty F550 with 141" Wheelbase Cab to Axle 60" (17,500 GVWR)
Chevrolet 4500 Series Model CC4C042 with 128" wheelbase Cab to Axle 60" WB (17,500GVWR)

All units bid must contain the following options:

1. Standard minimum V8 diesel Engine (Size _____ Horsepower _____)
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR 17,500 LB
8. Brakes 4-wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item 11 delivered to any of the listed delivery destinations (see page67).

OPTIONAL EQUIPMENT PRICES, Item # 11

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 11A. Mounted 9' platform body meeting Specification E1320.

\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 11B. Mounted 9' platform dump body meeting Specification E1327.

\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 11C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).

\$ _____ (EACH)

Option 11D. Mounted 9' dump body meeting Specification E1335.

\$ _____ (EACH)

Option 11E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform



OPTIONAL EQUIPMENT PRICES, Item #11 – Continued

body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

\$ _____ (EACH)

Option 11F. Quarter cab protector made of 11 ga. steel, to include an integral design visibility window.

\$ _____ (EACH)

Option 11G. Mounted standard utility tool body. Acceptable makes and models are: Knapeheide 6108D54J, Reading CLASSIC II 108A DW, Omaha 108D54V, Stahl CHALLENGER II 108VVD- 54. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
Submit descriptive literature and specifications showing exact service body you propose to furnish

\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 11H. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartments.

\$ _____ (EACH)

Option 11I. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.

\$ _____ (EACH)

Option 11J. One full-length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment).

\$ _____ (EACH)

Option 11K. One double- bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments.

\$ _____ (EACH)



OPTIONAL EQUIPMENT PRICES, Item #11 – Continued

Option 11L. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area.
\$ _____ (EACH)

Option 11M. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover.
\$ _____ (EACH)

Option 11N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves).
\$ _____ (EACH)

Option 11O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission.
\$ _____ (EACH)

Option 11P. Heavy-duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for a 7 pin commercial truck connector.
\$ _____ (EACH)

Option 11Q. Exterior color to be Federal Standard #595B “Highway Yellow” #13432.
\$ _____ (EACH)

Option 11R. Alternate diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

Option 11S. Standard gasoline engine in lieu of diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

Option 11T. Alternate gasoline engine in lieu of diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

Option 11U. Automatic transmission power take-off provision.
\$ _____ (EACH) SIZE _____ HORSEPOWER _____

Option 11V. Allison automatic transmission.
\$ _____ (EACH)

Option 11W. Snowplow package.



\$ _____ (EACH)
OPTIONAL EQUIPMENT PRICES, Item #11 – Continued

Option 11X. Crew cab in lieu of regular cab (state change in Model, Wheelbase and CA.).
\$ _____ (EACH) MODEL _____ Wheelbase _____ (CA.) _____

Option 11Y. Extended cab in lieu of regular cab (state change in Model, Wheelbase and CA.)
\$ _____ (EACH) MODEL _____ Wheelbase _____ CA.) _____

Option 11Z. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)
\$ _____ (EACH)

Option 11AA. Four-wheel drive (state change in model).
\$ _____ (EACH) MODEL _____

Option 11BB. Alternative fuel in lieu of diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.
\$ _____ (EACH) Fuel type _____ Engine _____ Size _____

Option 11CC. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
\$ _____ (EACH)

Option 11DD. Provide hydraulics and controls for dump hoist only
\$ _____ (EACH)

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 12 - New standard equipped 2007 / 2008 Model 17,500 GVWR Chassis-Cabs with DRW.
ACCEPTABLE MAKES AND MODELS:

Ford Super Duty F550 with 165" Wheelbase Cab to Axle 84" (17,500 GVWR)
Chevrolet 4500 Series Model With 152" Wheelbase CC4C042 Cab to Axle 84" WB (17,500GVWR)

All units bid must contain the following options:

1. Standard, diesel engine (Size _____ Horsepower _____)
2. 4-speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirror
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR. 17,500 LB
8. Brakes 4-wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding (MAKE) _____ (MODEL) _____

NET DELIVERED PRICE for One (1) new unit as described in Item 12 delivered to any of the listed delivery destinations (see page 67).

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 12A. Mounted 12' platform body meeting Specification E1320.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 12B. Mounted 11' platform dump body meeting Specification E1327.
\$ _____ (EACH) (MAKE) _____ (MODEL) _____

Option 12C. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.
\$ _____ (EACH)



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12D. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).

\$_____ (EACH)

Option 12E. Mounted standard utility tool body. Acceptable makes and models are: Knapheide 6132D54J, Reading CLASSIC II 132A DW, Omaha 132D54V, Stahl CHALLENGER II 132 VVD-54. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Submit descriptive literature and specifications showing exact service body you propose to furnish.

\$_____ (EACH) (MAKE) _____ (MODEL) _____

Option 12F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of three shelves and dividers in one of the full height vertical compartments.

\$_____ (EACH)

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.

\$_____ (EACH)

Option 12H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment).

\$_____ (EACH)

Option 12I. Minimum 25" high panel extension cover with minimum 42" locking rear doors Which will provide a minimum 48" interior height for storage and work area.

\$_____ (EACH)

Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover.

\$_____ (EACH)



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

- Option 12K. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves).
\$ _____ (EACH)
- Option 12L. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment.
\$ _____ (EACH)
- Option 12M. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission.
\$ _____ (EACH) Deduct
- Option 12N. Heavy-duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for 7 pin commercial truck connector.
\$ _____ (EACH)
- Option 12O. Exterior color to be Federal Standard #595B “Highway Yellow” #13432.
\$ _____ (EACH)
- Option 12P. Alternate diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 12Q. Standard gasoline engine in lieu of diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 12R. Alternate gasoline engine in lieu of diesel engine (state size and horsepower).
\$ _____ (EACH) SIZE _____ HORSEPOWER _____
- Option 12S. Automatic transmission power take-off provision.
\$ _____ (EACH)
- Option 12T. Allison automatic transmission.
\$ _____ (EACH)
- Option 12U. Snowplow package.
\$ _____ (EACH)
- Option 12V. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)
\$ _____ (EACH)



OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued

Option 12W. Four wheel drive (state change in model).

\$ _____ (EACH) MODEL _____

Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and CA)

\$ _____ (EACH) Wheelbase _____ CA _____

Option 12Y. Alternative fuel in lieu of diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric. Fuel type _____ Engine _____ Size _____

\$ _____ (EACH)

Option 12Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.

\$ _____ (EACH)

Option 12AA. Provide hydraulics and controls for dump hoist only

\$ _____ (EACH)

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 13 - New standard equipped 2007/ 2008 Model Carryalls.

ACCEPTABLE MAKES AND MODELS:

Standard Chevrolet C20906 Suburban with 130.0" Wheelbase

Standard GMC TC20906 Yukon XL with 130.0" Wheelbase

Standard Ford XLT Excursion with 137.1" Wheelbase

All units bid must contain the following options:

1. Standard minimum V8 gasoline engine (Size _____ Horsepower _____)
2. 4-speed automatic transmission
3. Front and rear heat/air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Front bench seat, middle seat 60/40 split-folding, 3rd.row removable fold-flat bench
8. Two rear panel doors
9. Minimum GVWR 8,600 LB
10. Brakes 4-wheel anti-lock braking system (ABS)
11. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item 13 delivered to any of the listed delivery destinations (see page 67).

OPTIONAL EQUIPMENT PRICES, Item # 13

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

**Option 13A. Deep tinted windows
\$ _____ (EACH)**

**Option 13B. Heavy-duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for an 7 pin commercial truck connector.
\$ _____ (EACH)**

**Option 13C. Four-wheel drive (state change in model). MODEL _____
\$ _____ (EACH)**

**Option 13D. Exterior color to be Federal Standard #595B "Highway Yellow" #13432.
\$ _____ (EACH)**



OPTIONAL EQUIPMENT PRICES, Item # 13 – Continued

Option 13E. Delete 3rd row rear bench seat.
\$ _____ (EACH) (Deduct)

Option 13F. Standard diesel engine in lieu of gasoline engine (state size and horsepower).
SIZE _____ HORSEPOWER _____
\$ _____ (EACH)

Option 13G. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)
\$ _____ (EACH)

Option 13H. Alternative fuel in lieu of gasoline. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric. Fuel type _____ Engine _____ Size _____
\$ _____ (EACH)

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



Item #14 – New standard equipped **2007 / 2008 Model 15 Passenger Van**

ACCEPTABLE MAKES AND MODELS:

Ford F350 Super Duty Extended E series Wagon, Wheelbase 138” Body code S31

Chevrolet / GMC Model Extended Wheelbase 155” Model G33706

All units bid must contain the following options:

1. Standard minimum V8 gas engine (Size_____ Horsepower_____)
2. 4-speed automatic transmission
3. Factory installed front and rear heat/air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Deep tinted windows (privacy glass)
8. 4 wheel anti-lock braking system (ABS)
9. Minimum GVWR 9200 lb
10. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ GVWR _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item #14 delivered to any of the listed delivery destinations (see page 67).

OPTIONAL EQUIPMENT PRICES, Item # 14

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

Option 14A. Power windows and power door locks.

\$ _____ (EACH)

Option 14B. Towing Package: Manufacturer’s standard to include heavy duty charging, engine oil and transmission cooling, Class III frame hitch and 4 pin wiring installed plus wiring harness for 7 pin.

\$ _____ (EACH)

Option 14C. Sliding side door.

\$ _____ (EACH)

Option 14D. Exterior color to be Federal Standard #595B “Highway Yellow” #13432.

\$ _____ (EACH)



OPTIONAL EQUIPMENT PRICES, Item # 14 – Continued

Option 14E. Rear Seat Delete.

\$ _____ (EACH) (Deduct)

Option 14F. Diesel engine in lieu of gasoline engine (state size and horsepower).

\$ _____ (EACH) SIZE _____ HORSEPOWER _____

Option 14G. 2 Factory Installed running boards. (one on Drivers Side, one on Passenger side).

\$ _____ (EACH)

Option 14H. Alternative fuel in lieu of gasoline. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.

\$ _____ (EACH) Fuel type _____ Engine _____ Size _____

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 15 - New standard equipped 2007 / 2008 Model 1/2 Ton Extended Cab Hybrid Pickup.

ACCEPTABLE MAKES AND MODELS:

Standard Chevrolet C15753 Silverado Fleetside Hybrid with 143.50" Wheelbase, Cab to Axle 41.9"

All units bid must contain the following options:

1. Standard, minimum V8 Vortec 5300 V8 SFI Engine (Size_____ Horsepower_____)
2. Transmission, 4 speed automatic, electronically controlled Hybrid
3. Air conditioning
4. LH & RH Power trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum 6,200 lbs. GVWR
8. Heavy-duty (Factory Type III) trailer package to include receiver hitch.
9. 6.5' Bed
10. Brakes, Hydraulic power, front and rear disc
12. Speed control and tilt wheel

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item #15 delivered to any of the listed delivery destinations (see page 67).

OPTIONAL EQUIPMENT PRICES, Item # 15

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

Option 15A . Four-wheel drive. Indicate change in model.

\$ _____ (EACH) (MODEL) _____

Option 15B. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)

\$ _____ (EACH)

Option 15C. Power windows and power door locks.

\$ _____ (EACH)

Option 15D Exterior color to be Federal Standard #595B "Highway Yellow" 13432

\$ _____ (EACH)

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off



OPTIONAL EQUIPMENT PRICES, Item # 15 – Continued

Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



ITEM # 16 - New standard equipped 2007 / 2008 Model Sport Utility Hybrid Vehicle .

ACCEPTABLE MAKES AND MODELS:

Standard Ford Escape XLS Hybrid 103,1" Wheelbase

All units bid must contain the following options:

1. 2.3L 4V I-4 Atkinson Cycle engine.
2. 4 speed automatic, electronically controlled continuously transmission (ECVT)
3. Air conditioning
4. Power- Windows ,Mirrors, Door Locks, Steering
5. Spare tire and wheel
6. Rubber floor mats front and rear
7. Heavy-duty (Factory Typel) trailer package to include receiver hitch.
8. Brakes, Power 4-Wheel disc
10. Speed control and tilt wheel
11. Front Wheel Drive

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item #15 delivered to any of the listed delivery destinations (see page 67).

EACH \$ _____

OPTIONAL EQUIPMENT PRICES, Item # 16

Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.

Option 16A . Four-wheel drive in lieu of front wheel drive. Indicate change in model.

\$ _____ (EACH) (MODEL) _____

Option 16B. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)

\$ _____(EACH)

Option 16C Exterior color to be Federal Standard #595B "Highway Yellow" 13432

\$ _____(EACH)

Option 16D Cargo Area Retractable Cover

\$ _____(EACH)

Option 16E AC 110V Power Outlet, Front Console

\$ _____(EACH)



OPTIONAL EQUIPMENT PRICES, Item # 16 – Continued

Option 16F Daytime Running Lights
\$_____ (EACH)

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



Item #17 – New standard equipped 2007 / 2008 Model 10 Passenger Van

ACCEPTABLE MAKES AND MODELS:

Standard Dodge Sprinter 2500 Standard Roof 10 Passenger Van with 158" Wheelbase

All units bid must contain the following options:

1. Standard Mercedes-Benz Turbo Diesel Engine
2. 5-speed automatic transmission
3. Air conditioning front and rear with automatic climate control
4. Front and Rear Heater
5. LH & RH manual trailer-type mirrors
6. Spare tire and wheel
7. Rubber floor mats
8. Deep tinted windows (privacy glass)
9. 4 wheel anti-lock braking system (ABS)
10. Minimum GVWR 8550 lb
11. Speed control
12. Sliding Right side door

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item #14 delivered to any of the listed delivery destinations (see page 67).

EACH \$ _____

OPTIONAL EQUIPMENT PRICES, Item # 17

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

**Option 17A. 140-inch wheelbase in lieu of 158-inch wheelbase with high roof
\$ _____ (EACH)**

**Option 17B. Power windows and power door locks.
\$ _____ (EACH)**

**Option 17C. Towing Package: Manufacturer's standard to include heavy duty charging, engine oil and transmission cooling, Class III frame hitch and 4 pin wiring installed plus wiring harness for 7 pin.
\$ _____ (EACH)**



OPTIONAL EQUIPMENT PRICES, Item # 16 – Continued

Option 17D. Sliding left side door.

\$ _____ (EACH)

Option 17E. Exterior color to be Federal Standard #595B “Highway Yellow” #13432.

\$ _____ (EACH)

Option 17F. Rear Seat Delete.

\$ _____ (EACH) (Deduct)

Option 17G High Roof in lieu of Standard roof

\$ _____ (EACH)

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



Item #18 – New standard equipped 2007 / 2008 Model Cargo Van

ACCEPTABLE MAKES AND MODELS:

Standard Dodge Sprinter 2500 Standard Roof CargoVan with 158” Wheelbase

All units bid must contain the following options:

1. Standard Mercedes-Benz Turbo Diesel Engine
 1. 5-speed automatic transmission
 2. Air conditioning front and rear with automatic climate control
 3. Front and Rear Heater
 4. LH & RH manual trailer-type mirrors
 5. Spare tire and wheel
 6. Rubber floor mats
 7. Deep tinted windows (privacy glass)
 8. 4 wheel anti-lock braking system (ABS)
 9. Minimum GVWR 8550 lb
 10. Speed control
 11. Sliding Right side door

DEALER COMPLETE IN DETAIL: I am bidding

2007 (MAKE) _____ (MODEL) _____ EACH \$ _____

2008 (MAKE) _____ (MODEL) _____ EACH \$ _____

NET DELIVERED PRICE for One (1) new unit as described in Item #14 delivered to any of the listed delivery destinations (see page 67).

EACH \$ _____

OPTIONAL EQUIPMENT PRICES, Item # 17

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

**Option 17A. 140-inch wheelbase in lieu of 158-inch wheelbase with high roof
\$ _____ (EACH)**

**Option 17B. Power windows and power door locks.
\$ _____ (EACH)**

**Option 17C. Towing Package: Manufacturer’s standard to include heavy duty charging, engine oil and transmission cooling, Class III frame hitch and 4 pin wiring installed plus wiring harness for 7 pin.
\$ _____ (EACH)**



OPTIONAL EQUIPMENT PRICES, Item # 16 – Continued

Option 17D. Sliding left side door.
\$ _____ (EACH)

Option 17E. Exterior color to be Federal Standard #595B “Highway Yellow” #13432.
\$ _____ (EACH)

Option 17F High Roof in Lieu of Standard Roof
\$ _____ (EACH)

Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.



**MISSOURI DEPARTMENT OF TRANSPORTATION
STEEL FRAME, STEEL FLOOR PLATFORM BODY LESS STAKE SIDES SPECIFICATIONS**

Overall width not to exceed 96".

E1320
September, 2000

Overall length as specified on bid form.

Body frame to be all steel welded into a single unit.

Long sills shall be 5", 6.7# structural steel and gusseted front, rear and at each cross sill.

Cross sills shall be structural steel or 11 gauge high strength, 50,000# rollformed steel spaced on minimum 12" centers for maximum strength and gusseted throughout to long sills and welded to side rails.

Front, rear and sides (rub rails) shall be 11 gauge high strength, 50,000# rollformed steel with 12 gauge steel lined stake pockets.

Floor shall be steel with a non-skid 3/16" safety tread plate surface over 2" nominal CCA pressure treated tongue and groove #1 dense yellow pine, securely welded to cross sills flush with rub rails.

Recessed, rubber grommeted, weather tight and high impact reflectorized lights at each of the four corners as required by the latest Federal regulations.

Backup alarms are to be provided.

The entire frame is to be primed and finished with two coats of automotive enamel. The manufacturers standard color will be acceptable.

The Missouri Highway and Transportation Commission reserves the right to waive technicalities and to reject any or all bids and no bid is final until formally accepted by the Commission.



E1327
September, 2000

MISSOURI DEPARTMENT OF TRANSPORTATION
PLATFORM BODY WITH STEEL FLOOR AND UNDERBODY HOIST SPECIFICATIONS
(LESS HYDRAULIC PUMP, VALVE ASSEMBLY AND HOSES)

BODY -- Minimum length overall as specified on bid form, width not to exceed 96". Floor shall be steel with a non-skid 3/16" safety tread plate surface securely welded to cross sills flush with rub rails. Body to have welded side and end rails of formed steel. Stake pockets approximately 1-3/4" x 3-1/2" boxed full depth or rails installed inside of rails will be provided, front, side and rear. Long sills will be a minimum of 5" high, of channel steel sections. Cross sills will be approximately 4" high on minimum 12" centers of channel steel sections. Long sills will be securely attached to cross sills. The body hinge pins to be removable type with a minimum of 1-1/4" diameter. A welded flat or three point type hinge is acceptable. Body to have fully enclosed recessed corner clearance lights. To be equipped with two red clearance lights on rear and two amber clearance lights on front with cluster of three red lights at rear located in a protected position in rear body rail. All wiring to be protected.

HOIST -- N.T.E.A. performance range E or equal, rated minimum 12 ton capacity with a 18" body overhang. The hoist shall be a single or twin arm scissors type, have a double acting single cylinder providing power up, and power down action and a solid torque trunnion. The dumping angle shall be a minimum of 40 degrees.

Do Not include hydraulic pump, valve assembly, hoses and PTO

The hoist hinges and lift arm connection assembly is to be connected to body long sills so as to be integral with body. The body attaching brackets must be adjustable to fit any body sill spacing. The saddle and body guides are to bolt to truck frame with spacers provided to eliminate hotching of body sill where it rests on hoist saddle.

Bids will be considered on any standard unit providing that any minor deviations from these specifications are clearly noted on bid.

The Missouri Highway and Transportation Commission reserves the right to waive technicalities and to reject any or all bids and no bid is final until formally accepted by the Commission.



E1335
September, 2000

MISSOURI DEPARTMENT OF TRANSPORTATION
TWO CUBIC YARD STRUCK CAPACITY DUMP BODY WITH DOUBLE ACTING HOIST FOR 1
TON CHASSIS-CAB WITH 56" OR 60" CA. (LESS HYDRAULIC PUMP, TANK, VALVE ASSEMBLY
AND HOSES) SPECIFICATIONS

BODY

Description - Contractor type all welded 12 gauge steel constructed shell, minimum 6' 6" wide inside x 8' long and a full 96" outside width, 2 cubic yard water level sides and 3 cubic yard ends. Backup alarms are to be provided.

The body head sheet metal panel shall have a double or triple flanged or fully boxed top rail.

The body side sheet metal shall be reinforced by a minimum of two pyramid V-Type, Square or Rectangular boxed vertical braces running from the top rails to the rub rails and have full height fully boxed rear corner braces. The sides shall have full length triple flanged or fully boxed top rails and full length sloping rub rails. Side board sockets are to be provided front and rear. The body understructure shall be steel channel, structural or equal strength steel cross members and longitudinal members. The understructure shall be gusseted and welded to the floor.

Each rear corner post shall have a built in shock resistant recessed oval stop/taillight and shock resistant recessed oval backup light. Each light shall have a minimum 8' wiring harness.

The body tailgate will be double acting with boxed braced steel top, side and bottom rails. It will have a minimum 5/16" spreader and hold chains, standard hardware with overhanging top hinge with a minimum of 1" diameter pin and bottom hinge pin with a minimum of 1" diameter. The trip handle is to be upright on left front corner of the body and mounted so as not to interfere with the opening and closing of truck cab door. The trip handle should open the lower hinge on the tailgate with little effort and should not travel more than approximately 90 degrees to a horizontal position. When the tailgate is open to a horizontal position the tailgate should be level with the dump body floor. **A minimum 3/16" x 1 1/2" x 1 1/2" (or equal strength) license plate bracket shall be welded to the tailgate.**

Flared body bracket guides will be attached to either hoist frame or body understructure to align body in position and keep from moving from side to side. A safety body prop should also be provided.

The body overhang shall be approximately 10".

HOIST - Class 20, Minimum 6 Ton Capacity, Underbody Double Arm Lift Type with Double Acting Hoist

Double acting cylinder providing power-up and power down. The cylinder should have a bypass or relief valve which limits the dumping angle to a maximum of 45 degrees. Hoist hinges may be welded or fastened to longitudinal members. (Bolted hinges are preferred but either type will be acceptable).



Hoist lift arm connection assembly is to be integral with body. Hinge pins to be removable type with a minimum of 1 1/4" diameter. Do not include hydraulic pump, tank, valve assembly and hoses.

COLOR - Color to be same as the truck specified on the purchase order. The entire must have at least one coat of primer and be treated with a rust protection treatment.

GENERAL - Bids will not be considered on any body and hoist that deviates from these specifications.

Descriptive literature and complete technical data must be furnished with your bid.

The Missouri Highway and Transportation Commission reserves the right to waive technicalities and to reject any or all bids and no bid is final until formally accepted by the Commission.



Purchasing Coop Form

3-060810

NOTICE * * * * NOTICE * * * * NOTICE

The department is interested in assisting Missouri counties, cities, special road districts, etc. in purchasing equipment that meets Highway and Transportation Department specifications.

Each bidder is asked to indicate below whether they would be willing to offer equipment for sale to these local political entities at the same bid price offered to this department.

It is understood the department will not issue purchase orders, accept delivery nor make payment for vehicles ordered by any of these agencies. It is further understood the price is based on the unit meeting the department specifications. Any added options, deletions, or extra freight costs would be negotiated between the local agency and the successful vendor.

Indicate below whether your company is willing to offer such cooperative purchasing for Missouri counties, cities or other political entities.

Yes _____ No _____

If the price varies throughout the state on department bids, because of different delivery destinations, please indicate the price f.o.b. your location that would be offered as described above.

\$ _____ (Price) _____ (Location)

Indicate the deadline date that orders will be accepted after the initial award by the department for department purchased units.

Date _____

Company Name _____

Address _____

Phone Number _____

Signature _____

Title _____

Date
(Each vendor should complete the appropriate sections of this form and submit with their bid.)



NOTE: For bids to be considered, the attachment entitled "PREFERENCE IN PURCHASING PRODUCTS" must be either attached to the bid or on file in this office and must be dated in the current model year.

NOTE: The attachment entitled "MISSOURI DOMESTIC PRODUCT PROCUREMENT ACT" certificates of compliance must be completed and submitted with your bid for it to be considered responsive.

The undersigned, as bidder, understands that this project involves state funds and the bidder awarded the contract will be required to comply with Executive Order 94-03 of the Governor of the State of Missouri dated January 14, 1994. This order stipulates that there shall be no discriminatory employment practices by the contractor or his subcontractors, if any, based on race, color, religion, creed, national origin, sex, or age. The undersigned contractor or his subcontractors, if any, shall give written notice of their commitments under this clause to any labor union which they have bargaining or other agreements.

BIDS TO BE MAILED TO:
Missouri Department of Transportation
General Services - Fleet
P.O. Box 270
1320 Creek Trail Drive
Jefferson City, Missouri 65102
Clearly marked
Bid Request No. 3-060810

FIRM _____

STREET _____

CITY _____

STATE _____ ZIP _____

TELEPHONE _____

SIGNATURE _____

PRINT NAME _____

E-MAIL _____

FEIN # _____



PREFERENCE IN PURCHASING PRODUCTS

DATE: _____

The bidders attention is directed to Section 34.076 RsMO 1986 which gives preference to Missouri corporations, firms, and individuals when letting contracts or purchasing products.

Bids/Quotations received will be evaluated on the basis of this legislation.

All vendors submitting a bid/quotation must furnish ALL information requested below.

FOR CORPORATIONS:

State in which incorporated: _____

FOR OTHERS:

State of domicile: _____

FOR ALL VENDORS:

List address of Missouri offices or places of business:

THIS SECTION MUST BE COMPLETED AND SIGNED:

FIRM NAME: _____

ADDRESS: _____

CITY: _____ **STATE:** _____ **ZIP:** _____

BY (signature required): _____

Federal Tax I.D. #: _____ **if no Federal Tax I.D. # - list Social Security #:** _____

NOTE: For bid/quotation to be considered, the "Preference in Purchasing Products" form must be on file in the General Services (Procurement) Division and must be dated in the current calendar year.



MISSOURI DOMESTIC PRODUCTS PROCUREMENT ACT

The bidder’s attention is directed to the Missouri Domestic Products Procurement Act, Sections 34.350 to 34/359, RsMO, which requires all manufactured goods or commodities used or supplied in the performance of this contract or any subcontract to be manufactured or produced in the United States.

Section 34.355, RsMO, requires the vendor or contractor to certify his compliance with Section 34.353 and, if applicable, Section 34.359, RsMO, at the time of bidding **and** prior to payment. Failure to comply with Section 34.353, RsMO, during the performance of the contract **and** to provide certification of compliance prior to payment will result in nonpayment for those goods or commodities.

Section 34.353.2, RsMO, specifies that it does not apply where the total contract is less than Twenty-Five Thousand Dollars (\$25,000.00). If your total bid is Twenty-Five Thousand Dollars (\$25,000.00) or more, you **must** complete this form as directed below.

Failure to complete and return this document with this bid will cause the State to presume the manufactured goods or products listed in the bid are not manufactured or produced in the United States, and the bid will be evaluated on that basis. Please read the certification appearing below on this form.

- If all the goods or products specified in the attached bid which the bidder proposes to supply to the State shall be manufactured or produced in the “United States” as defined in Section 34.350, RsMO, check the box at left.
- If only one item of any particular goods or products specified in the attached bid is manufactured or produced in the “United States” as defined in Section 34.350, RsMO, check the box at left and list the items (or item number) here:

- If any or all of the goods or products specified in the attached bid which the bidder proposes to supply to the State are **not** manufactured or produced in the “United States” as defined in Section 34.350, RsMO, then: (a) check the box at left; (b) list below, by item (or item number), the country other than the United States where each good or product is manufactured or produced; and (c) check the boxes to the left of the paragraphs below if applicable and list the corresponding items (or item numbers) in the spaces provided.

Item (or item number)	Location Where Item Manufactured or Produced

(attach an additional sheet if necessary)

- The following specified goods or products cannot be manufactured or produced in the United States in sufficient quantities or in time to meet the contract specifications. Items (or item numbers): _____
- The following specified goods or products must be treated as manufactured or produced in the United States, in accordance with an existing treaty, law, agreement, or regulation of the United States, including a treaty between the United States and any foreign country regarding export-import restrictions or international trade. Items (or item numbers): _____



MISSOURI DOMESTIC PRODUCTS PROCUREMENT ACT CONTINUED

CERTIFICATION

By submitting this document, completed as directed above, with a bid, the bidder certifies under penalty of making false declaration (Section 575.060, RsMO) that the information contained in this document is true, correct and complete, and may be relied upon by the State in determining the bidders qualifications under and in compliance with the Missouri Domestic Products Procurement Act.

The bidder's failure to complete and return this document with the bid as directed above will cause the State to presume the manufactured goods or products listed in the bid are not manufactured or produced in the United States, and the bid will be evaluated on that basis pursuant to Section 34.353.3(2), RsMO.



All prices must include completed delivery to any of the below listed delivery destinations.

Missouri Department of Transportation
District 1 Garage
3602 N. Belt Highway
St. Joseph, Missouri 64502
General Services Manager, **Mike Prussman**
816-387-2446

Missouri Department of Transportation
District 6 Garage
2309 Barrett Station Rd.
Ballwin, Missouri 63021
General Services Manager, **Robert Zahner**
314-301-1422

Missouri Department of Transportation
District 2 Garage
902 N. Missouri St.
Macon, Missouri 63552
General Services Manager, **Joey Hinton**
660-385-8240

Missouri Department of Transportation
District 7 Garage
3901 East 32nd Street
Joplin, Missouri 64804
General Services Manager, **John Sinclair**
417-629-3220

Missouri Department of Transportation
District 3 Garage
Highway 61 South
Hannibal, Missouri 63401
General Services Manager, **Darrell Barnes**
573-248-2590

Missouri Department of Transportation
District 8 Garage
3025 E. Kearney
Springfield, Missouri 65804
General Services Manager, **Brad Leonard**
417-895-7700

Missouri Department of Transportation
District 4 Garage
2050 N.E. Independence.
Lee Summit Missouri 64064
General Services Manager, **Cindy Beebe**
816-622-0053

Missouri Department of Transportation
District 9 Garage
U.S. Rt. 63 N.
Willow Springs, Missouri 65587
General Services Manager, **Melvin Rodgers**
417-469-6251

Missouri Department of Transportation
District 5 Garage
1511 Missouri Blvd
Jefferson City, Missouri 65101
General Services Manager, **Coleen Welter**
573-751-3660

Missouri Department of Transportation
District 10 Garage
201 N. Main
Sikeston, Missouri 63801
General Services Manager, **Ronald Miller**
573-472-5318

Missouri Department of Transportation
General Services Complex
830 MoDOT Drive
Jefferson City, Missouri 65101
Mechanic Supervisor, **Terry Redel**
573-751-8752

Missouri Highways and Transportation Commission

Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions

STANDARD SOLICITATION PROVISIONS

- a. The Missouri Department of Transportation (MoDOT) reserves the right to reject any or all bids/quotes/proposals, and to accept or reject any items thereon, and to waive technicalities. In case of error in the extension of prices in the bid/quote/proposal, unit prices will govern.
- b. All bids/quotes/proposals must be signed with the firm name and by a responsible officer or employee. Obligations assumed by such signature must be fulfilled.
- c. By virtue of statutory authority, a preference will be given to materials, products, supplies, provisions and all other articles produced, manufactured, made or grown, within the State of Missouri.
- d. Time of delivery is a part of the consideration and, if not otherwise stated in the solicitation documents, must be stated in definite terms by the Bidder/Offeror and must be adhered to. If time varies on different items, the Bidder/Offeror shall so state.
- e. If providing bids/quotes/proposals for commodities, the Bidder/Offeror will state brand or make on each item. If bidding or proposing other than the make, model or brand specified, the manufacturer's name, model number or catalog number must be given.
- f. For bids/proposals of \$25,000 or more, no bids/proposals by telephone, telegram or telefax will be accepted. If provided, these bids/proposals should be returned in the MoDOT solicitation return envelope.
- g. If a solicitation return envelope is provided by MoDOT, the bid/quote/proposal should be returned in the envelope provided with the Bid/RFQ/RFP Request Number plainly indicated thereon.
- h. The date specified for the returning of bids/quotes/proposals is a firm deadline and all bids/quotes/proposals must be received at the designated office by that time. The Department does not recognize the U.S. Mail, Railway Express Agency, Air Express, or any other organization, as its agent for purposes of accepting proposals. All proposals arriving at the designated office after the deadline specified will be rejected.

GENERAL TERMS AND CONDITIONS

General Performance

- a. This work is to be performed under the general supervision and direction of the Missouri Department of Transportation (MoDOT) and, if awarded any portion of the work, the Contractor agrees to furnish at his own expense all labor and equipment required to complete the work, it being expressly understood that this solicitation is for completed work based upon the price(s) specified and is not a solicitation for rental of equipment or employment of labor by MoDOT, and MoDOT is to have no direction or control over the employees used by the Contractor in performance of the work.

Deliveries

- a. Unless otherwise specified on the solicitation documents or purchase order, suppliers shall give at least 24 hours advance notice of each delivery. Delivery will only be received between the hours of 8:00 a.m. to 3:00 p.m., Monday through Friday. Material arriving after 3:00 p.m. will not be unloaded until the following workday. No material will be received on Saturday, Sunday or state holidays.

- b. If the prices bid herein include the delivery cost of the material, the Contractor agrees to pay all transportation charges on the material as FOB - Destination. Freight costs must be included in the unit price bid and not listed as a separate line item.
- c. Any demurrage is to be paid by the Contractor direct to the railroad or carrier.

Nondiscrimination

- a. The Bidder/Offeror understands that this project involves state funds and the Bidder/Offeror awarded the contract will be required to comply with the Executive Order 94-03 of the Governor of the State of Missouri dated January 14, 1994. This order stipulates that there shall be no discriminatory employment practices by the Contractor or his subcontractors, if any, based on race, sex, religion, national origin, age, color, disability, or veteran status. The undersigned Contractor or his subcontractors, if any, shall give written notice of their commitments under this clause to any labor union with which they have bargaining or other agreements.
- b. The Contractor shall comply with the Regulations relative to nondiscrimination in federally-assisted programs of the Department of Transportation, Title 49, Code of Federal Regulations, Part 21, as they may be amended from time to time, (hereinafter referred to as the Regulations), which are herein incorporated by reference and made a part of this contract.
- c. All solicitations either by competitive bidding or negotiation made by the Contractor for work to be performed under a subcontract, including procurements of materials or leases of the Contractor's obligations under this contract and the Regulations, will be relative to nondiscrimination on the grounds of race, color, or national origin.
 - 1) Sanctions for Noncompliance: In the event of the Contractor's noncompliance with the nondiscrimination provisions of this contract, MoDOT shall impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
 - i. withholding of payments to the Contractor under the contract until the Contractor complies, and/or,
 - ii. cancellation, termination or suspension of the contract, in whole or in part.

Contract/Purchase Order

- a. By submitting a bid/quote/proposal, the Bidder/Offeror agrees to furnish any and all equipment, supplies and/or services specified in the solicitation documents, at the prices quoted, pursuant to all requirements and specifications contained therein.
- b. A binding contract shall consist of: (1) the solicitation documents, amendments thereto, and/or Best and Final Offer (BAFO) request(s) with any changes/additions, (2) the Contractor's proposal and/or submitted pricing, and (3) the MHTC's acceptance of the proposal and/or bid by purchase order.
- c. A notice of award does not constitute an authorization for shipment of equipment or supplies or a directive to proceed with services. Before providing equipment, supplies and/or services, the Contractor must receive a properly authorized purchase order and/or notice to proceed.
- d. The contract expresses the complete agreement of the parties and performance shall be governed solely by the specifications and requirements contained therein. Any change, whether by

Missouri Highways and Transportation Commission

Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions

modification and/or supplementation, must be accomplished by a formal contract amendment signed and approved by and between the duly authorized representative of the Contractor and the duly authorized representative of the MHTC, by a modified purchase order prior to the effective date of such modification. The Contractor expressly and explicitly understands and agrees that no other method and/or no other document, including correspondence, acts, and oral communications by or from any person, shall be used or construed as an amendment or modification.

Subcontracting

- a. It is specifically understood that no portion of the material or any interest in the contract, shall be subcontracted, transferred, assigned or otherwise disposed of, except with the written consent of MoDOT. Request for permission to subcontract or otherwise dispose of any part of the work shall be in writing to MoDOT and accompanied by documentation showing that the organization which will perform the work is particularly experienced and equipped for such work.
- b. Consent to subcontract or otherwise dispose of any portion of the work shall not be construed to relieve the Contractor of any responsibility for the production and delivery of the contracted work and the completion of the work within the specified time.
- c. All payments for work performed by a subcontractor shall be made to the Contractor to whom the contract was awarded and the purchase order issued.

Invoicing and Payment

- a. MoDOT is exempt from paying Missouri Sales Tax, Missouri Use Tax and Federal Excise Tax. However, the Contractor may themselves be responsible for the payment of taxes on materials they purchase to fulfill the contract. A Federal Excise Tax Exemption Certificate will be furnished to the successful Bidder/Offeror upon request.
- b. Each invoice should be itemized in accordance with items listed on the purchase order and/or contract. The statewide financial management system has been designed to capture certain receipt and payment information. Therefore, each invoice submitted must reference the purchase order number and must be itemized in accordance with items listed on the purchase order. Failure to comply with this requirement may delay processing of invoices for payment.
- c. Unless otherwise provided for in the solicitation documents, payment for all equipment, supplies, and/or services required herein shall be made in arrears. The Missouri Highways and Transportation Commission (MHTC) shall not make any advance deposits.
- d. The MHTC assumes no obligation for equipment, supplies, and/or services shipped or provided in excess of the quantity ordered. Any authorized quantity is subject to the MHTC's rejection and shall be returned at the Contractor's expense.
- e. The MHTC reserves the right to purchase goods and services using the state purchasing card.

Applicable Laws and Regulations

- a. The contract shall be construed according to the laws of the State of Missouri. The Contractor shall comply with all local, state, and federal laws and regulations related to the performance of the contract.
- b. The Contractor must be registered and maintain good standing with the Secretary of State of the State of Missouri and other regulatory agencies, as may be required by law or regulations. Prior to the issuance of a purchase order and/or notice to proceed, the Contractor may be required to submit to MoDOT a copy of their current Authority

Certificate from the Secretary of State of the State of Missouri.

- 1) Prior to the issuance of a purchase order and/or notice to proceed, all **out-of-state** Contractors **providing services** within the state of Missouri must submit to MoDOT a copy of their current Transient Employer Certificate from the Department of Revenue, in addition to a copy of their current Authority Certificate from the Secretary of State of the State of Missouri.
- c. The exclusive venue for any legal proceeding relating to or arising, out of the contract shall be in the Circuit Court of Cole County, Missouri.

Preferences

- a. In the evaluation of bids/quotes/proposals, preferences shall be applied in accordance with Chapter 34 RSMo. Contractors should apply the same preferences in selecting subcontractors.
- b. By virtue of statutory authority, RSMo. 34.076 and 34.350 to 34.359, a preference will be given to materials, products, supplies, provisions and all other articles produced, manufactured, made or grown within the State of Missouri. Such preference shall be given when quality is equal or better and delivered price is the same or less.
 - 1) If attached, the document entitled **"PREFERENCE IN PURCHASING PRODUCTS"** should be completed and returned with the solicitation documents.
 - 2) If attached, the document entitled **"MISSOURI DOMESTIC PRODUCTS PROCUREMENT ACT"** should be completed and returned with the solicitation documents. **Applies if bid is Twenty-Five Thousand Dollars (\$25,000.00) or more**
- c. In the event of a tie of low bids, the MHTC reserves the right to establish the method to be used in determining the award

Remedies and Rights

- a. No provision in the contract shall be construed, expressly or implied, as a waiver by the MHTC of any existing or future right and/or remedy available by law in the event of any claim by the MHTC of the Contractor's default or breach of contract.
- b. The Contractor agrees and understands that the contract shall constitute an assignment by the Contractor to the MHTC of all rights, title and interest in and to all causes of action that the Contractor may have under the antitrust laws of the United States or State of Missouri for which causes of action have accrued or will accrue as the result of or in relation to the particular equipment, supplies, and/or services purchased or produced by the Contractor in the fulfillment of the contract with the MHTC.
- c. In the event a Contractor becomes involved in, or is threatened with, litigation with a subcontractor or supplier as a result of such direction, the Contractor may request MoDOT to enter into such litigation to protect the interests of the MHTC, and, in addition, the Contractor may request the United States to enter into such litigation to protect the interests of the United States.

Cancellation of Contract

- a. The MHTC may cancel the contract at any time for a material breach of contractual obligations or for convenience by providing the Contractor with written notice of cancellation. Should the MHTC exercise its right to cancel the contract for such reasons, cancellation will become effective upon the date specified in the notice of

Missouri Highways and Transportation Commission

Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions

cancellation sent to the Contractor.

- b. If the MHTC cancels the contract for breach, the MHTC reserves the right to obtain the equipment, supplies, and/or services to be provided pursuant to the contract from other sources and upon such terms and in such manner as the MHTC deems appropriate and charge the Contractor for any additional costs incurred thereby.

Bankruptcy or Insolvency

- a. Upon filing for any bankruptcy or insolvency proceeding by or against the Contractor, whether voluntary or involuntary, or upon the appointment of a receiver, trustee, or assigned the benefit or creditors, the Contractor must notify MoDOT immediately. Upon learning of any such actions, the MHTC reserves the right, at its sole discretion, to either cancel the contract or affirm the contract and hold the Contractor responsible for damages.

Inventions, Patents, and Copyrights

- a. The Contractor shall defend, protect, and hold harmless the MHTC, its officers, agents, and employees against all suits of law or in equity resulting from patent and copyright infringement concerning the Contractor's performance or products produced under the terms of the contract.

Inspection and Acceptance

- a. No equipment, supplies, and/or services received by MoDOT pursuant to a contract shall be deemed accepted until MoDOT has had reasonable opportunity to inspect said equipment, supplies, and/or services.
- b. All equipment, supplies, and/or services which do not comply with the specifications and/or requirements or which are otherwise unacceptable or defective may be rejected. In addition, all equipment, supplies, and/or services which are discovered to be defective or which do not conform to any warranty of the Contractor upon inspection (or at any later time if the defects contained were not reasonably ascertainable upon the initial inspection) may be rejected.
- c. The MHTC reserves the right to return any such rejected shipment at the Contractor's expense for full credit or replacement and to specify a reasonable date by which replacements must be received.
- d. The MHTC's right to reject any unacceptable equipment, supplies, and/or services shall not exclude any other legal, equitable or contractual remedies the MHTC may have.

Warranty

- a. The Contractor expressly warrants that all equipment, supplies, and/or services provided shall: (1) conform to each and every specification, drawing, sample or other description which was furnished to or adopted by MoDOT, (2) be fit and sufficient for the purpose expressed in the solicitation documents, (3) be merchantable, (4) be of good materials and workmanship, and (5) be free from defect.
- b. Such warranty shall survive delivery and shall not be deemed waived either by reason of the MHTC's acceptance of or payment for said equipment, supplies, and/or services.

Status of Independent Contractor

- a. The Contractor represents itself to be an independent Contractor offering such services to the general public and shall not represent itself or its employees to be an employee of the MHTC. Therefore, the Contractor shall assume all legal and financial responsibility for taxes, FICA, employee fringe benefits, workers' compensation, employee

insurance, minimum wage requirements, overtime, etc., and agrees to indemnify, save and hold the MHTC, its officers, agents and employees harmless from and against any and all losses (including attorney fees) and damage of any kind related to such matters.

Indemnification

- a. The Contractor shall be responsible for injury or damages as a result of any services and/or goods rendered under the terms and conditions of this Agreement.
- b. In addition to the liability imposed upon the Contractor on the account of personal injury, bodily injury, including death, or property damage, suffered as a result of the Contractor's performance under this Agreement, the Contractor assumes the obligation to save harmless the Commission, including its agents, employees and assigns, and to indemnify the Commission, including its agents, employees and assigns, from every expense, liability or payment arising out of such wrongful or negligent act or omission, including legal fees.
- c. The Contractor also agrees to hold harmless the Commission, including its agents, employees and assigns, from any wrongful or negligent act or omission committed by any subcontractor or other person employed by or under the supervision of the Contractor for any purpose under this Agreement, and to indemnify the Commission, including its agents, employees and assigns, from every expense, liability or payment arising out of such wrongful or negligent act or omission.

Missouri Highways and Transportation Commission

Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions

SPECIAL TERMS AND CONDITIONS

Insurance

- a. The Contractor shall purchase and maintain such insurance as will protect him from claims under workmen's compensation acts and other employee benefit acts, from claims for damages because of bodily injury, including death, and from claims for damages to property which may arise out of or result from the Contractor's operations under this Contract, whether such operations be by himself or by any Subcontractor or anyone directly or indirectly employed by any of them.
- b. This insurance shall be written for not less than any limits of liability specified as part of this contract, or required by law, whichever is the greater, and shall include contractual liability insurance as applicable to the Contractor's obligations under this contract. Unless otherwise specified, insurance limits shall be as follows:
 - 1) Workmen's Compensation: Workers Compensation Insurance, including "Occupational Disease Act" requirements, must be maintained if required by law.
 - 2) Public Liability (includes property damage and personal injury):
 - i. Not less than \$400,000 for any one person in a single accident or occurrence.
 - ii. Not less than \$2,500,000 for all claims arising out of a single occurrence.
 - 3) Special Hazard Insurance: As required.
 - 4) Builder's Risk: Not less than the full Contract amount.

Required Specifications

- a. All materials, equipment, and/or services bid upon must comply with the attached MoDOT Specifications and any other provisions outlined in the solicitation documents.

Information and Reports

- a. Submit descriptive literature and specifications showing exact equipment you propose to furnish.
- b. A complete list or catalog describing all available training materials related to the items you are bidding must be included in your bid.

Award

This is a Multiple Award bid and there will be no 'one' bidder awarded each item within this bid. Each individual delivery destination will have sole responsibility for the discretion of all purchasing decisions. Criteria used to determine the Lowest and Best Bid are based on price, location of servicing dealers, past performance of servicing dealers, and past performance of different makes and models of light duty vehicles. This bid will not be awarded solely based on low price per delivery destination. Units must be delivered to the listed delivery destinations but they will have to be serviced at other locations within the district

Delivery – Additional Requirements

- a. NET DELIVERED FIRM PRICE is construed to be delivered

complete and ready for use to the delivery destination, then tested and placed in service with detailed instructions and minimum one day initial training of Department personnel at any other Department facility, plus a one day follow up training with Department personnel per district. Dealer will contact the district to schedule the training classes. The district will have the latitude to schedule the training day that is best for their needs but will be required to give the dealers a three (3) week notice of their requested training dates.

Cancellation of Contract

- a. If the Contractor/supplier fails to carry out the performance of the work with sufficient workmen and equipment to insure the completion of the delivery within the time specified or becomes insolvent or is adjudicated a bankrupt or commits any act of bankruptcy or insolvency or allows any final judgment to stand against him for a period of ten (10) days, the Missouri Department of Transportation may give notice in writing by registered mail to the Contractor/supplier and the surety of such delay, neglect or default.
- b. If, within ten (10) days after such notice the Contractor/supplier does not proceed to remedy to the satisfaction of the Department's representatives the faults specified in said notice, or the surety does not proceed to take over the deliveries, the Department shall have full power and authority, without impairing the obligation of the Contractor/supplier under the contract or the surety under the bond, to take over the completion of the work and arrange for the shipment of any materials necessary to complete the work and the Contractor/supplier and the surety will be responsible for any additional costs incurred by the Department in obtaining the completion of the deliveries.

Liquidated Damages

- a. In the event the successful Contractor fails to deliver the material within the time specified, the Department and the public will sustain damages because of such delay in delivery, the exact extent of which would be difficult to ascertain, and in order to liquidate such damage in advance it is agreed that the **sum of one-hundred dollars (\$100.00) per day, per item**, for each assessable calendar day on which the delivery has not been completed, is reasonable and the best estimate which the parties can arrive at as liquidated damages, and it is therefore agreed that said amount will be withheld from payments due the Contractor or otherwise collected from the Contractor as liquidated damages.
- b. **Saturdays, Sundays, holidays and days whereas the Department has suspended work shall not be assessable days.**